UNITES STATES ENVIRONMENTAL PROTECTION AGENCY

User ID: RPW RAW DATA REPORT

Report Request ID: 502670 Report Code: AMP350 Jan. 31, 2008

GEOGRAPHIC SELECTIONS

Tribal

State County Site Parameter POC City AQCR UAR MSA CMSA Region Method Duration Begin Date End Date

49

PROTOCOL SELECTIONS

Parameter

Classification Parameter Method Duration

CRITERIA 88101

SELECTED OPTIONS			SORT ORDER	SCR GROUP SELECTIONS
Option Type	Option Value	Order	Column	UTAH
RAW DATA EVENTS	INCLUDE EVENTS	1	STATE_CODE	
INCLUDE NULLS	YES	2	COUNTY_CODE	
DAILY STATISTICS	MAXIMUM	3	SITE_ID	
MERGE PDF FILES	YES	Λ	PARAMETER_CODE	
UNITS	STANDARD	4	TAKAMETEK_CODE	
		5	POC	

GLOBAL DATES

Start Date End Date

2007 01 01 2007 12 31

AQCR: (219) UTAH

LOCATION SETTING:

LAND USE: RESIDENTIAL

RAW DATA REPORT

SUBURBAN

URBANIZED AREA: (0000) NOT IN AN URBAN AREA

(88101) PM2.5 - Local Conditions

SITE ID: 49-003-0003 POC: 1

COUNTY: (003) Box Elder CITY: (08460) Brigham City

SITE ADDRESS: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

SITE COMMENTS: SITE FOR OZONE, PM2.5, AND MET

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPECIAL PURPOSE

MONTH

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

DURATION: 24 HOURS

REPORT FOR: 2007 DURATION: 24 HOURS
UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

LATITUDE:

LONGITUDE:

UTM ZONE:

Jan. 31, 2008

41.492778

12

UTM NORTHING: 4593750

UTM EASTING: 415018

ELEVATION-MSL: 1334

PROBE HEIGHT: 4

-112.018056

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			1.5					7.8				
2		6.3				7.3	8.2				6.0	6.9
3	30.6			4.2	2.1				3.9	4.5		
4			12.3					17.9 e				
5		12.6				8.8	8.2				12.3	27.1
6	3.2			5.7	3.0				15.9 e	2.9		
7			15.7					10.5				
8		12.1				4.5	26.3 e				17.3	3.0
9	21.2			2.6	7.4				12.3	5.4		
10			2.7					6.1				
11		2.4				4.1	22.5 e				4.4	4.6
12	3.2			AM	6.4				11.0	8.1		
13			6.9					5.9				
14		2.5				6.0	9.8				3.2	9.9
15	14.0			5.0	9.8				7.1	6.2		
16			5.7					7.9				
17		1.9		40.4		5.7	6.4		4.5	0.4	12.1	24.0
18	24.9		4.8	12.1	7.9			10.0	4.7	2.1		
19		5.6	4.8			8.7	12.0	10.0			2.9	10
20 21	14.1	5.6		4.0	4.8	8./	13.2		5.0	1.7	2.9	AR
22	14.1		7.0	4.0	4.0			3.6	5.0	1./		
23		1.6	7.0			8.9	AV	3.0			3.9	3.7
24	33.6	1.0		3.0	3.0	0.9	114		3.0	9.3	3.9	3.7
25	33.0		3.4	3.0	3.0			AN	3.0	J.3		
26		1.3	0.1			6.4	4.2				7.4	7.4
27	P 55.2			3.4	5.3				5.5	12.2		
28			2.7					6.1				
29						8.5	8.0				2.4	4.2
30	P 64.5			8.3	3.8				4.2	6.3		
31			5.3					5.7				
NO.:	10	9	11	9	10	10	9	10	10	10	10	9
MAX:	64.5	12.6	15.7	12.1	9.8	8.9	26.3	17.9	15.9	12.2	17.3	27.1
MEAN:	26.45	5.14	6.18	5.37	5.35	6.89	11.87	8.15	7.26	5.87	7.19	10.09
	. ODGEDUATIONS	117		0.00	ANINITAT MAY	64.5	2 V	Values marked w	ith 'P' exceed	the PRIMARY S	TANDARD of: 35	
ANNUA.	L OBSERVATIONS:	117	ANNUAL MEAN:	8.82	ANNUAL MAX:	04.3	2.5	Talijaa mambad ri	ith ICI awared	+ba CECONDARY	CTANDADD of. 2	E

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

RAW DATA REPORT

Jan. 31, 2008

CAS NUMBER: LATITUDE:

URBAN AND CENTER CITY

41.731111

-111.8375

12

430337

UTM NORTHING: 4620024

ELEVATION-MSL: 1380

PROBE HEIGHT: 4

LONGITUDE:

UTM ZONE:

UTM EASTING:

STATE: (49) Utah AQCR: (219) UTAH

LOCATION SETTING:

CITY: (45860) Logan URBANIZED AREA: (0000) NOT IN AN URBAN AREA SITE ADDRESS: 125 W. CENTER STREET, LOGAN, UT

LAND USE: COMMERCIAL SITE COMMENTS: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.

MONITOR COMMENTS:

SITE ID: 49-005-0004

COUNTY: (005) Cache

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality DURATION: 24 HOURS REPORT FOR: 2007

MONITOR TYPE: SPECIAL PURPOSE

POC: 1

UNITS: Micrograms/cubic meter (LC) COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential MIN DETECTABLE: 2

PQAO: (1113) Utah Department Of Environmental Quality

(88101) PM2.5 - Local Conditions

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	21.0	8.4	4.4	5.0	AN	7.4	7.0	8.3	5.2	5.4	10.0	9.9
2	18.0	6.8	AN	3.0	AN	8.0	7.1	9.9	4.3	3.1	9.4	7.3
3	24.1	12.5	12.9	5.8	AN	7.4	6.9	12.2	5.4	5.3	10.5	10.8
4	4.9	19.1	24.6	7.0	AN	7.9	16.7 IH	17.5 e	6.2	6.6	11.4	13.4
5	4.5	21.0	31.6	5.9	AN	7.8	7.3	11.3	5.6	4.5	14.5	13.7
6	3.5	19.9	P 46.4	6.6	AN	1.9	7.3	10.6	15.0	2.7	14.7	19.7
7	4.6	22.8	P 43.4	5.9	AN	2.2	15.3	10.1	13.8	3.8	15.5	13.9
8	8.6	16.6	4.1	2.6	AN	3.5	27.5 e	7.7	9.3	5.5	16.6	4.8
9	14.3	9.4	12.0	3.6	5.8	4.1	22.7 e	8.4	12.7	5.4	18.2	7.2
10	21.5	11.2	6.4	2.3	6.4	5.0	25.0 e	7.1	9.6	6.5	11.8	14.5
11	3.0	3.4	4.6	2.9	7.2	4.5	20.3 e	8.7	10.7	7.8	6.8	7.2
12	6.0	2.9	6.1	5.6	7.0	4.6	16.9 e	5.5	13.5	11.4	8.3	18.4
13	8.1	3.6	6.9	4.6	5.7	5.9	15.9 e	5.7	12.2	6.0	4.9	23.6
14	14.7	6.1	5.4	6.9	7.4	6.0	10.1	7.3	7.1	5.3	6.3	15.4
15	20.1	3.4	4.9	5.6	11.6	5.3	7.4	8.9	8.0	6.4	12.0	9.7
16	27.1	2.2	5.9	4.3	15.4	6.8	5.7	8.1	8.4	6.9	16.4	21.9
17	P 35.2	2.6	6.2	6.0	8.2	3.7	8.3	6.7	5.9	.8	10.7	20.7
18	31.1	4.7	5.4	4.7	8.8	3.2	6.7	8.4	6.2	2.8	3.8	18.4
19	22.9	4.0	5.8	1.7	10.0	5.1	7.8	8.5	8.7	2.4	2.5	7.4
20	24.6	6.5	5.0	3.9	9.9	8.2	14.1	9.7	6.3	1.9	3.3	3.3
21	18.4	7.9	3.8	5.3	4.7	6.6	11.2	5.4	6.1	2.2	9.2	3.6
22	18.9	6.2	8.0	5.5	2.7	7.7	11.5	5.0	4.5	6.3	11.3	AN
23	25.6	AR	5.4	1.7	3.0	7.9	15.4	4.6	1.9	7.5	9.5	AN
24	30.0	1.3	4.2	.6	4.2	AN	AN	6.0	4.0	10.5	12.2	AN
25	P 38.7	2.6	3.4	3.1	4.8	AN	AN	6.5	5.5	13.4	10.7	AN
26	P 49.3	2.5	4.4	4.2	6.7	AN	11.7	7.5	6.7	15.4	11.9	AN
27	P 41.2	3.9	2.8	AN	8.4	AN	9.9	5.6	6.2	13.5	7.9	10.0
28	26.0	13.6	2.8	AN	8.4	8.4	9.4	7.0	7.9	15.2	3.4	AN
29	31.8		3.7	AN	7.0	9.4	7.9	6.5	3.5	16.6	3.6	AN
30	P 45.1		4.1	AN	5.2	7.1	8.7	7.7	5.5	9.0	8.3	3.6
31	18.2		4.3		5.9		9.5	6.1		6.9		17.5
NO.:	31	27	30	26	23	26	29	31	30	31	30	24
MAX:	49.3	22.8	46.4	7.0	15.4	9.4	27.5	17.5	15.0	16.6	18.2	23.6
MEAN:	21.32	8.34	9.63	4.40	7.15	5.98	12.11	8.02	7.53	7.00	9.85	12.33
ANNUA	L OBSERVATIONS:	338	ANNUAL MEAN:	9.60	ANNUAL MAX:	49.3			ith 'P' exceed		IANDARD of: 35	5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

URBANIZED AREA: (0000) NOT IN AN URBAN AREA

Jan. 31, 2008

UTM NORTHING: 4620024

RAW DATA REPORT

(88101) PM2.5 - Local Conditions CAS NUMBER: LATITUDE: 41.731111 SITE ID: 49-005-0004 POC: 2 STATE: (49) Utah LONGITUDE: -111.8375 COUNTY: (005) Cache AQCR: (219) UTAH UTM ZONE: 12 CITY: (45860) Logan

SITE ADDRESS: 125 W. CENTER STREET, LOGAN, UT

LAND USE: COMMERCIAL UTM EASTING: 430337 SITE COMMENTS: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION. LOCATION SETTING: URBAN AND CENTER CITY ELEVATION-MSL: 1380 MONITOR COMMENTS: COLLOCATED SAMPLES USED TO SUBSTITUTE FOR MISSING POC 1 VALUES

PROBE HEIGHT: 4 SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

DURATION: 24 HOURS REPORT FOR: 2007 MONITOR TYPE: SPECIAL PURPOSE

UNITS: Micrograms/cubic meter (LC) COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential MIN DETECTABLE: 2

PQAO: (1113) Utah Department Of Environmental Quality

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	17.9		5.4									
2	18.5										11.0	6.0
3	25.9								6.4	5.5		
4	4.5 Y							18.4				
5		21.5				9.0	11.3					
6	3.7			6.3	5.1							
7			P 48.2									
8											16.7	5.2
9									13.2	6.1		
10								7.9				
11	F 7	3.6			6.0	5.0	19.8					
12 13	5.7		8.6	AM	6.9							
14			0.0								6.5	16.0
15									8.9	7.0	0.5	10.0
16								7.8	0.5	7.0		
17		4.5				5.2	8.0	7.0				
18	33.7			4.4	9.3							
19			5.9									
20											3.9	1.8
21									7.4	2.0		
22								4.7				
23		2.3				7.9	15.4					
24	30.4			3.5	5.1							
25			3.6									
26											11.7	14.5
27									6.2	12.9		
28								7.4				
29						10.7	7.6					
30	P 46.5			8.4	5.2							
31			6.2									
NO.:	9	4	6	4	5	5	5	5	5	5	5	5
MAX:	46.5	21.5	48.2	8.4	9.3	10.7	19.8	18.4	13.2	12.9	16.7	16.0
MEAN:	20.76	7.98	12.98	5.65	6.32	7.56	12.42	9.24	8.42	6.70	9.96	8.70
ANNUA	L OBSERVATIONS	: 63	ANNUAL MEAN:	10.57	ANNUAL MAX:	48.2			ith 'P' exceed		ANDARD of: 35	-

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

(88101) PM2.5 - Local Conditions

SITE ID: 49-011-0004 POC: 1

COUNTY: (011) Davis

CITY: (07690) Bountiful SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

SITE COMMENTS: NEW SITE TO REPLACE 490110001

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

MONITH

COLLECTION AND ANALYSIS METHOD: (143) R & P Model 2000 PM-2.5 Air Sample

PQAO: (1113) Utah Department Of Environmental Quality

LATITUDE:

STATE: (49) Utah LONGITUDE: -111.884467

AQCR: (220) WASATCH FRONT UTM ZONE: 12

URBANIZED AREA: (7159) SALT LAKE CITY, UT

LAND USE: RESIDENTIAL

LOCATION SETTING: SUBURBAN

UTM RASTING: 425503.56

LOCATION SETTING: SUBURBAN

ELEVATION—MSL: 1309

ELEVATION-MSL: 1309 PROBE HEIGHT: 4

40.902967

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			2.2					17.8				
2		10.2				10.9	12.1				7.6	8.0
3	31.2			8.0	2.1				7.1	6.9		
4			13.9					27.3 e				
5		23.8				8.7	15.6				7.4	34.1
6	9.2			6.8	3.0				15.8 e	2.1		
7			14.1					14.0				
8		11.3				4.4	31.7 e					4.3
9	26.8			4.3	8.2				AM	7.2	19.7	
10			2.9					15.7				
11		3.3				7.1	29.7 e				7.2	5.9
12	3.5			4.2	5.9				14.4	12.3		
13			6.4					10.2				
14		6.3				7.2	5.2				9.0	16.7
15	27.7			4.7	10.3				13.2	6.1		
16			6.2					10.9				
17		4.0				5.6	10.8				12.4	31.5
18	29.6			3.7	11.6				9.0	3.0		
19			6.6					14.7				
20		8.7				7.8	15.1				3.7	2.3
21	19.8				6.0				9.4	2.3		
22			7.5	4.4				9.2				
23		2.4				AI					9.0	17.8
24	P 45.1			4.6	4.7		14.0		3.6	15.4		
25			5.1					10.9				
26		2.2				9.5	12.2				14.6	9.0
27	P 65.5			4.9	AN				AL	23.7		
28			6.6					9.4				
29						8.8	11.8				6.2	8.3
30	P 68.3			8.5	6.1			10.3	5.2	5.8		
31			4.5									
NO.:	10	9	11	10	9	9	10	11	8	10	10	10
MAX:	68.3	23.8	14.1	8.5	11.6	10.9	31.7	27.3	15.8	23.7	19.7	34.1
MEAN:	32.67	8.02	6.91	5.41	6.43	7.78	15.82	13.67	9.71	8.48	9.68	13.79
ANNUAI	L OBSERVATIONS:	117	ANNUAL MEAN:	11.65	ANNUAL MAX:	68.3	3 V	alues marked w	ith 'P' exceed	the PRIMARY S	TANDARD of: 35	
							3 V	alues marked w	ith 'S' exceed	the SECONDARY	STANDARD of . 3	5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

LOCATION SETTING:

RAW DATA REPORT Jan. 31, 2008

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-0003 POC: 1

COUNTY: (035) Salt Lake

CITY: (00000) Not in a city

SITE ADDRESS: 5715 S. 1400 E., SALT LAKE CITY

SITE COMMENTS: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

| LATITUDE: 40.646667
| STATE: (49) Utah | LONGITUDE: -111.849722
| AQCR: (220) WASATCH FRONT | UTM ZONE: 12
| URBANIZED AREA: (7159) SALT LAKE CITY, UT | UTM NORTHING: 4499650
| LAND USE: RESIDENTIAL | UTM EASTING: 428153

UTM EASTING: 428153 ELEVATION-MSL: 1335 PROBE HEIGHT: 4

REPORT FOR: 2007 DURATION: 24 HOURS

SUBURBAN

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			2.2					8.4				
2		12.7				9.4	10.7				10.7	15.7
3	P 35.7			6.7	2.2				4.6	5.9		
4			13.7					AM				
5		20.1				14.6	25.9				18.4	P 36.7
6	8.6			6.6	5.5				17.6 e	4.5		
7			9.3					18.5				
8		7.7				5.9	23.0 e				24.9	7.4
9	25.2			3.0	8.9				15.0	6.2		
10			4.3					6.4				
11		3.2				4.9	24.8 e				8.0	10.0
12	6.9			4.9	7.3				12.8	16.4		
13			6.2					8.3				
14		6.4				6.7	12.2				7.6	17.4
15	P 37.4			4.7	9.2				7.7	AL		
16			6.5					6.1				
17		6.2				5.5	11.7				11.7	P 38.3
18	P 49.8			4.6	8.4				8.2	7.0		
19			8.2					8.9				
20		8.8				5.7	12.5				3.2	4.5
21	18.0			8.3	6.7				6.7	AL		
22			9.0					7.6				
23		3.2				9.1	AM				12.9	21.4
24	P 58.4			4.7	4.3				3.7	4.7		
25			4.3					9.1				
26		2.9				10.8	11.1				17.9	13.0
27	P 85.0			5.4	8.0				7.5	16.3		
28			6.5					6.9				
29						11.5	9.9				11.7	8.2
30	P 71.3			9.4	6.3				6.3	28.2		
31			5.9					6.7				
NO.:	10	9	11	10	10	10	9	10	10	8	10	10
MAX:	85.0	20.1	13.7	9.4	9.2	14.6	25.9	18.5	17.6	28.2	24.9	38.3
MEAN:	39.63	7.91	6.92	5.83	6.68	8.41	15.76	8.69	9.01	11.15	12.70	17.26
ANNUA	L OBSERVATIONS:	: 117	ANNUAL MEAN:	12.48	ANNUAL MAX:	85.0	8 V	alues marked w	ith 'P' exceed	the PRIMARY ST	TANDARD of: 35	
N-+	Ouglifier	oo ::i+b ===:		. and about in		1 +boso with-		alues marked w	ith 'S' exceed	the SECONDARY	STANDARD of: 3	5

AQCR: (220) WASATCH FRONT

LAND USE: INDUSTRIAL

LOCATION SETTING:

URBANIZED AREA: (7159) SALT LAKE CITY, UT

SUBURBAN

RAW DATA REPORT Jan. 31, 2008

CAS NUMBER:

SITE ID: 49-035-0012 POC: 1 STATE: (49) Utah

COUNTY: (035) Salt Lake CITY: (67000) Salt Lake City

(88101) PM2.5 - Local Conditions

SITE ADDRESS: 1795 N WARM SPRINGS RD (1025 W) SLC UTAH

SITE COMMENTS:

MONITOR COMMENTS:

MONITOR TYPE: SPECIAL PURPOSE

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality DURATION: 24 HOURS REPORT FOR: 2007

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

LATITUDE:

LONGITUDE:

UTM ZONE:

40.8075

12

UTM NORTHING: 4517585

UTM EASTING: 422312

ELEVATION-MSL: 1286

PROBE HEIGHT: 5

-111.921111

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	26.7	12.5	AV	5.1	11.6	21.4						
2	P 35.1	12.9	5.2	9.2	13.5	19.7						
3	34.2	13.9	9.7	8.0	4.6	15.0						
4	7.7	16.2	14.7 Y	12.8	6.8	20.8						
5	6.0	27.0	27.9	11.0	3.7	22.0						
6	6.9	P 35.3	P 38.2	12.5	5.1	4.0						
7	10.3	P 52.8	AN	10.2	17.4	4.6						
8	16.4	13.3	AV	4.3	12.8	9.0						
9	AL	20.2	12.3	4.5	11.5	8.4						
10	26.5	10.1	4.0	AN	9.6	7.3						
11	6.1	6.5	8.1	AN	10.0	8.4						
12	8.3	7.7	15.2	10.0	14.2	9.9						
13	AN	8.9	14.3	9.1	10.0	18.1						
14	AN	7.6	12.6	6.8	11.2	18.4						
15	33.5	9.4	7.9	6.0	18.6	17.2						
16	P 47.7	5.7	9.6	7.5	25.6	13.5						
17	AM	8.1	9.5	10.1	16.1	7.2						
18	P 52.2	7.9	8.5	6.0	16.1	8.4						
19	P 55.6	3.7	13.5	3.9	11.4	16.3						
20	P 66.5	8.2	13.9	7.9	25.3	10.7						
21	20.4	6.3	4.7	8.7	10.5	13.8						
22	32.4	5.7	9.4	5.7	AN	17.4						
23	P 44.0	3.0	19.5	6.9 Y	AN	12.0						
24	AI	6.0	6.4	8.1	10.2	10.4						
25	P 62.0	4.9	5.4	7.8	AN	9.5						
26	P 79.2	4.2	9.1	6.9	11.9	16.7						
27	P 78.7	AV	7.2	7.8	15.3	20.4						
28	P 81.0	AV	7.9	12.0	11.6	14.5						
29	P 80.6		5.4	10.2	10.9	14.1						
30	P 80.6		7.1	12.4	13.4	12.4						
31	P 36.6		6.7		13.0							
NO.:	26	26	28	28	28	30	0	0	0	0	0	0
MAX:	81.0	52.8	38.2	12.8	25.6	22.0						
MEAN:	39.82	12.23	11.21	8.26	12.57	13.38						
ANNUA	L OBSERVATIONS:	166	ANNUAL MEAN:	15.98	ANNUAL MAX:	81.0					STANDARD of: 35	
N-4	01:6:				unnon and and			Values marked	with 'S' excee	ed the SECONDAR	Y STANDARD of:	35

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

Page 6 of 23

SITE ID: 49-035-1001 POC: 1

COUNTY: (035) Salt Lake CITY: (47290) Magna

SITE ADDRESS: 2935 SOUTH 8560 WEST MAGNA, UTAH

(88101) PM2.5 - Local Conditions

SITE COMMENTS:

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPECIAL PURPOSE

MONITH

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

STATE: (49) Utah LONGITUDE: 40.708611

AQCR: (220) WASATCH FRONT UTM ZONE: 12

URBANIZED AREA: (7159) SALT LAKE CITY, UT

LAND USE: RESIDENTIAL

LOCATION SETTING: SUBURBAN

UTM EASTING: 407529

LOCATION SETTING: SUBURBAN

ELEVATION—MSL: 1317

ELEVATION-MSL: 1317
PROBE HEIGHT: 7

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			1.4					7.9				
2		6.5				9.1	15.9				8.4	6.6
3	AN			4.1	2.3				6.6	4.2		
4			9.8					17.5 e				
5		19.2				11.7	16.7				13.6	27.5
6	AN			4.5	2.9				14.8	3.5		
7			14.5					9.5				
8		7.7				5.5	23.8 e				21.8	7.0
9	AN			2.8	7.8				12.2	6.1		
10			2.4					5.8				
11		2.7				6.2	23.4 e				8.8	5.8
12	AN			11.2	4.7				11.5	AL		
13			5.3					5.2				
14		1.4				6.7	10.9				3.6	9.8
15	AL			4.4	9.0				7.4	6.5		
16			3.1					6.3				
17		4.3				7.7	8.8				13.4	29.2
18	AL			4.2	9.0				7.1	AL		
19			6.0					8.6				
20		2.7				7.5 Y	11.2				2.4	2.3
21	8.1			6.7	6.5				6.6	AL		
22			6.1					6.3				
23		2.1				10.5	15.2				6.8	16.9
24	30.0			2.9	3.6				3.2	AL		
25			4.0					8.0				
26		2.9				10.7	10.5				.0	8.6
27	P 65.1			2.9	5.4				6.1	26.5		
28			4.6					5.7				
29						8.9	10.0				3.3	3.8
30	P 60.2			7.7	6.1				4.0	6.0		
31			3.9					5.9				
NO.:	4	9	11	10	10	10	10	11	10	6	10	10
MAX:	65.1	19.2	14.5	11.2	9.0	11.7	23.8	17.5	14.8	26.5	21.8	29.2
MEAN:	40.85	5.50	5.55	5.14	5.73	8.45	14.64	7.88	7.95	8.80	8.21	11.75
ANNUA:	L OBSERVATIONS:	111	ANNUAL MEAN:	9.30	ANNUAL MAX:	65.1		alues marked w				
	2 Values marked with 'S' exceed the SECONDARY STANDARD of: 35											5

RAW DATA REPORT

Jan. 31, 2008

SITE ID: 49-035-3006 POC: 1

COUNTY: (035) Salt Lake

CITY: (67000) Salt Lake City SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY

(88101) PM2.5 - Local Conditions

SITE COMMENTS:

MONITOR COMMENTS: PARTISOL WITH WINS IMPACTOR

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

LATITUDE: 40.736389 STATE: (49) Utah LONGITUDE: -111.872222 AQCR: (220) WASATCH FRONT UTM ZONE: 12 URBANIZED AREA: (7159) SALT LAKE CITY, UT UTM NORTHING: 4509639

LAND USE: RESIDENTIAL UTM EASTING: 426359 LOCATION SETTING: SUBURBAN ELEVATION-MSL: 1306 PROBE HEIGHT: 4

DURATION: 24 HOURS REPORT FOR: 2007

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	27.8	11.2	2.6	4.7	8.1	7.2	8.0	7.1	6.2	4.6	10.4	15.9
2	P 36.2	12.9	4.0	3.7	8.5	7.7	8.2	10.4	5.2	4.0	9.7	14.7
3	P 36.5	14.9	7.9	6.3	3.3	7.5	7.6	8.7	6.5	6.6	11.4	16.0
4	8.8	13.5	15.5	6.9	5.2	7.4	16.7 IH	17.2 e	AN	10.4	12.9	24.4
5	7.5	25.7	24.4	5.3	3.4	11.5	10.4	12.7	16.6	5.7	17.7	P 35.2
6	10.4	31.0	25.1	7.4	3.5	3.8	7.6	11.6	AN	5.1	19.0	32.6
7	9.5	P 37.6	9.7	5.3	5.4	4.1	14.3	11.0	AN	6.1	19.2	12.4
8	18.9	6.8	3.7	3.9	8.1	5.7	23.4 e	8.2	AN	7.4	26.0	4.5
9	BA	13.7	8.5	3.6	10.0	5.7	29.3 e	6.4	AN	5.7	18.8	15.5
10	21.9	7.9	4.2	1.8	5.8	4.9	20.2 e	6.4	11.2	8.7	9.0	19.5
11	5.1	5.2	3.5	5.0	6.4	6.4	11.2	6.1	12.9	14.4	7.2	8.4
12	3.5	3.8	11.3	4.8	AN	5.0	19.1 e	5.5	13.7	16.3	12.8	21.9
13	8.7	9.6	6.4	5.5	AN	5.9	10.6	5.7	9.0	9.0	8.2	24.9
14	17.7	6.5	6.2	5.2	AN	6.2	8.1	6.6	8.0	8.9	8.9	18.7
15	31.4	7.5	4.2	4.3	AN	7.5	7.0	6.0	7.2	6.9	18.0	15.2
16	P 44.8	6.1	5.2	6.4	AN	8.2	8.2	6.0	12.6	4.8	19.2	25.0
17	P 48.4	4.2	5.5	6.4	AN	5.7	9.9	7.4	9.6	3.6	12.5	P 41.8
18	P 42.8	6.5	4.7	4.2	7.6	4.9	6.9	8.5	7.2	3.1	6.0	20.3
19	P 47.3	4.8	10.1	4.4	7.3	7.5	8.3	8.3	8.1	3.5	4.5	6.9
20	P 65.1	7.5	6.7	7.4	9.4	7.3	12.9	14.4	7.0	3.4	2.9	2.4
21	16.2	3.1	.6	7.7	6.0	7.2	8.8	10.5	6.0	2.6	9.9	5.0
22	27.2	3.7	8.2	4.2	2.4	8.3	16.1	8.0	5.5	6.1	16.0	10.5
23	P 46.8	11.1	6.9	3.0	3.2	8.7	10.6	5.9	3.0	11.7	9.6	20.9
24	P 51.8	5.0	5.1	4.1	4.3	9.7	AN	6.2	2.7	19.3	10.4	9.1
25	P 64.2	3.7	3.2	4.8	4.4	7.0	AN	9.4	AN	16.8	14.9	8.5
26	P 75.5	2.9	4.9	4.6	5.5	8.8	AN	8.8	AN	17.1	19.0	10.6
27	P 86.6	3.7	5.2	4.6	6.5	7.7	AN	5.9	7.5	AN	8.8	8.1
28	P 76.0	8.7	8.1	8.4	6.2	8.0	AN	6.0	5.2	AN	6.7	7.8
29	P 64.6		4.0	10.0	4.1	8.4	AN	7.6	6.3	AN	12.2	7.1
30	P 78.0		5.0	8.3	4.4	7.7	AN	8.2	6.1	5.7	14.8	2.1
31	33.8		5.0		6.6		10.4	7.1		8.6		3.9
NO.:	30	28	31	30	25	30	24	31	23	28	30	31
MAX:	86.6	37.6	25.1	10.0	10.0	11.5	29.3	17.2	16.6	19.3	26.0	41.8
MEAN:	37.10	9.96	7.28	5.41	5.82	7.05	12.24	8.32	7.97	8.08	12.55	15.15
ANNUA	L OBSERVATIONS:	341	ANNUAL MEAN:	11.57	ANNUAL MAX:	86.6	18 Values marked with 'P' exceed the PRIMARY STANDARD of: 35					

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

AQCR: (220) WASATCH FRONT

RAW DATA REPORT Jan. 31, 2008

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3007 POC: 1

COUNTY: (035) Salt Lake CITY: (83445) West Valley

MONITH

SITE ADDRESS: 3275 W 3100 S, WEST VALLEY CITY, UTAH

SITE COMMENTS:

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (143) R & P Model 2000 PM-2.5 Air Sample

PQAO: (1113) Utah Department Of Environmental Quality

LATITUDE: 40.704444 STATE: (49) Utah LONGITUDE: -111.968611

UTM ZONE: 12

URBANIZED AREA: (7159) SALT LAKE CITY, UT UTM NORTHING: 4506194 LAND USE: RESIDENTIAL UTM EASTING: 418164 LOCATION SETTING: SUBURBAN

ELEVATION-MSL: 1295 PROBE HEIGHT: 5

DURATION: 24 HOURS REPORT FOR: 2007

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	YAM	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			2.6					7.0		4.5		
2		11.1				9.4	10.0				14.8	8.9
3	P 35.9			6.8	3.2				4.9	5.5		
4			13.8					18.7 e				
5		26.9				AL	P 50.5 IH				23.7	33.0
6	9.8			8.8	4.2				15.9 e	3.4		
7			13.0					8.9				
8		11.3				6.3	24.5 e				33.3	7.1
9	26.1 Y			3.0	9.0				12.2	5.6		
10			4.2					5.5				
11		6.3				5.7	22.1 e				7.2	14.3
12				6.4	7.6				12.1	17.6		
13	12.3		8.3					5.3				
14		5.4				7.9	AM				6.9	15.7
15	32.0			5.6	11.3				6.8	8.2		
16			7.5					6.3				
17		9.0	,.0			6.3	10.8	0.3			16.1	P 40.4
18	P 49.4	3.0		5.5	9.9	0.0	10.0		8.0	3.1	10.1	1 10.1
19	1 43.4		8.0	3.3	3.3			8.5	0.0	3.1		
20		5.8	0.0			7.6	12.3	0.3			3.4	2.0
21	25.6	3.0		8.7		7.0	12.5		8.8	3.6	5.4	2.0
22	23.0		9.3	0.7	3.9			7.5	0.0	3.0		
23		2.3 Y	9.3		3.9	11.9	11.5	7.5			14.0	16.2
24	AL	2.5 1		4.7		11.5	11.5		4.2		14.0	10.2
25	AL		4.4	4.7	5.7				4.2	25.6		
26		3.2	4.4		5.7		9.4	10.2		23.0	18.3	10.7
27	P 80.6	3.2		4.9	8.6 Y	10.6	7.4	10.2	7.4	32.4	10.3	10.7
28	F 00.0		5.4	4.5	0.0 1	10.0		7.4	7 • 4	32.4		
29			3.4			10.9	10.6	7.4			10.2	4.6
30	D 70 0			7.2	C 4	10.9	10.6		3.7	F 0	10.2	4.0
	P 78.8		F 6	1.2	6.4			7.2	AL	5.8		
31			5.6					7.2				
NO.:	9	9	11	10	10	9	9	11	9	11	10	10
MAX:	80.6	26.9	13.8	8.8	11.3	11.9	50.5	18.7	15.9	32.4	33.3	40.4
MEAN:	38.94	9.03	7.46	6.16	6.98	8.51	17.97	8.41	8.92	10.48	14.79	15.29
ANNUA	L OBSERVATIONS	: 118	ANNUAL MEAN:	12.48	ANNUAL MAX:	80.6	6 V	alues marked w	ith 'P' exceed	the PRIMARY S	TANDARD of: 35	
	6 Values marked with 'S' exceed the SECONDARY STANDARD of: 35											

LOCATION SETTING:

LAND USE: RESIDENTIAL

AQCR: (220) WASATCH FRONT

URBANIZED AREA: (7159) SALT LAKE CITY, UT

SUBURBAN

RAW DATA REPORT Jan. 31, 2008

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3007 POC: 2

COUNTY: (035) Salt Lake

CITY: (83445) West Valley

SITE ADDRESS: 3275 W 3100 S, WEST VALLEY CITY, UTAH

SITE COMMENTS:

MONITOR COMMENTS: COLLOCATED SAMPLES USED TO SUBSTITUTE FOR MISSING POC 1 VALUES

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (143) R & P Model 2000 PM-2.5 Air Sample

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

LATITUDE:

LONGITUDE:

UTM ZONE:

UTM NORTHING: 4506194

UTM EASTING: 418164

ELEVATION-MSL: 1295

PROBE HEIGHT: 5

40.704444

-111.968611

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			3.3									
2											18.5	9.2
3									4.7	5.4		
4								18.5				
5		25.7				AL	P 49.1					
6	10.3			8.4	4.2							
7			13.2									
8											33.4	7.6
9									12.1	5.4		
10								5.7				
11		6.0				6.2	22.4					
12				7.9	7.0							
13	11.7		8.3									
14											7.4	16.3
15									6.7	8.5		
16								6.2				
17		7.6				6.2	10.7					
18	P 49.5			10.0	10.6							
19			8.0									
20											3.6	1.8
21									7.8	3.7		
22								7.6				
23		3.0 Y				12.0	14.7					
24	AL			4.8								
25			4.9		5.3							
26											19.3	11.1
27									7.7	32.3		
28							40.0	6.4				
29 30	P 79.0			9.7	6.1	9.3	10.0					
	P /9.0		5.7	9.7	6.1							
31			5.7									
NO.:	4	4	6	5	5	4	5	5	5	5	5	5
MAX:	79.0	25.7	13.2	10.0	10.6	12.0	49.1	18.5	12.1	32.3	33.4	16.3
MEAN:	37.63	10.58	7.23	8.16	6.64	8.43	21.38	8.88	7.80	11.06	16.44	9.20
ANNUA	L OBSERVATIONS:	58	ANNUAL MEAN:	12.37	ANNUAL MAX:	79.0	3 7	Jalues marked w	ith 'P' exceed	the PRIMARY ST	ANDARD of: 35	
	3 Values marked with 'S' exceed the SECONDARY STANDARD of: 35											

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3008 POC: 1

COUNTY: (035) Salt Lake
CITY: (00000) Not in a city

SITE ADDRESS: 12950 S. 5600 WEST, HERRIMAN, UTAH

SITE COMMENTS:

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPECIAL PURPOSE

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

 STATE:
 (49) Utah
 LONGITUDE:
 -112.023051

 AQCR:
 (220) WASATCH FRONT
 UTM ZONE:
 12

 URBANIZED AREA:
 (7159) SALT LAKE CITY, UT
 UTM NORTHING:
 4485530

 LAND USE:
 AGRICULTURAL
 UTM EASTING:
 413333

LAND USE: AGRICULTURAL

LOCATION SETTING: RURAL

LOCATION SETTING: RURAL

LOCATION SETTING: RURAL

PROBE HEIGHT: 4

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER: LATITUDE:

40.517946

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			AR					AN				
2		9.0				6.9	8.9				8.5	5.8
3	13.3			6.4	3.0				3.3	7.4		
4			8.0					15.2 e				
5		9.4				11.3	14.7				9.5	13.5
6	5.2			4.6	AN				19.8 e	2.9		
7			7.7					7.5				
8		5.7				7.6	20.1 e				10.4	5.0
9	15.9			2.3	AN				13.5	6.1		
10			3.6					6.0				
11		AN				5.0	22.6 e				4.2	6.1
12	AL			4.8	6.0				10.4	11.9		
13			3.7					5.4				
14		2.9				5.6	10.6				4.6	9.3
15	AL			4.6	10.6				12.2	5.7		
16			3.8					6.2				
17		2.2				6.9	AM				4.5	13.5
18	AL			5.2	7.4				7.2	1.7		
19			6.0					8.6				
20		4.0				5.4	11.0				2.6	2.6
21	AL			7.8	6.5				6.9	1.6		
22			10.7					6.2				
23		2.2				7.4	12.9				6.3	9.7
24	AL			3.2	2.4				6.1	8.7		
25			3.3					7.5				
26		1.1		0.5		9.7	9.1			00.4	11.0	5.6
27	P 57.4			3.5	6.1			5.0	4.7	23.1		
28			4.1					5.3			0.5	
29 30	P 44.6			8.4	4 0	6.3	AN		2.6	2.0	3.5	3.4
	P 44.6		6.0	8.4	4.9			6.0	2.6	3.9		
31			6.9					6.0				
NO.:	5	8	10	10	8	10	8	10	10	10	10	10
MAX:	57.4	9.4	10.7	8.4	10.6	11.3	22.6	15.2	19.8	23.1	11.0	13.5
MEAN:	27.28	4.56	5.78	5.08	5.86	7.21	13.74	7.39	8.67	7.30	6.51	7.45
ANNUA	L OBSERVATIONS	: 109	ANNUAL MEAN:	8.11	ANNUAL MAX:	57.4	2 V	alues marked w	ith 'P' exceed	the PRIMARY S	TANDARD of: 35	
								alues marked w	ith 'S' exceed	the SECONDARY	STANDARD of: 3	5

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3010 POC: 1

COUNTY: (035) Salt Lake

CITY: (67000) Salt Lake City

SITE ADDRESS: 1250 NORTH 1400 WEST

SITE COMMENTS: MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

MONTH

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

AN ELEVATION-MSL: 1286 PROBE HEIGHT: 4

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1				3.2	9.2	9.3	14.1	9.3	6.4	4.2	13.1	12.2
2				4.6	8.9	11.5	11.9	9.2	4.8	3.0	12.6	12.1
3				6.8	4.1	11.2	15.8	10.9	4.8	4.7	14.4	14.4
4				AN	4.3	12.0	P 78.2 IH	18.6 e	8.3	5.8	14.7	25.6
5				AN	2.5	16.2	33.8 IH	13.9	5.9	5.2	19.2	P 38.8
6				AN	4.1	2.9	11.3	12.6	14.9	2.3	21.7	P 36.0
7				AN	6.1	3.3	17.9	14.5	14.7	4.4	24.8	9.2
8				4.4	8.0	6.7	26.5 e	10.6	16.7 e	3.1	30.3	6.9
9				3.0	8.2	7.4	25.9 e	7.0	12.4	8.8	22.3	16.1
10				1.6	6.6	5.9	AN	8.0	11.7	9.0	8.2	18.7
11				6.4	7.4	6.7	27.0 e	9.0	14.3	12.5	6.2	13.2
12				4.7	7.1	5.2	17.1 e	5.6	12.5	16.6	14.0	25.1
13				4.5	9.4	9.9	13.9	3.6	8.9	9.4	7.2	26.7
14				5.3	7.5	8.4	8.2	13.4	5.6	11.0	8.0	16.4
15				5.2	11.4	10.0	17.4	10.6	7.3	8.2	19.2	15.2
16				5.5	16.9	9.5	AN	12.9	9.3	5.2	30.3	23.7
17				7.7	8.2	8.5	AN	12.7	9.3	3.1	14.9	P 36.6
18				2.7	14.3	7.2	AN	10.4	6.8	2.9	4.1	17.9
19				2.9	11.9	11.2	AN	11.5	8.4	2.9	3.1	6.2
20				5.5	12.1	7.6	AN	22.6	6.3	2.9	2.1	1.5
21				8.2	6.6	13.3	AN	13.2	6.7	2.7	8.7	3.9
22				5.0	3.2	12.1	AN	9.0	5.2	6.0	14.0	12.4
23				3.2	3.7	9.0	AN	7.4	2.4	14.9	10.7	17.6
24				4.7	AN	12.7	16.3	7.1	3.6	22.8	11.8	7.8
25				5.6	AN	8.1	13.3	8.3	6.7	29.4	12.9	5.3
26				5.1	AN	10.8	8.2	7.8	7.4	21.1	16.5	9.1
27				5.3	AN	11.7	8.0	6.2	8.5	29.9	6.5	13.6
28				9.0	AN	11.0	12.0	5.8	5.7	P 35.2	5.1	7.2
29				9.2	AN	12.5	10.9	8.2	6.4	28.9	9.5	6.1
30				9.3	AN	13.9	8.8	7.2	4.9	6.5	15.7	2.2
31					8.5		8.0	6.4		9.1		5.2
NO.:	0	0	0	26	24	30	22	31	30	31	30	31
MAX:				9.3	16.9	16.2	78.2	22.6	16.7	35.2	30.3	38.8
MEAN:				5.33	7.93	9.52	18.39	10.11	8.23	10.70	13.39	14.93
ANNUA	L OBSERVATIONS:	255	ANNUAL MEAN:	10.89	ANNUAL MAX:	78.2	5 V	alues marked w	rith 'P' exceed	the PRIMARY S	TANDARD of: 35	
		200	- IIIII IIIIIIII	10.00			5 17	alues marked w	ith IC! overood	the SECONDARY	CTAMDADD of. 3	5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

⁵ Values marked with 'S' exceed the SECONDARY STANDARD of: 35

LOCATION SETTING:

LAND USE: COMMERCIAL

AQCR: (220) WASATCH FRONT

URBANIZED AREA: (0000) NOT IN AN URBAN AREA

RAW DATA REPORT Jan. 31, 2008

(88101) PM2.5 - Local Conditions

SITE ID: 49-045-0003 POC: 1

COUNTY: (045) Tooele CITY: (76680) Tooele

SITE ADDRESS: 434 NORTH 50 WEST, TOOELE, UTAH

SITE COMMENTS:

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPECIAL PURPOSE

MONITH

COLLECTION AND ANALYSIS METHOD: (143) R & P Model 2000 PM-2.5 Air Sample

PQAO: (1113) Utah Department Of Environmental Quality

DURATION: 24 HOURS

URBAN AND CENTER CITY

REPORT FOR: 2007 DURATION: 24 HOURS
UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

CAS NUMBER:

LONGITUDE:

UTM ZONE:

UTM NORTHING: 4488683

UTM EASTING: 390013

ELEVATION-MSL: 1511

PROBE HEIGHT: 4

40.543371

-112.298814

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			2.0					6.5				
2						5.6	AL				6.5	8.8 Y
3	23.3	7.5		4.6	2.1				AL	4.1		
4			6.6					20.8 e				
5		6.2				8.4	8.9				9.0	12.6
6	4.9			4.9	2.5				14.0	2.5		
7			8.7					7.2				
8		3.6				2.9	21.7 e				12.4	5.7
9	9.5			AL	5.6				11.7	4.3		
10			3.2					4.1				
11		2.2				4.3	17.9 e				4.0	10.3
12	7.5			3.3	4.7				10.2	8.3		
13			4.1					4.0				
14		1.6				5.3	AL				4.2	9.7
15	16.5			4.0	8.8				7.9	5.8		
16			4.3					4.1				
17		3.6				6.6	7.5				4.2	20.2
18	24.2			4.8	6.9				5.9	2.1		
19			8.0					4.2				
20		2.5				4.8	6.4				AL	1.8
21	8.8			6.1	5.5				4.0	1.2		
22			9.4					4.3				
23		.9				6.2	14.2				9.0	7.1
24	14.7			2.6	3.1				AL	7.9		
25			2.6					5.6				
26		.6				6.4	5.9				14.7	AL
27	P 39.4			3.0	5.7				6.0	18.0		
28			1.4					3.9				
29						6.5	AL				5.0	2.6
30	AL			AL	3.8				3.5	AL		
31			.9					4.9				
NO.:	9	9	11	8	10	10	7	11	8	9	9	9
MAX:	39.4	7.5	9.4	6.1	8.8	8.4	21.7	20.8	14.0	18.0	14.7	20.2
MEAN:	16.53	3.19	4.65	4.16	4.87	5.70	11.79	6.33	7.90	6.02	7.67	8.76
ANNUA	L OBSERVATIONS:	110	ANNUAL MEAN:	7.14	ANNUAL MAX:	39.4			rith 'P' exceed			
	0 1:5:		1	, ,	1			alues marked w	rith 'S' exceed	the SECONDARY	STANDARD of: 3	5

(88101) PM2.5 - Local Conditions

SITE ID: 49-049-0002 POC: 1 COUNTY: (049) Utah

CITY: (62470) Provo

MONTH

SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT

SITE COMMENTS:

MONITOR COMMENTS: PARTISOL WITH CYCLONE IMPACTOR

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (143) R & P Model 2000 PM-2.5 Air Sample

PQAO: (1113) Utah Department Of Environmental Quality

PROBE HEIGHT: 4

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			.0					7.8				
2		8.3				AN	10.1				12.7	14.8
3	34.6			AI	4.6				3.8	8.2		
4			10.4			10.8		18.9 e				
5		25.6					22.7				9.9	22.4
6	12.1			7.5	4.2				15.2	3.3		
7			8.8					AM				
8		8.1				6.0	23.7 e				12.8	5.5
9	27.8 Y			3.3	7.8				13.2	5.1		
10			3.9					7.5				
11		3.1				5.0	31.4 e				4.4	14.4
12	9.1			4.8	8.2				11.2	9.7		
13			5.7					7.5				
14		7.2				9.0	9.1				7.3	17.3
15	AN			5.4	13.9				6.0	7.7		
16			5.0					6.7				
17		5.9				8.6	10.3				7.4	9.9
18	AL			6.1	10.9				7.4	3.8		
19			6.7					11.1				
20		10.7				8.8	10.7				3.7	3.2
21	P 47.6			8.0	AM				5.4	4.0		
22			12.1					9.6				
23		1.3				AL	11.6				2.1	11.3
24	P 50.3			5.3	4.0				3.3	8.3		
25			4.5					7.2				
26		3.9				13.6	6.9				17.2	9.3
27	P 74.8			7.2	7.2				5.5	23.6		
28			3.1					6.8				
29						9.3	8.8				9.8	7.1
30	P 63.5			9.2	12.4				4.2	4.7		
31			6.0					6.3				
NO.:	8	9	11	9	9	8	10	10	10	10	10	10
MAX:	74.8	25.6	12.1	9.2	13.9	13.6	31.4	18.9	15.2	23.6	17.2	22.4
MEAN:	39.98	8.23	6.02	6.31	8.13	8.89	14.53	8.94	7.52	7.84	8.73	11.52
ANNUA	L OBSERVATIONS	: 114	ANNUAL MEAN:	10.98	ANNUAL MAX:	74.8	4 \	alues marked w	ith 'P' exceed	the PRIMARY S	TANDARD of: 35	
	0 3161		1					alues marked w	ith 'S' exceed	the SECONDARY	STANDARD of: 3	5

RAW DATA REPORT

Jan. 31, 2008

STATE: (49) Utah

AQCR: (220) WASATCH FRONT

URBANIZED AREA: (6520) PROVO-OREM, UT LAND USE: RESIDENTIAL

LOCATION SETTING: SUBURBAN LATITUDE: 40.341389 LONGITUDE: -111.713611 UTM ZONE: UTM NORTHING: 4465688 UTM EASTING: 439398 ELEVATION-MSL: 1442 PROBE HEIGHT: 4

MONITOR COMMENTS:

SITE ID: 49-049-4001

COUNTY: (049) Utah

CITY: (45090) Lindon

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

POC: 1

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

(88101) PM2.5 - Local Conditions

SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH

SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL

DURATION: 24 HOURS REPORT FOR: 2007

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

MIN DETECTABLE: 2

	MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1	AL	15.8	2.2	4.2	12.6	9.2	21.8	8.0	7.2	3.9	11.3	8.6	
2	AL	10.7	3.9	4.4	8.6	10.2	16.6	8.0	5.1	3.6	AN	16.0	
3	34.6	17.7	8.5	8.4	3.2	10.4	13.3	8.3	5.0	6.5	AN	14.8	
4	5.0	20.2	10.9	7.2	6.0	12.8	29.5 IH	17.5	6.0	15.4	AN	22.6	
5	9.0	28.3	17.5	5.1	2.9	16.9	26.2 IH	14.3	7.0	13.7	AN	24.9	
6	10.4	32.0	21.8	7.7	5.4	4.9	16.6	7.8	14.7 e	2.9	13.3	28.9	
7	10.3	24.7	12.5	6.7	8.0	4.2	21.6	9.0	15.6 e	3.1	15.0	1.3	
8	19.6	9.2	5.2	3.6	8.4	5.1	28.8 e	5.9	17.4 e	4.8	17.8	5.9	
9	28.7	AV	7.2	2.9	7.5	6.2	P 44.2 e	5.7	12.2	4.3	13.9	17.9	
10	8.4	11.7	1.4	1.5	6.0	5.7	29.4 e	5.9	11.8	AN	6.7	16.2	
11	4.7	2.7	9.2	3.3	8.7	5.1	P 42.1 e	4.5	12.1	11.7	4.5	15.4	
12	9.5	4.7	14.5	5.1	7.7	5.5	29.9 e	5.4	10.4	5.4	12.2	18.1	
13	16.0	8.7	AM	5.8	6.4	8.3	17.4 e	6.7	6.0	6.9	5.8	22.0	
14	AL	7.6	7.7	2.8	9.2	8.3	21.0	5.3	6.5	9.9	6.2	18.2	
15	AL	4.1	5.1	4.8	11.7	8.4	10.4	5.8	5.0	8.4	12.9	19.0	
16	AL	7.7	7.7	6.2	22.8	7.5	16.5	5.3	8.7	4.2	12.3	17.4	
17	AL	5.8	6.2	6.7	18.5	9.8	16.6	5.9	8.2	2.6	12.6	14.4	
18	P 61.7	4.1	4.9	5.0	18.1	6.1	12.9	6.7	6.9	1.9	4.4	9.5	
19	P 66.9	4.7	7.8	AJ	AN	10.2	13.3	8.4	8.3	2.8	6.9	2.7	
20	P 68.9	8.9	7.9	7.2	AN	6.5	16.5	12.7	7.9	2.6	3.5	2.7	
21	P 42.0	4.6	5.7	9.1	AN	8.4	13.8	11.5	5.5	3.4	11.0	4.2	
22	AN	3.9	12.7	4.6	10.4	14.7	23.0	7.7	5.0	5.7	AN	12.5	
23	AN	2.4	11.0	3.0	8.2	12.6	16.5	5.8	2.1	12.8	AN	14.4	
24	P 51.1	3.5	7.2	5.4	7.1	10.3	17.7	6.8	3.0	10.9	AN	10.4	
25	P 62.5	4.5	5.3	4.9	7.5	13.5 Y	7.7	8.0	3.7	AL	AN	7.7	
26	P 68.8	4.3	4.9	4.6	10.2	15.3	9.0	7.3	7.1	AL	AN	12.0	
27	P 74.5	4.8	4.5	6.0	11.2	14.5	8.8	5.5	5.2	19.2	AN	9.3	
28	P 64.9	9.0	5.1	8.8	10.9	10.3	12.7	7.0	5.5	19.9	1.9	6.4	
29	P 73.0		6.2	8.1	9.2	8.4	12.7	7.8	3.4	10.8	8.2	5.2	
30	P 68.4		6.8	9.7	5.5	6.5	14.2	7.4	4.1	4.2	9.4	1.9	
31	P 40.6		7.2		8.8		13.4	7.2		10.7		6.0	
NO.:	23	27	30	29	28	30	31	31	30	28	20	31	
MAX:	74.5	32.0	21.8	9.7	22.8	16.9	44.2	17.5	17.4	19.9	17.8	28.9	
MEAN:	39.11	9.86	7.96	5.61	9.31	9.19	19.16	7.71	7.55	7.58	9.49	12.47	
ANNUA	AL OBSERVATIONS:	338	ANNUAL MEAN:	11.69	ANNUAL MAX:	74.5	1.5 14 Values marked with 'P' exceed the PRIMARY STANDARD of: 35						

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

LOCATION SETTING:

AQCR: (220) WASATCH FRONT

LAND USE: RESIDENTIAL

URBANIZED AREA: (6520) PROVO-OREM, UT

SUBURBAN

RAW DATA REPORT Jan. 31, 2008

(88101) PM2.5 - Local Conditions

SITE ID: 49-049-4001 POC: 2

COUNTY: (049) Utah CITY: (45090) Lindon

SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH

SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL

MONITOR COMMENTS: PARTISOL WITH WINS IMPACTOR

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

MONTH

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

DURATION: 24 HOURS

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

LATITUDE:

LONGITUDE:

UTM ZONE:

UTM NORTHING: 4465688

UTM EASTING: 439398

ELEVATION-MSL: 1442

PROBE HEIGHT: 4

40.341389

-111.713611

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1												
2			4.2								11.4	17.0
3									5.6	6.5		
4								17.8				
5		27.9				17.8	29.2					
6	11.5			8.2	6.1							
7			13.5								40.0	
8									4.4.0		18.2	6.8
9 10								6.5	14.9	4.6		
11		3.0				9.0	33.9	6.5				
12	AL	3.0		5.5	6.0	9.0	33.9					
13	AL		7.4	5.5	0.0							
14			7 • 4								6.2	18.5
15									6.5	AM	0.2	10.5
16								5.6	0.3	1111		
17						9.6	15.2	0.0				
18	AL			5.5	8.4							
19			7.4									
20											3.7	1.8
21									5.4	4.5		
22								8.7				
23		2.5				8.8	12.5					
24	P 53.5			5.0	4.4							
25			5.8									
26											17.0	11.8
27									5.6	21.2		
28								8.0				
29						7.6	9.3					
30	AL			9.2	7.1							
31			7.3									
NO.:	2	3	6	5	5	5	5	5	5	4	5	5
MAX:	53.5	27.9	13.5	9.2	8.4	17.8	33.9	17.8	14.9	21.2	18.2	18.5
MEAN:	32.50	11.13	7.60	6.68	6.40	10.56	20.02	9.32	7.60	9.20	11.30	11.18
ANNUA	L OBSERVATIONS:	55	ANNUAL MEAN:	10.84	ANNUAL MAX:	53.5	1 V	Values marked w	ith 'P' exceed	the PRIMARY ST	TANDARD of: 35	
	1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35											5

LOCATION SETTING:

AQCR: (220) WASATCH FRONT

RAW DATA REPORT Jan. 31, 2008

(88101) PM2.5 - Local Conditions CAS NUMBER:

SITE ID: 49-049-5008 POC: 1

COUNTY: (049) Utah

CITY: (00000) Not in a city

SITE ADDRESS: 10865 N. 6000 WEST, HIGHLAND, UTAH

SITE COMMENTS: PART OF 1994 OZONE NETWORK

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPECIAL PURPOSE

MONITH

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

URBANIZED AREA: (6520) PROVO-OREM, UT

LAND USE: AGRICULTURAL

RURAL

UTM NORTHING: 4475602 UTM EASTING: 431803 ELEVATION-MSL: 1485 PROBE HEIGHT: 4

40.430278

-111.803889

DURATION: 24 HOURS REPORT FOR: 2007

UNITS: Micrograms/cubic meter (LC)

LATITUDE:

LONGITUDE:

UTM ZONE:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			1.6					7.9				
2		11.6				7.8	6.1				8.0	11.5
3	22.2			6.5	3.5				6.1	6.2		
4			10.5					AJ				
5		15.1				14.7	12.7				9.6	19.7
6	6.8			7.5	4.1				15.2 e	2.6		
7			8.7					AM				
8		7.5				6.0	18.5 e				10.1	4.8
9	20.4			3.3	7.0				11.6	4.7		
10			3.3					6.4				
11		3.1				7.1	24.1 e				4.6	11.2
12	11.5			AN	6.6				10.3	9.7		
13			AN					7.2				
14		5.7				AL	12.1				5.7	12.0
15	29.4			4.3	11.3				5.3	5.9		
16			4.0					8.0				
17		2.7				AL	11.6				AN	7.5
18	P 51.5			5.1	10.7				5.9	2.2		
19			5.4					8.7				
20		6.4				8.1	10.5				2.8	2.0
21	P 38.6			7.5	AI				4.7	4.1		
22			10.0					8.7				
23		3.3				8.7	13.6				10.0	13.2
24	P 45.1			3.6	AI				3.3	6.9		
25			4.1					6.1				
26		4.2				9.4	7.6				16.2	AM
27	P 71.4			4.9	AI				4.3	18.2		
28			3.9					7.3				
29						7.4	7.6				7.0	
30	P 56.8			9.1	6.1				2.6	6.6		7.0
31			4.8					7.4				
NO.:	10	9	10	9	7	8	10	9	10	10	9	9
MAX:	71.4	15.1	10.5	9.1	11.3	14.7	24.1	8.7	15.2	18.2	16.2	19.7
MEAN:	35.37	6.62	5.63	5.76	7.04	8.65	12.44	7.52	6.93	6.71	8.22	9.88
ANNUA	L OBSERVATIONS:	110	ANNUAL MEAN:	10.28	ANNUAL MAX:	71.4			ith 'P' exceed			
	0 1:6:		3	1		1 1		/alues marked w	rith 'S' exceed	the SECONDARY	STANDARD of: 3	5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

Page 17 of 23

LOCATION SETTING:

LAND USE: INDUSTRIAL

AQCR: (220) WASATCH FRONT

URBANIZED AREA: (6520) PROVO-OREM, UT

SUBURBAN

RAW DATA REPORT Jan. 31, 2008

(88101) PM2.5 - Local Conditions

SITE ID: 49-049-5010 POC: 1

COUNTY: (049) Utah

CITY: (71290) Spanish Fork

SITE ADDRESS: 312 W. 2050 NORTH, SPANISH FORK, UTAH

SITE COMMENTS: SITE IS LOCATED AT SPANISH FORK AIRPORT

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPECIAL PURPOSE

MONTH

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

DURATION: 24 HOURS

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

LATITUDE:

LONGITUDE:

UTM ZONE:

UTM NORTHING: 4442904

UTM EASTING: 443807

ELEVATION-MSL: 1380

PROBE HEIGHT: 5

40.136389

-111.659722

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			1.5					11.4				
2		12.0				7.5	7.2				9.4	10.4
3	29.6			6.3	2.9				4.8	7.3		
4			7.9					18.6 e				
5		24.8				15.5	13.5				8.5	23.4
6	8.7			6.9	3.2				13.9	2.8		
7			4.6					9.9				
8		5.7				5.2	25.8 e				13.2	5.8
9	24.5			3.0	7.8				12.4	4.0		
10			6.2					6.7				
11		AR				AN	P 46.2 e				6.2	14.8
12	7.6			AL	7.1				13.9	11.4		
13			5.7					6.9				
14		5.9				8.3	15.0				6.7	AN
15	27.9			6.0	10.1				7.4	9.8		
16			3.9		13.0			6.5				
17		2.9				5.5	8.5				5.1	8.0
18	P 55.0			6.0					5.5	3.2		
19			7.7		10.4			13.6				
20		11.3				7.7	11.6				3.8	2.6
21	P 41.5			7.4					10.4	2.8		
22			11.5		3.4			9.2				
23		4.0				12.9	6.2				13.6	8.9
24	P 45.7			4.3	4.0				3.8	7.3		
25			4.7					8.5				
26		3.3				13.2	AN				14.3	7.7
27	P 71.2			4.1					4.1	18.9		
28			2.7		4.7			8.2				
29						9.3	AN				7.1	5.1
30	P 57.6			8.4	12.2				2.9	6.0		
31			6.1					7.7				
NO.:	10	8	11	9	11	9	8	11	10	10	10	9
MAX:	71.2	24.8	11.5	8.4	13.0	15.5	46.2	18.6	13.9	18.9	14.3	23.4
MEAN:	36.93	8.74	5.68	5.82	7.16	9.46	16.75	9.75	7.91	7.35	8.79	9.63
ANNUA	L OBSERVATIONS:	116	ANNUAL MEAN:	11.09	ANNUAL MAX:	71.2	6 V	alues marked w	ith 'P' exceed	the PRIMARY ST	TANDARD of: 35	
	0 3161						6 V	alues marked w	ith 'S' exceed	the SECONDARY	STANDARD of: 3	5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

Page 18 of 23

(88101) PM2.5 - Local Conditions

SITE ID: 49-057-0002 POC: 1

COUNTY: (057) Weber CITY: (55980) Ogden

SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH

SITE COMMENTS: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

| LATITUDE: 41.206389
| STATE: (49) Utah | LONGITUDE: -111.974722
| AQCR: (220) WASATCH FRONT | UTM ZONE: 12
| URBANIZED AREA: (5840) OGDEN, UT | UTM NORTHING: 4561914
| LAND USE: RESIDENTIAL | UTM EASTING: 418278
| LOCATION SETTING: URBAN AND CENTER CITY | ELEVATION-MSL: 1316

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER:

PROBE HEIGHT: 4

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			2.7					8.9				
2		8.8				9.2	11.5				9.6	8.7
3	P 35.0			8.0	2.9				5.2	7.0		
4			15.2					18.2 e				
5		21.2				15.0	15.8				16.3	26.1
6	7.3			7.7	3.5				16.4 e	2.9		
7			15.7					11.5				
8		14.5				5.2	27.7 e				18.2	6.7
9	28.9			3.5	8.1				13.4	6.8		
10			5.8					7.6				
11		2.4				5.7	26.4 e				7.7	6.5
12	5.9			4.7	9.9				13.0	11.1		
13			9.4					7.0				
14		7.3				8.2	12.0				6.8	17.3
15	22.7			6.5	12.5				9.0	8.4		
16			8.8					8.5				
17		7.7				7.5	8.4				11.2	29.6
18	31.7			7.0	9.1				6.7	3.7		
19			11.8					10.3				
20		6.9				12.4	13.5				4.3	. 2
21	27.5			8.9	6.6				6.5	2.5		
22			10.2			40.0	45.0	5.9			40.5	44.5
23	- 50 4	1.0		5 0		13.9	15.9		0.4	40.6	10.7	14.7
24	P 50.4		F 1	5.0	5.0			0.1	3.1	13.6		
25		4.1	5.1			8.7	0.4	9.1			14.5	12.7
26 27	P 62.2	4.1		6.5	8.3	8.7	9.4		6.4	16.7	14.5	13.7
28	P 62.2		3.9	0.3	8.3			9.0	0.4	16.7		
29			3.9			17.4	10.7	9.0			7.2	8.3
30	P 76.8			9.6	6.7	17.4	10.7		5.3	7.1	7.2	0.3
31	F 70.0		6.0	9.0	0.7			6.2	5.5	7.1		
31			0.0					0.2				
NO.:	10	9	11	10	10	10	10	11	10	10	10	10
MAX:	76.8	21.2	15.7	9.6	12.5	17.4	27.7	18.2	16.4	16.7	18.2	29.6
MEAN:	34.84	8.21	8.60	6.74	7.26	10.32	15.13	9.29	8.50	7.98	10.65	13.18
ANNUA	L OBSERVATIONS:	121	ANNUAL MEAN:	11.71	ANNUAL MAX:	76.8	4 V	alues marked w	ith 'P' exceed	the PRIMARY ST	TANDARD of: 35	
							4 V	alues marked w	ith 'S' exceed	the SECONDARY	STANDARD of: 35	5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

LOCATION SETTING:

AQCR: (220) WASATCH FRONT

LAND USE: RESIDENTIAL

URBANIZED AREA: (5840) OGDEN, UT

SUBURBAN

RAW DATA REPORT Jan. 31, 2008

Min Billi Rel Okt

CAS NUMBER:

SITE ID: 49-057-0007 POC: 1

COUNTY: (057) Weber

CITY: (82070) Washington Terrace

(88101) PM2.5 - Local Conditions

SITE ADDRESS: 4601 S. 300 W., WASHINGTON TERRACE, UTAH

SITE COMMENTS:

MONITOR COMMENTS:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPECIAL PURPOSE

MONTH

COLLECTION AND ANALYSIS METHOD: (143) R & P Model 2000 PM-2.5 Air Sample

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

LATITUDE:

LONGITUDE:

UTM ZONE:

41.179722

12

UTM NORTHING: 4558941

UTM EASTING: 417544

ELEVATION-MSL: 1379

PROBE HEIGHT: 5

-111.983056

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			2.2					7.4				
2		8.1				8.7	7.7				8.4	8.1
3	26.7			6.7	2.3				5.8	5.6		
4			12.7					19.0 e				
5		16.4				10.7	11.2				13.1	22.9
6	6.2			6.5	3.0				15.5 e	2.4		
7			11.7					14.1				
8		7.9				4.2	25.3 e				12.8	4.9
9	19.2			1.9	7.2				13.1	4.6		
10			3.8					5.7				
11		4.9			6.2	5.3	29.6 e				5.9	4.6
12	5.6			4.3					11.9	10.4		
13			4.8					4.2				
14		5.2				5.5	10.7				5.0	15.5
15	21.6			4.8	10.1				6.9	6.9		
16			6.4					8.6				
17		5.5				5.6	9.7				7.1	23.3
18	26.2			4.3	AM				6.2			
19			6.8					10.7		2.7		
20		7.5		_		9.4	12.2				3.0	1.4
21	AL			.7	6.1				5.2	2.0		
22			9.2			44.0	45.4	7.6				45.4
23 24	D 44.0	3.0		3.7	4 0	11.8	15.4		2.9	11 0	8.6	15.4
25	P 44.2		4.9	3.7	4.2			9.0	2.9	11.2		
26		2.9	4.9		6.8	AM	9.7	9.0			12.4	12.2
27	P 56.4	2.9		5.2	0.0	API	5.1		5.5	12.7	12.4	12.2
28	r 30.4		3.6	3.2				8.7	5.5	12.7		
29			5.0			8.5	10.2	0.7			5.2	8.2
30	P 73.2			7.7	5.6	0.5	10.2		5.2	6.4	3.2	0.2
31	1 /3.2		4.7	, . ,	3.0			8.2	3.2	0.4		
	9	9		4.0			4.0		4.0	4.0	4.0	4.0
NO.: MAX:	73.2	16.4	11 12.7	10 7.7	9	9	10 29.6	11 19.0	10 15.5	10 12.7	10 13.1	10 23.3
	31.03	6.82	6.44	4.58	5.72	7.74	29.6 14.17	9.38	7.82	6.49	8.15	23.3
MEAN:			0.44						ith 'P' exceed			11.00
ANNUA	L OBSERVATIONS	: 118	ANNUAL MEAN:	9.87	ANNUAL MAX:	73.2					STANDARD of: 3	5
			_				J V	araco marked w	IC. D CACCEG	CITC DECOMPART	DILIMPIND OI. J	_

AQCR: (220) WASATCH FRONT

LAND USE: RESIDENTIAL

URBANIZED AREA: (5840) OGDEN, UT

RAW DATA REPORT

(88101) PM2.5 - Local Conditions

SITE ID: 49-057-0007 POC: 2 COUNTY: (057) Weber

CITY: (82070) Washington Terrace

SITE ADDRESS: 4601 S. 300 W., WASHINGTON TERRACE, UTAH

SITE COMMENTS:

MONITOR COMMENTS: COLLOCATED SAMPLES USED TO SUBSTITUTE FOR MISSING POC 1 VALUES

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

MONTH

COLLECTION AND ANALYSIS METHOD: (143) R & P Model 2000 PM-2.5 Air Sample

PQAO: (1113) Utah Department Of Environmental Quality

LOCATION SETTING: SUBURBAN ELEVATION-MSL: 1379
PROBE HEIGHT: 5

REPORT FOR: 2007 DURATION: 24 HOURS

UNITS: Micrograms/cubic meter (LC)

CAS NUMBER: LATITUDE:

LONGITUDE:

UTM ZONE:

Jan. 31, 2008

41.179722

12

UTM NORTHING: 4558941

UTM EASTING: 417544

-111.983056

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			1.8									
2											AS	8.2
3									5.2	5.4		
4								17.7				
5		15.4				10.8	10.9					
6	8.0			AM	3.3							
7			13.5									
8											AS	3.2
9									13.8	3.5		
10								5.8				
11		4.5			6.9	5.5	26.4					
12	5.4			4.0								
13			5.1									
14											AS	15.4
15									7.2	6.8		
16								6.9				
17		6.3				AL	8.6					
18	25.7			5.0	8.0							
19			7.4									
20											2.8	2.1
21									6.0	2.3		
22								6.3				
23		2.8				9.2	14.0					
24	P 44.2			3.7	4.0							
25			3.3									
26											12.4	AN
27									4.8	13.0		
28								7.4				
29						8.5	9.4					
30	P 74.7			8.2	4.7							
31			4.4									
NO.:	5	4	6	4	5	4	5	5	5	5	2	4
MAX:	74.7	15.4	13.5	8.2	8.0	10.8	26.4	17.7	13.8	13.0	12.4	15.4
MEAN:	31.60	7.25	5.92	5.23	5.38	8.50	13.86	8.82	7.40	6.20	7.60	7.23
ANNIIA	L OBSERVATIONS:	54	ANNUAL MEAN:	9.81	ANNUAL MAX:	74.7	2 V	alues marked w	ith 'P' exceed	the PRIMARY ST	ANDARD of: 35	
		U -		J.01			2 71	taluaa mankad ti	ith ICL avacad	the CECONDARY	CTANDADD of. 2	

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

CAS NUMBER: LATITUDE:

SITE ID: 49-057-1003 POC: 1

COUNTY: (057) Weber

CITY: (00000) Not in a city

SITE ADDRESS: 425 W 2550 NORTH, OGDEN, UTAH

(88101) PM2.5 - Local Conditions

MONITOR COMMENTS:

SITE COMMENTS:

LAND USE: RESIDENTIAL

AQCR: (220) WASATCH FRONT

URBANIZED AREA: (5840) OGDEN, UT

RURAL

STATE: (49) Utah

LOCATION SETTING:

UTM NORTHING: 4572719 UTM EASTING: 417376 ELEVATION-MSL: 1331 PROBE HEIGHT: 4

41.303683

-111.987067

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

MONITH

COLLECTION AND ANALYSIS METHOD: (143) R & P Model 2000 PM-2.5 Air Sample

PQAO: (1113) Utah Department Of Environmental Quality

DURATION: 24 HOURS REPORT FOR: 2007

UNITS: Micrograms/cubic meter (LC)

LONGITUDE:

UTM ZONE:

MIN DETECTABLE: 2

	MONTH											
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			2.0					9.0				
2		8.2				7.7	15.2				7.0	7.5
3	31.5			5.9	2.1				4.6	6.0		
4			15.1					17.2 e				
5		15.7				AV	13.7				12.4	24.6
6	6.6			6.7	3.4				16.6 e	1.4		
7			17.4					14.8				
8		8.8					26.5 e				3.2	4.0
9	26.2			2.9	8.4	5.1			12.5	4.7		
10			2.2					5.6				
11		4.5				7.1	23.0 e				1.2	4.9
12	3.4			4.0	7.2				12.4	10.4		
13			6.7					2.0				
14		5.2				7.6	10.0				3.9	19.0
15	18.4			4.7	10.3				6.9	6.9		
16			5.1					9.7				
17		5.7				6.5	9.7				10.9	26.0
18	30.2			9.6	12.3				6.2			
19			7.5					9.5		3.4		
20		6.3				11.5	11.2				2.5	
21	26.2			4.7	4.9				6.0			2.9
22			9.0					2.2		3.7		
23		1.5				10.4	13.9				7.6	11.6
24	P 45.2			3.8	3.0				2.7	14.3		
25			3.8					4.2				
26		2.2				10.7	9.5				12.1	10.9
27	P 56.6			4.3 Y	8.4				5.6	18.0		
28			3.4					7.2				
29						10.3	9.9				4.6	8.9
30	P 72.4			AM	4.4				4.3	5.5		
31			3.7					6.2				
NO.:	10	9	11	9	10	9	10	11	10	10	10	10
MAX:	72.4	15.7	17.4	9.6	12.3	11.5	26.5	17.2	16.6	18.0	12.4	26.0
MEAN:	31.67	6.46	6.90	5.18	6.44	8.54	14.26	7.96	7.78	7.43	6.54	12.03
ANNUA	L OBSERVATIONS:	119	ANNUAL MEAN:	10.14	ANNUAL MAX:	72.4			ith 'P' exceed			
							3 V	alues marked w	ith 'S' exceed	the SECONDARY	STANDARD of . 3	5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

AIR QUALITY SYSTEM

RAW DATA REPORT Jan. 31, 2008

QUALIFIER CODES:

Qualifier Code	Qualifier Description	Qualifier Type
AI	INSUFFICIENT DATA (CANNOT CALCULATE)	NULL
AJ	FILTER DAMAGE	NULL
AL	VOIDED BY OPERATOR	NULL
AM	MISCELLANEOUS VOID	NULL
AN	MACHINE MALFUNCTION	NULL
AR	LAB ERROR	NULL
AS	POOR QUALITY ASSURANCE RESULTS	NULL
AV	POWER FAILURE (POWR)	NULL
BA	MAINTENANCE/ROUTINE REPAIRS	NULL
IH	Fireworks	INFORM
Y	ELAPSED SAMPLE TIME OUT OF SPEC.	QA
е	FOREST FIRE	NAT

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional concurrence are shown in lower case.