UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

User ID: HPI QUICKLOOK CRITERIA PARAMETERS

Report Request ID: 2088752 Report Code: Mar. 22, 2023 AMP450

GEOGRAPHIC SELECTIONS

Tribal EPA

Code State County Site Parameter POC City AQCR UAR CBSA CSA Region

> 49 42401

PROTOCOL SELECTIONS

Parameter

Classification Parameter Method Duration

QUICK LOOK

SELECTED OPT	IONS		SORT ORDER
Option Type	Option Value	Order	Column
EVENTS PROCESSING	EXCLUDE REGIONALLY CONCURRED EVENTS	1	PARAMETER_CODE
MERGE PDF FILES	YES	2	STATE_CODE
AGENCY ROLE	PQAO	3	COUNTY_CODE
WORKFILE DELIMITER	,	4	SITE_ID
		5	POC
		6	DATES
		7	EDT ID

DATE CRITERIA End Date Start Date 2022 2022

APPLICABLE STANDARDS Standard Description

CO 1-hour 1971

CO 8-hour 1971

Lead 3-Month 2009

Lead 3-Month PM10 Surrogate 2009

NO2 1-hour 2010

NO2 Annual 1971

Ozone 1-hour 1979

Ozone 8-hour 2015

PM10 24-hour 2006

PM25 24-hour 2012

PM25 Annual 2012

SO2 1-hour 2010

SO2 24-hour 1971

SO2 3-hour 1971

SO2 Annual 1971

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY AIR QUALITY SYSTEM

QUICK LOOK REPORT (AMP450)

Mar. 22, 2023

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

Note: The $\mbox{*}$ indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY AIR QUALITY SYSTEM QUICK LOOK REPORT (AMP450)

Mar. 22, 2023

Sulfur dioxide (42401) Utah Parts per billion (008)

	Р								1ST	2ND	99TH	1ST	2ND	Days	ARITH	CERT	
	0							COMP	MAX	MAX	PCTL	MAX	MAX	>24HR	MEAN	and	
SITE ID	C PQAC	CITY	COUNTY	ADDRESS	YEAR	MET	H OBS	QTRS	1-HR	1-HR	1-HR	24-HR	24-HR	STD	AN-STD	EVAL	EDT
49-035-2005	1 1113	Midvale	Salt Lake	8449 S. Monroe St.	2022	100	8593	4	3.7	3.3	3.0	2.1	1.9	0	.94	S	0
49-035-3006	1 1113	Salt Lake City	Salt Lake	1675 SOUTH 600 EAST, SALT LAKE CITY	2022	100	8170	4	5.0	3.6	3.3	2.5	2.5	0	.92	S	0
49-035-3010	1 1113	Salt Lake City	Salt Lake	1250 NORTH 1400 WEST	2022	100	8646	4	7.8	5.7	5.2	3.2	2.8	0	.78	S	0
49-035-3015	1 1113	Salt Lake City	Salt Lake	240 N 1950 W	2022	600	8655	4	4.9	4.2	4.1	2.3	2.1	0	.75	S	0

Note: The \star indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY AIR QUALITY SYSTEM QUICK LOOK REPORT (AMP450) Lead (TSP) LC

Mar. 22, 2023

Note: These reported values do not reflect the combination of 14129 and 85129 and validation substitution tests utilized for Design Value Calculations

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY AIR QUALITY SYSTEM QUICK LOOK REPORT (AMP450 END)

Mar. 22, 2023

METHODS USED IN THIS REPORT

	METHOD		
PARAMETER	CODE	COLLECTION METHOD	ANALYSIS METHOD
42401	100	INSTRUMENTAL	ULTRAVIOLET FLUORESCENCE
42401	560	INSTRUMENTAL	Pulsed Fluorescent 43C-TLE/43i-TLE
42401	600	Instrumental	Ultraviolet Fluorescence API 100 EU

Note: The $\mbox{*}$ indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY AIR QUALITY SYSTEM QUICK LOOK REPORT (AMP450 END)

Mar. 22, 2023

PQAOS USED IN THIS REPORT

PQAO	AGENCY DESCRIPTION	
1113	Utah Department Of Environmental Quality	

Note: The \star indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY AIR QUALITY SYSTEM QUICK LOOK REPORT (AMP450 END)

Mar. 22, 2023

CERTIFICATION EVALUATION AND CONCURRENCE FLAG MEANINGS

'LAG	MEANING
М	The monitoring organization has revised data from this monitor since the
	most recent certification letter received from the state.
N	The certifying agency has submitted the certification letter and required
	summary reports, but the certifying agency and/or EPA has determined
	that issues regarding the quality of the ambient concentration data cannot
	be resolved due to data completeness, the lack of performed quality
	assurance checks or the results of uncertainty statistics shown in the
	AMP255 report or the certification and quality assurance report.
S	The certifying agency has submitted the certification letter and required
	summary reports. A value of "S" conveys no Regional assessment regarding
	data quality per se. This flag will remain until the Region provides an "N" or
	"Y" concurrence flag.
U	Uncertified. The certifying agency did not submit a required certification
	letter and summary reports for this monitor even though the due date has
	passed, or the state's certification letter specifically did not apply the
	certification to this monitor.
X	Certification is not required by 40 CFR 58.15 and no conditions apply to be
	the basis for assigning another flag value
Y	The certifying agency has submitted a certification letter, and EPA has no
	unresolved reservations about data quality (after reviewing the letter, the
	attached summary reports, the amount of quality assurance data
	submitted to AQS, the quality statistics, and the highest reported
	concentrations).

Note: The \ast indicates that the mean does not satisfy summary criteria.