

User ID: RPW

RAW DATA MAX VALUES REPORT

Report Request ID: 903530

Report Code: AMP350MX

Aug. 25, 2011

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------	--------	----------	------------	----------

49

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	42101		

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

SCR GROUP SELECTIONS

Utah

GLOBAL DATES

Start Date	End Date
2009 01 01	2009 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-035-0003 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (00000) Not in a city
 SITE ADDRESS: 5715 S. 1400 E., SALT LAKE CITY
 SITE COMMENTS: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.646667
 LONGITUDE: -111.849722
 UTM ZONE: 12
 UTM NORTHING: 4499650
 UTM EASTING: 428153
 ELEVATION-MSL: 1335
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2009

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	2.1	1.3	.8	.3	.3	.3	.3	.4	.6	.4	1.3	1.5
2	1.0	1.6	1.4	.4	.4	.3	.3	.4	.5	.7	1.3	1.3
3	1.0	1.6	.3	.3	.5	.3	.3	.3	.6	.7	1.4	1.6
4	1.5	1.6	.3	.5	.4	.3	.3	.4	.6	.4	1.6	1.4
5	1.3	1.4	.5	.7	.5	.3	.3	.4	.4	.5	1.7	1.6
6	1.2	.9	.8	1.0	.5	.3	.3	.3	.4	.8	1.1	1.1
7	1.1	1.0	.5	.8	.4	.3	.3	.3	.3	.7	1.4	.5
8	1.5	.9	.7	.3	.3	.3	.3	.3	.4	.8	1.3	1.3
9	.8	.3	.3	.4	.3	.3	.3	.3	.5	.7	1.2	1.5
10	1.1	.6	.8	.5	.5	.5	.3	.4	.6	.6	1.2	1.7
11	.9	.7	1.2	.3	.5	.6	.3	.4	.5	.8	1.1	1.9
12	1.1	.9	1.0	.4	.3	.5	.3	.5	1.1	.6	.4	1.1
13	1.2	1.1	1.0	.6	.3	.3	.3	.3	1.1	.4	.5	.9
14	1.3	.7	1.0	.3	.3	.3	.3	.3	.3	.6	.9	1.2
15	1.8	1.1	.4	.4	.3	.5	.3	.3	.3	.8	.9	1.3
16	1.7	.7	.4	.4	.5	.5	.3	.3	.4	.9	1.3	1.2
17	1.6	.7	.5	.3	.6	.3	.3	.4	.4	.9	1.6	1.6
18	1.9	.9	.8	.3	.4	.3	.3	.3	.4	.8	1.4	2.1
19	1.6	1.1	.7	.4	.3	.3	.3	.4	.3	.4	1.2	2.1
20	2.1	1.1	.9	.8	.3	.3	.3	.4	.3	.4	1.2	1.5
21	2.0	1.1	.7	.6	.3	.3	.3	.6	.4	.8	.6	1.0
22	1.3	1.1	.3	.6	.3	.3	.4	.4	.6	.8	.9	1.1
23	1.2	.4	.4	.4	.3	.3	.4	.3	.6	.8	.8	.6
24	.9	.4	.9	.3	.3	.4	.3	.3	.5	.8	1.3	1.2
25	.5	.8	.3	.4	.3	.3	.4	.3	.5	.9	1.5	1.4
26	.4	.9	.3	.5	.3	.3	.4	.3	.6	1.0	1.7	1.1
27	.7	.4	.4	.4	.3	.3	.3	.4	.5	.4	1.5	1.6
28	.8	.9	.7	.3	.3	.4	.3	.4	.5	.4	1.6	1.6
29	1.3	.3	.3	.5	.3	.3	.3	.8	.3	.4	.9	1.3
30	1.3	.4	.5	.3	.3	.3	.3	.8	.3	.8	1.5	1.3
31	1.6	.6	.3	.3	.3	.3	.3	.5	.3	1.0	.3	1.0
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	2.1	1.6	1.4	1.0	.6	.6	.4	.8	1.1	1.0	1.7	2.1
MEAN:	1.28	.94	.63	.46	.36	.34	.31	.39	.49	.68	1.21	1.34
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.70	ANNUAL MAX:	2.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE: 12
 UTM NORTHING: 4509639
 UTM EASTING: 426359
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (554) INSTRUMENTAL Gas Filter Correlatio
 PQAQO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2009

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .02

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.900	1.700	.900	.300	.300	.300	.300	.600	.600	.300	1.000	1.400
2	1.100	1.600	1.600	.400	.400	.200	.300	.600	.700	.500	.900	1.100
3	.500	2.000	.300	.300	.500	.400	.300	.400	.500	.500	1.100	1.000
4	.900	1.500	.300	.300	.300	.300	.300	.300	.500	.300	1.500	1.100
5	1.000	1.800	.600	.300	.500	.400	.300	.400	.300	.500	1.500	1.200
6	1.100	1.200	.600	.400	.500	.200	.200	.300	.300	.600	.700	.500
7	2.000	1.100	.600	.900	.400	.200	.400	.200	.300	.800	.800	.500
8	2.100	.900	.600	.400	.300	.300	.200	.300	.400	.800	.700	.600
9	.800	.500	.400	.500	.400	.300	.300	.300	.500	.700	1.000	.800
10	1.200	.500	.600	.400	.300	.400	.500	.500	.600	.600	1.100	1.500
11	1.400	.700	1.100	.500	.400	.500	.300	.400	.600	.600	1.200	1.800
12	2.400	.700	1.200	.600	.400	.300	.200	.500	.400	.900	.700	1.100
13	1.700	.700	1.100	.500	.200	.400	.300	.400	.300	.500	.400	1.400
14	1.300	.700	.900	.300	.400	.400	.200	.300	.300	.500	.500	1.400
15	1.800	.800	.800	.300	.300	.500	.300	.300	.400	.800	.600	1.100
16	1.800	.900	.700	.500	.400	.300	.500	.200	.400	.800	1.300	1.200
17	1.800	.900	.600	.400	.400	.300	.400	.600	.500	.800	1.600	1.700
18	1.900	.900	1.000	.400	.500	.400	.300	.500	.400	.900	1.800	1.900
19	1.700	1.000	.900	.400	.300	.300	.200	.500	.300	.600	1.200	1.600
20	2.300	1.300	1.100	.600	.400	.400	.300	.500	.400	.500	1.300	1.200
21	1.900	1.000	.700	.500	.400	.400	.300	.500	.400	.800	.700	.900
22	1.100	1.500	.300	.500	.500	.300	.400	.400	.600	.800	.800	1.000
23	1.500	1.100	.600	.500	.300	.400	.500	.400	.600	.700	.800	.400
24	.900	.600	.800	.300	.200	.500	.500	.300	.400	.700	1.000	.900
25	1.000	1.300	.500	.400	.200	.400	.400	.400		.700	1.300	.900
26	.700	1.000	.400	.400	.200	.300	.400	.400		.700	1.300	.700
27	.400	.400	.800	.400	.300	.300	.500	.500		.400	1.600	1.100
28	.900	.800	.600	.300	.400	.300	.500	.400	.800	.400	1.800	1.200
29	1.000		.400	.400	.400	.400	.600	.400	.700	.600	.500	1.100
30	1.200		.400	.500	.200	.400	.500	.400	.300	.600	1.400	1.000
31	1.500		.700		.200		.600	.600		.900		.900
NO.:	31	28	31	30	31	30	31	31	27	31	30	31
MAX:	2.400	2.000	1.600	.900	.500	.500	.600	.600	.800	.900	1.800	1.900
MEAN:	1.3806	1.0393	.7129	.4300	.3516	.3500	.3645	.4129	.4630	.6387	1.0700	1.1032
ANNUAL OBSERVATIONS:	362		ANNUAL MEAN:	.6934	ANNUAL MAX:	2.400						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-049-0002 POC: 1
 COUNTY: (049) Utah
 CITY: (62470) Provo
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT
 SITE COMMENTS:
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.253611
 LONGITUDE: -111.663056
 UTM ZONE: 12
 UTM NORTHING: 4455894
 UTM EASTING: 443606
 ELEVATION-MSL: 1402
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 PQAQO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2009

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.8	1.0	1.1	.4	.5	.3	.3	.3	.6	.3	.9	1.4
2	1.8	1.5	1.5	.6	.5	.3	.3	.3	.7	.6	.9	1.4
3	.9	1.8	.4	.3	.5	.3	.3	.3	.5	.7	1.0	1.0
4	1.0	1.7	.6	.5	.3	.3	.3	.4	.5	.3	1.3	1.4
5	1.2	1.6	.4	.6	.4	.3	.3	.3	.4	.3	1.4	1.6
6	1.6	1.2	.5	.6	.4	.3	.4	.3	.4	.5	1.2	.7
7	2.4	1.0	.3	.7	.3	.3	.3	.3	.4	.6	.8	.7
8	2.7	1.4	.6	.4	.3	.3	.3	.3	.5	.6	.8	.5
9	.8	.6	.5	.5	.3	.3	.3	.3	.4	.5	1.5	.8
10	1.1	.8	.5	.4	.3	.3	.3	.3	.4	.5	1.6	1.2
11	1.2	.9	.8	.6	.3	.3	.3	.4	.5	.3	1.7	1.4
12	1.7	.8	.7	.3	.3	.3	.3	.3	.5	.6	.8	1.0
13	1.7	1.0	.9	.5	.3	.3	.3	.3	.3	.6	.7	.7
14	1.6	1.2	.8	.3	.3	.3	.3	.3	.4	.4	.7	1.0
15	1.6	1.4	.7	.6	.3	.3	.3	.3	.5	.4	.6	1.1
16	1.7	1.0	.9	.6	.4	.3	.3	.3	.4	.6	1.1	1.2
17	1.6	.6	.5	.4	.4	.3	.3	.3	.4	.6	1.3	1.5
18	1.7	.7	.4	.3	.4	.3	.3	.4	.4	.6	1.3	1.8
19	1.3	.6	.5	.3	.4	.3	.3	.3	.3	.4	1.1	1.5
20	1.7	.7	.7	.4	.4	.4	.3	.3	.3	.3	1.2	1.5
21	2.5	.8	.3	.4	.4	.5	.3	.3	.3	.7	1.0	1.5
22	1.6	.7	.3	.3	.4	.3	.3	.4	.5	.7	.7	1.0
23	1.4	.7	.3	.3	.3	.3	.3	.3	.4	.5	.7	.4
24	1.2	.5	.4	.3	.3	.3	.3	.3	.5	.6	.9	.4
25	.6	.7	.3	.3	.3	.3	.3	.3	.5	.6	1.0	.5
26	.4	.7	.3	.3	.3	.3	.3	.3	.6	1.2	1.0	.5
27	.5	.4	.6	.4	.3	.3	.3	.4	.6	1.1	1.1	.7
28	.7	.9	.5	.3	.3	.3	.3	.4	.4	.3	1.3	.9
29	1.5	.5	.3	.3	.3	.3	.3	.4	.6	.5	1.4	.8
30	1.2	.3	.3	.3	.3	.3	.3	.5	.3	.7	1.2	.8
31	1.3	.5	.3	.3	.3	.3	.3	.5	.5	.8	.9	.9
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	2.7	1.8	1.5	.7	.5	.5	.4	.5	.7	1.2	1.7	1.8
MEAN:	1.42	.96	.57	.42	.35	.31	.30	.34	.45	.56	1.07	1.03
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.65	ANNUAL MAX:	2.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-057-0002 POC: 1
 COUNTY: (057) Weber
 CITY: (55980) Ogden
 SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH
 SITE COMMENTS: THIS SITE REPLACES OG (490570001) WHICH WAS DEMOLISHED FOR NEW CONST.
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 41.206389
 LONGITUDE: -111.974722
 UTM ZONE: 12
 UTM NORTHING: 4561914
 UTM EASTING: 418278
 ELEVATION-MSL: 1316
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2009

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.1	.9	.8	.4	.3	.4	.3	.4	.6	.5	1.3	1.5
2	.3	1.2	1.7	.4	.4	.5	.3	.4	.6	.6	1.1	1.0
3	.6	1.6	.4	.3	.4	.5	.3	.4	.5	.5	1.1	1.2
4	.7	1.3	.3	.4	.6	.5	.4	.5	.5	.3	1.2	1.4
5	1.0	1.4	.3	.7	.4		.4	.9	.5	.4	1.2	1.8
6	1.4	1.4	.5	1.1	.4		.3	.3	.4	.8	1.1	1.0
7	2.5	1.6	.4	1.2	.4		.3	.3	.3	.7	1.3	.3
8	2.5	.5	.4	.3	.4	.3	.3	.3	.4	.6	1.0	.6
9	1.0	1.4	.4	.5	.6	.3	.3	.3	.5	.9	1.1	1.3
10	1.3	1.3	.5	.5	.6	.3	.5	.3	.6	.4	1.3	1.6
11	1.2	1.1	.8	.3	.6	.3	.5	.4	.6	.3	1.4	1.8
12	1.9	1.2	1.1	.4	.6	.4	.4	.4	.6	.8	.6	.8
13	1.9	1.3	1.2	.6	.3	.3	.3	.4	.3	.8	.7	.7
14	1.7	.9	1.1	.3	.3	.3	.3	.3	.3	.6	.8	1.5
15	1.7	1.3	.6	.3	.4	.3	.4	.4	.4	.8	.4	1.6
16	1.5	.9	.3	.5	.6	.3	.4	.4	.3	.8	1.2	1.1
17	1.4	1.1	.8	.7	.7	.3	.4	.4	.6	1.0	1.3	1.6
18	1.6	1.2	.6	.7	.6	.5	.4	.4	.5	1.1	1.5	1.8
19	1.3	1.3	.8	.9	.6	.6	.3	.4	.5	.8	1.3	1.9
20	1.4	1.0	.7	.8	.3	.3	.3	.5	.3	.3	1.4	.8
21		1.2	.8	.9	.5	.3	.4	.8	.3	.6	.4	.7
22		1.2	.3	.7	.6	.3	.4	.7	.5	.5	.7	.7
23		1.3	.3	.7	.3	.4	.4	1.4	.5	.6	.8	.6
24		1.1	.8	.3	.3	.4	.3	1.3	.6	.4	1.2	1.0
25		1.3	.3	.4	.4	.4	.3	.4	.7	.5	1.4	.8
26		.7	.3	.5	.4	.3	.3	.4	.9	.5	1.3	.7
27		.5	.5	.6	.5	.5	.3	.5	1.0	.4	1.7	.9
28	.7	.8	.6	.3	.6	.5	.3	.6	.8	.3	1.8	1.1
29	.9		.3	.5	.6	.4	.3	.7	.8	.4	1.0	1.0
30	1.3		.3	.5	.6	.3	.3	.7	.3	.7	1.3	.9
31	1.7		.5		.5		.3	.5		1.1		.8
NO.:	24	28	31	30	31	27	31	31	30	31	30	31
MAX:	2.5	1.6	1.7	1.2	.7	.6	.5	1.4	1.0	1.1	1.8	1.9
MEAN:	1.36	1.14	.60	.56	.48	.38	.35	.52	.52	.61	1.13	1.11
ANNUAL OBSERVATIONS:	355		ANNUAL MEAN:	.72	ANNUAL MAX:	2.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-057-0006 POC: 1
 COUNTY: (057) Weber
 CITY: (55980) Ogden
 SITE ADDRESS: 2540 S. WASHINGTON BLVD., OGDEN, UTAH
 SITE COMMENTS: MICROSCALE CO SITE TO REPLACE OLD WASHINGTON BLVD CO SITE
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 41.219722
 LONGITUDE: -111.969444
 UTM ZONE: 12
 UTM NORTHING: 4563387
 UTM EASTING: 418734
 ELEVATION-MSL: 1314
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 PQAQO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2009

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.9	1.2	1.1	.7	.3	.7	.4	.5	.5	.5	1.2	1.6
2	.7	1.6	1.8	.7	.3	.6	.4	.5	.5	.8	1.4	1.1
3	1.0	1.7	.5	.6	.3	.4	.3	.5	.6	.8	1.4	1.2
4	1.3	1.4	.3	.6	.5	.5	.4	.6	.6	.3	1.3	1.7
5	1.3	1.1	.7	.7	.3	.4	.4	.6	.6	.4	1.3	1.8
6	1.9	1.1	.7	.9	.4	.3	.4	.3	.3	.7	1.1	1.5
7	2.8	1.2	.5	.7	.3	.3	.3	.3	.3	.8	1.2	.5
8	2.9	.3	.5	.4	.3	.3	.4	.5	.3	.8	1.0	1.0
9	1.7	1.2	.7	.4	.5	.4	.3	.5	.5	2.9	1.2	1.6
10	2.1	.9	.5	.4	.6	.4	.5	.6	.5	.5	1.3	1.8
11	2.2	1.4	.8	.3	.6	.4	.5	.6	.6	.4	1.4	2.0
12	2.5	1.4	1.1	.3	.5	.4	.4	.7	.6	.9	.8	1.5
13	2.5	1.3	1.0	.6	.3	.3	.3	.6	.3	.8	1.0	1.4
14	1.6	1.6	1.3	.4	.3	.3	.3	.3	.3	.6	1.2	1.8
15	1.7	1.7	1.1	.8	.5	.4	.5	.4	.3	.9	.9	1.8
16	1.7	1.2	.5	.5	.7	.5	.8	.4	.3	.9	1.4	1.4
17	1.8	1.5	.9	.9	.7	.6	.7	6.0	.7	1.0	1.5	1.8
18	1.9	1.8	.9	.9	.8	.5	.7	.8	.7	1.1	1.6	2.0
19	1.5	1.5	.8	1.1	.5	.5	.6	.5	.6	1.1	1.3	2.2
20	1.6	1.3	.8	.9	.3	.3	.5	1.0	.5	.5	1.4	1.2
21	1.4	1.5	.9	.8	.5	.4	.7	.8	.5	.6	.5	1.0
22	1.4	1.7	.3	.5	.5	.4	.7	.8	.8	.7	.8	.9
23	1.9	2.0	.7	.4	.4	.4	.4	.5	.9	.7	.8	.8
24	1.6	1.5	1.0	.3	.3	.5	.4	.3	.6	.7	1.3	1.1
25	1.6	1.1	.7	.3	.4	.3	.3	.4	.9	.5	1.5	1.1
26	.8	.9	.5	.3	.3	.3	.3	.5	.9	.6	1.4	1.2
27	.7	.8	1.0	.5	.4	.4	.3	.4	1.0	.5	1.9	1.3
28	1.3	.9	1.1	.3	.5	.5	.3	.7	1.1	.3	2.0	1.5
29	1.3	.6	.4	.4	.4	.3	.4	.7	1.0	.3	1.1	1.3
30	1.6	.5	.4	.6	.6	.3	.3	.7	.6	1.0	1.5	1.2
31	1.9	.8	.8	.6	.6	.3	.3	.4	.6	1.2	1.5	1.1
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	2.9	2.0	1.8	1.1	.8	.7	.8	6.0	1.1	2.9	2.0	2.2
MEAN:	1.68	1.31	.79	.57	.45	.41	.44	.72	.60	.77	1.26	1.40
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.86		ANNUAL MAX:		6.0			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.