

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 1732633

Report Code: AMP350MX

Apr. 2, 2019

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			42401							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2018 01 01	2018 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(42401) Sulfur dioxide

SITE ID: 49-035-2005 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (49710) Midvale
 SITE ADDRESS: 8449 S. Monroe St.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 40.598056
 LONGITUDE: -111.894167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESC

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1					1.0	.0	.0	.0	.0	1.0	.0	.0
2					.0	.0	.0	.0	.0	.0	1.0	.0
3					1.0	.0	.0	.0	.0	.0	.0	.0
4					.0	.0	5.0	.0	1.0	.0	.0	.0
5					.0	.0	1.0	.0	.0	.0	2.0	.0
6					.0	.0	.0	1.0	.0	.0	1.0	.0
7					1.0	.0	.0	1.0	.0	.0	1.0	1.0
8					1.0	.0	.0	.0	.0	.0	2.0	.0
9					1.0	.0	.0	1.0	.0	.0	1.0	.0
10					.0	.0	.0	1.0	.0	.0	1.0	.0
11					.0	.0	.0	.0	1.0	1.0	.0	.0
12					.0	.0	.0	.0	.0	1.0	1.0	.0
13					.0	.0	.0	.0	.0	.0	2.0	.0
14					.0	.0	.0	.0	1.0	.0	2.0	.0
15					.0	1.0	.0	.0	.0	.0	3.0	.0
16					.0	.0	.0	.0	.0	2.0	3.0	.0
17					.0	.0	.0	.0	1.0	1.0	1.0	.0
18					.0	.0	.0	.0	.0	.0	1.0	3.0
19					.0	.0	.0	.0	2.0	1.0	2.0	.0
20					.0	.0	.0	.0	.0	.0	4.0	.0
21					1.0	.0	.0	.0	.0	.0	.0	.0
22					.0	.0	.0	.0	.0	1.0	.0	.0
23					.0	.0	1.0	.0	.0	.0	.0	.0
24					.0	.0	2.0	.0	.0	1.0	.0	.0
25					.0	.0	.0	.0	.0	.0	.0	.0
26					.0	.0	.0	.0	1.0	.0	.0	.0
27					.0	1.0	.0	.0	.0	.0	.0	.0
28					.0	.0	.0	.0	.0	.0	.0	.0
29					.0	.0	.0	.0	.0	.0	1.0	.0
30					.0	.0	.0	.0	.0	1.0	1.0	.0
31					.0	.0	.0	.0	.0	1.0	.0	.0
NO.:	0	0	0	0	31	30	31	31	30	28	22	31
MAX:					1.0	1.0	5.0	1.0	2.0	2.0	4.0	3.0
MEAN:					.19	.07	.29	.13	.23	.39	1.36	.13
ANNUAL OBSERVATIONS:	234		ANNUAL MEAN:		.31	ANNUAL MAX:		5.0				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(42401) Sulfur dioxide

SITE ID: 49-035-2005 POC: 2
 COUNTY: (035) Salt Lake
 CITY: (49710) Midvale
 SITE ADDRESS: 8449 S. Monroe St.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 40.598056
 LONGITUDE: -111.894167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESC

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 5 MINUTE

UNITS: Parts per billion

MIN DETECTABLE: .4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1					1.0	.0	.0	.0	1.0	1.0	.0	.0
2					1.0	.0	.0	.0	1.0	.0	1.0	.0
3					.0	1.0	1.0	1.0	1.0	1.0	.0	.0
4					1.0	1.0	8.0	1.0	1.0	.0	.0	1.0
5					.0	.0	1.0	1.0	.0	.0	2.0	.0
6					.0	.0	1.0	1.0	.0	.0	.0	.0
7					1.0	1.0	.0	2.0	.0	.0	.0	1.0
8					2.0	.0	.0	1.0	.0	.0	3.0	.0
9					2.0	.0	1.0	1.0	1.0	1.0	2.0	.0
10					1.0	.0	.0	2.0	1.0	.0	1.0	.0
11					.0	1.0	2.0	1.0	1.0	2.0	.0	.0
12					.0	1.0	1.0	.0	1.0	2.0	3.0	.0
13					.0	1.0	.0	2.0	.0	.0	3.0	1.0
14					1.0	.0	.0	1.0	1.0	.0	2.0	.0
15					.0	1.0	.0	.0	.0	.0	4.0	.0
16					1.0	.0	.0	1.0	.0	2.0	3.0	.0
17					.0	.0	.0	1.0	1.0	2.0	2.0	.0
18					.0	1.0	1.0	.0	2.0	.0	1.0	4.0
19					.0	.0	1.0	.0	3.0	1.0	3.0	.0
20					3.0	.0	1.0	1.0	.0	.0	4.0	.0
21					1.0	.0	.0	.0	1.0	.0	.0	.0
22					.0	.0	3.0	.0	.0	1.0	.0	.0
23					3.0	.0	2.0	1.0	.0	1.0	.0	.0
24					.0	1.0	4.0	.0	1.0	1.0	.0	.0
25					1.0	.0	3.0	.0	1.0	.0	.0	.0
26					.0	.0	1.0	.0	1.0	1.0	.0	.0
27					3.0	1.0	.0	.0	1.0	1.0	.0	.0
28					2.0	.0	.0	.0	1.0	1.0	.0	.0
29					3.0	.0	3.0	.0	.0	.0	1.0	.0
30					.0	1.0	1.0	.0	2.0	1.0	1.0	.0
31					.0	.0	.0	1.0	.0	2.0	.0	.0
NO.:	0	0	0	0	31	30	31	31	30	28	20	31
MAX:					3.0	1.0	8.0	2.0	3.0	2.0	4.0	4.0
MEAN:					.87	.37	1.13	.61	.77	.75	1.80	.23
ANNUAL OBSERVATIONS:	232		ANNUAL MEAN:		.77		ANNUAL MAX:		8.0			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(42401) Sulfur dioxide

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	2.2	2.0	.2	1.0	2.3	2.2	2.1		.9	.0	.0	.0
2	2.5	1.2	.3	.8	2.4	2.7	2.5		.9	.0	.0	.0
3	3.5	.5	.7		2.1	3.2	2.4		.9	.0	.0	.0
4	3.7	1.4	.5		2.3	2.4	3.7		.9	.0	.0	.0
5	4.6	.4	1.0		2.2	2.3	2.2		.1	.0	.0	.2
6	3.8	1.5	.3		2.2	2.4			.0	.0	.0	.2
7	1.3	1.4	1.9		2.9	2.1			.2	.0	.0	.7
8	1.6	1.5	2.5		3.2	2.7			.6	.0	.0	.3
9	.8	1.1	1.6		2.6	2.2			.6	.0	.0	.0
10	1.0	.6	1.1		2.3	2.6			.7	.0	.0	.0
11	1.1	.4	.6		2.4	2.6	3.0		.6	.4	.0	.0
12	1.1	.3	2.2		2.1	2.4	2.7		1.3	.0	.0	.0
13	.9	1.4	1.5		3.2	2.4	3.2		.8	.0	.0	.0
14	1.2	3.1	.4		2.6	2.3	2.7			.0	.4	.4
15	1.9	.0	.5		2.4	3.2	2.4		.3	.0	.8	1.5
16	1.2	1.0	.4		2.1	2.8	2.4		.4	.0	.7	.9
17	2.5	.7	.0		2.2	2.1	2.4		.7	.0	.8	.9
18	1.9	.3	.6		2.5	2.4	2.9		.1	.0	.0	.7
19	.1	.2	.5		2.4	2.1	2.8		1.5	.0	.2	.3
20	.1	.4	.8		2.1	2.3	3.3		.0	.0	1.0	.6
21	.4	.7	.7		3.2	2.3	2.3		.2	.0	1.9	.5
22	.9		.1		2.3	2.2	2.5		.0	.0	.2	.1
23	.8		.3		2.1	2.3			.1	.0	.0	.5
24	2.4	.7	.2		2.3	2.1			.0	.0	.0	.4
25	.2	.2	1.1	2.1	2.2	2.3		.7	.3	.0	.0	.9
26	.3	.5	.6	2.8	2.2	2.4		.6	.0	.0	.0	.2
27	.7	.9	1.1	2.2	2.5	3.5	1.1		.0	.0	.6	.4
28	.9	.5	.5	2.3	2.4	2.5		.5	.0	.0	.7	.4
29	1.8		.5	2.5	2.0	2.6		.8	.0	.0	.2	.2
30	3.0		.6	2.4	2.0	2.2		.8	.0	.0	.2	.2
31	1.1		.5		2.2			4.1		.2		.5
NO.:	31	26	31	8	31	30	17	6	29	31	30	31
MAX:	4.6	3.1	2.5	2.8	3.2	3.5	3.7	4.1	1.5	.4	1.9	1.5
MEAN:	1.60	.88	.77	2.01	2.38	2.46	2.68	1.25	.42	.02	.26	.35
ANNUAL OBSERVATIONS:	301		ANNUAL MEAN:	1.14	ANNUAL MAX:	4.6						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(42401) Sulfur dioxide

SITE ID: 49-035-3006 POC: 2
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 5 MINUTE

UNITS: Parts per billion

MIN DETECTABLE: .2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	2.5	2.3		1.6	2.5	2.2	2.3		1.2	.1	.0	.0
2	2.6	1.5	.3	1.2	2.4	3.1	2.7		1.0	.0	.0	.1
3	4.1	.8	.8		2.3	3.5	2.7		.9	.1	.0	.0
4	4.2	1.6	.7		2.6	2.6	7.2		1.3	.0	.0	.0
5	5.3	.6	1.1		2.4	2.4	2.4		.2	.0	.0	.3
6	4.2	1.9	.5		2.4	2.5			.1	.0		.3
7	1.6	1.8	2.3		3.4	2.9			.3	.0		.9
8	2.2	1.7	2.7		3.7	2.9			1.1	.0		.5
9	.9	1.6	1.9		2.8	2.5			.7	.0	.0	.0
10	1.1	.7	1.2		3.7	2.9			1.1	.0	.1	.1
11		.7	1.3		5.7	2.7	3.4		.9	.6	.4	.0
12	1.4	.4	2.5		2.4	2.5	4.6		2.0	.0	.2	.0
13	1.2	1.5	1.6		3.6	2.5	2.9		1.0	.1	.3	.1
14	1.6	3.4	.4		2.6	2.5	4.9			.0	.7	.6
15	2.0	.0	.9		2.5	3.5	2.5		.3	.0	1.1	1.9
16	1.3	1.2	.2		2.3	2.7	2.5		1.9	.0	.8	1.0
17	2.6	1.0	.0		3.4	2.2	2.5		.7	.0	.8	1.2
18	2.0	.4	.8		4.1	2.6	3.3		.1	.0	.0	.8
19	.3	.9	.8		4.0	2.1	2.9		1.6	.1	.3	.6
20	.4	1.8	.9		2.4	2.3	4.3		.0	.0	1.1	.7
21	.6	1.5	.9		3.3	2.4	4.1		.4	.0	2.8	.5
22	1.3		.4		2.3	2.4	4.8		.0	.0	.8	.2
23	.9		.3		2.1	2.4	3.4		.6	.0	.0	.7
24	2.8	.9	.3		3.4	2.2	6.7		.0	.0	.0	.6
25	.2	.8	1.5	2.1	2.5	2.5		2.8	.5	.0	.1	1.2
26	.4	.8	.9	3.8	4.1	2.4		.7	.0	.0	.1	.3
27	.8	1.1	1.3	4.3	2.9	3.7			.0	.9	.7	.5
28	1.3	.5	.9	4.3	2.6	3.7		.6	.0	.0	.7	.6
29	2.0		1.5	3.0	2.0	5.1		.9	.0	.0	.3	.3
30	9.5		3.8	3.6	2.1	4.1		5.0	.0	.0	.3	.3
31	1.3		.8		2.3			2.0		.3		.7
NO.:	30	26	30	8	31	30	19	6	29	31	27	31
MAX:	9.5	3.4	3.8	4.3	5.7	5.1	7.2	5.0	2.0	.9	2.8	1.9
MEAN:	2.09	1.21	1.12	2.99	2.93	2.80	3.69	2.00	.62	.07	.43	.48
ANNUAL OBSERVATIONS:		298		ANNUAL MEAN:	1.53	ANNUAL MAX:	9.5					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(42401) Sulfur dioxide

SITE ID: 49-035-3010 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1250 NORTH 1400 WEST
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 40.78422
 LONGITUDE: -111.931
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	2.0			1.0	.0	.0	.0	1.0	1.0	2.0	.0	
2	3.0			1.0	.0	.0	1.0	.0	1.0	.0	.0	
3	3.0			1.0	.0	2.0	.0	.0	3.0	.0	.0	
4	4.0			1.0	.0	.0	7.0	2.0	3.0	.0	.0	
5	4.0			1.0	1.0	.0	.0	2.0	2.0	.0	1.0	
6	1.0			1.0	.0	1.0	.0	1.0	1.0	.0	1.0	
7	.0			.0	1.0	.0	.0	3.0	1.0	.0	.0	
8	1.0			.0	.0	1.0	.0	5.0	5.0	.0	2.0	
9	.0			1.0	1.0	.0	.0	1.0	1.0	.0	1.0	
10	.0			1.0	1.0	.0	1.0	1.0	2.0	.0	1.0	
11	.0			1.0	.0	.0	1.0	2.0	2.0	2.0	.0	
12	1.0			2.0	.0	.0	1.0	1.0	2.0	1.0	1.0	
13	.0			.0	1.0	.0	1.0	1.0	3.0	.0	1.0	
14	1.0			.0	.0	1.0	.0	3.0	2.0	.0	2.0	
15	2.0			.0	1.0	1.0	1.0	.0	2.0	2.0	3.0	
16	3.0			.0	.0	1.0	1.0	.0	1.0	3.0	3.0	
17	3.0			.0	1.0	.0	1.0	1.0	2.0	5.0	2.0	
18	.0			.0	.0	.0	1.0	.0	.0	.0	1.0	
19	.0			1.0	.0	.0	1.0	.0	2.0	1.0		
20	.0		.0	1.0	4.0	1.0	1.0	.0	1.0	3.0		
21	.0		.0	.0	5.0	1.0	.0	.0	1.0	5.0		
22	.0		.0	.0	.0	.0	1.0	.0	.0	1.0		
23	.0		.0	1.0	1.0	.0	1.0	.0	.0	1.0		
24	.0		.0	1.0	.0	.0	2.0	1.0	.0	1.0		
25	.0		1.0	4.0	.0	1.0		2.0	.0	1.0		
26	.0		.0		.0	2.0		2.0	.0	1.0		
27			2.0		.0	3.0		2.0	.0	.0		
28			.0	.0	.0	1.0		.0	.0	1.0		
29			.0	.0	.0	.0	2.0	2.0	.0	.0		
30			.0	.0	.0	.0	4.0	.0	.0	1.0		
31			.0		.0		1.0	1.0		1.0		
NO.:	26	0	12	28	31	30	27	31	30	31	18	0
MAX:	4.0		2.0	4.0	5.0	3.0	7.0	5.0	5.0	5.0	3.0	
MEAN:	1.08		.25	.68	.55	.53	1.07	1.10	1.27	1.03	1.06	
ANNUAL OBSERVATIONS:	264		ANNUAL MEAN:		.89		ANNUAL MAX:		7.0			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(42401) Sulfur dioxide

SITE ID: 49-035-3010 POC: 2
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1250 NORTH 1400 WEST
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 40.78422
 LONGITUDE: -111.931
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 5 MINUTE

UNITS: Parts per billion

MIN DETECTABLE: .4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	4.0			1.0	1.0	.0	1.0	4.0	2.0	3.0		
2	3.0			2.0	.0	.0	1.0	1.0	1.0	1.0	1.0	
3	4.0			2.0	.0	4.0	2.0	2.0	5.0	.0	1.0	
4	5.0			1.0	.0	1.0	28.0	4.0	5.0	.0	.0	
5	5.0			1.0	3.0	1.0	1.0	4.0	3.0	.0	2.0	
6	2.0			1.0	.0	1.0	.0	2.0	3.0	.0		
7	.0			.0	1.0	1.0	1.0	7.0	2.0	.0		
8	1.0			1.0	2.0	3.0	1.0	9.0	2.0	.0		
9	.0			2.0	2.0	.0	.0	2.0	1.0	.0		
10	1.0			1.0	1.0	.0	1.0	6.0	4.0	.0	2.0	
11	.0			2.0	1.0	.0	3.0	4.0	3.0	3.0	.0	
12	1.0			5.0	.0	1.0	1.0	2.0	3.0	1.0	1.0	
13	.0			1.0	3.0	1.0	2.0	1.0	9.0		2.0	
14	2.0			2.0	1.0	1.0	.0	5.0	9.0	.0	3.0	
15	2.0			.0	2.0	2.0	1.0	1.0	7.0	4.0	6.0	
16	4.0			.0	1.0	1.0	4.0	1.0	2.0	3.0	4.0	
17	4.0			.0	2.0	1.0	1.0	2.0	3.0	10.0	2.0	
18	1.0			1.0	1.0	1.0	3.0	1.0	2.0	.0	1.0	
19	1.0			2.0	.0	.0	2.0	.0	4.0	2.0		
20	.0		1.0	1.0	6.0	2.0	2.0	1.0	1.0	5.0		
21	.0		.0	1.0	7.0	6.0	.0	3.0	2.0	6.0		
22	.0		.0	1.0	1.0	1.0	3.0	2.0	1.0	1.0		
23	1.0		1.0	1.0	2.0	1.0	1.0	1.0	.0	1.0		
24	1.0		1.0	1.0	1.0	.0	3.0	4.0	.0	1.0		
25	.0		1.0	5.0	3.0	1.0		3.0	1.0	1.0		
26	.0		.0		.0	5.0		6.0	.0	1.0		
27			3.0		.0	5.0		2.0	.0	1.0		
28			1.0	.0	.0	3.0		.0	.0	1.0		
29			1.0	.0	.0	1.0	6.0	3.0	.0	1.0		
30			.0	.0	.0	1.0	6.0	2.0	.0	1.0		
31			1.0		.0		2.0	2.0		2.0		
NO.:	26	0	12	28	31	30	27	31	30	30	13	0
MAX:	5.0		3.0	5.0	7.0	6.0	28.0	9.0	9.0	10.0	6.0	
MEAN:	1.62		.83	1.25	1.32	1.50	2.81	2.81	2.50	1.63	1.92	
ANNUAL OBSERVATIONS:	258		ANNUAL MEAN:	1.88	ANNUAL MAX:	28.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.