

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 1998653

Report Code: AMP350MX

Mar. 15, 2022

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			42101							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
AGENCY ROLE	PQAO
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2021 01 01	2021 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Mar. 15, 2022

(42101) Carbon monoxide

SITE ID: 49-035-2005 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (49710) Midvale
 SITE ADDRESS: 8449 S. Monroe St.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.598056
 LONGITUDE: -111.894167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (554) INSTRUMENTAL Gas Filter Correlatio
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2021

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .04

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.300	.800	.400	.200	.000	.100	.100	.000	.100	.300	.400	1.100
2	.600	.800	.400	.100	-.200	.100	.100	.100	.100	.300	.200	.800
3	.700	.400	.300	.100	-.200	.100	.200	.100	.300	.400	.400	1.000
4	.400	.400	.200	.100	.300	.000	.100	.100	.400	.500	.300	1.100
5	.600	.500	.200	.100	.300	.000	.000	.100	.400	.500	.400	.700
6	.700	.400	.300	.000	.400	.000	.000	.400	.300	.000	.300	.800
7	.900	.600	.100	.000	.400	.000	.100	.300	.400	.100	.100	.900
8	.800		.100	.100	.300	.000	.100	.200	.400	.000	.400	.700
9	.500		.000	.000	.300	.000	.100	.200	.400	.000	.500	.200
10	.500		.000	.000	.300	.000	.200	.300	.300	.100	.200	.300
11	.600		.200	.000	.300	.100	.300	.300	.200	.100	.300	.300
12	.600	.100	.200	.100	.100	.100	.200	.200	.200	.000	.400	.300
13	.700	.100	.100	.100	.200	.100	.200	.200	.200	.100	.400	.200
14	.700	.000	.100	.000	.100	.100	.000	.200	.300	.100	.400	.200
15	.800	.000	.100	-.100	.000	.000	.000	.500	.300	.100	.300	.300
16	.600	.000	.000	-.100	.000	.100	.000	.600	.300	.200	.100	.300
17	.800	.100	.100	.000	.000	.100	.100	.300	.300	.300	.500	.300
18	.400	.200	.100	.000	.100	.100	.100	.800	.200	.000	.500	.700
19	.600	.000	.100	.000	.100	.100	.000	.700	.100	.000	.600	.800
20	.900	.000	.000	.000	.000	.000	.000	.400	.200	.000	.500	1.000
21	1.100	.100	.000	.000	.000	.000	.000	.400	.200	.200	.400	1.000
22	.800	.100	.100	.000	.000	.000	.000	.200	.300	.200	.800	1.100
23	.300	.200	.000	.000	.000	.300	.000	.200	.400	.200	.900	1.100
24	.300	.300	.000	.000	.100	.300	.200	.200	.300	.300	.400	.100
25	.700	.200	.000	.100	.100	.300	.200	.200	.300	.000	.500	.100
26	.700	.100	.000	-.100	.000	.200	.200	.400	.300	.200	.700	.200
27	.300	.100	.100	-.100	.100	.200	.000	.400	.300	.300	.800	.200
28	.300	.100	.100	-.100	.100	.200	.000	.500	.300	.200	.800	.200
29	.300		.000	-.100	.000	.200	.000	.400	.200	.400	.800	.400
30	.600		.100	-.100	.000	.000	.000	.300	.300	.500	1.100	.100
31	.600		.200		.000	.000	.000	.300		.500		.300
NO.:	31	24	31	30	31	30	31	31	30	31	30	31
MAX:	1.100	.800	.400	.200	.400	.300	.300	.800	.400	.500	1.100	1.100
MEAN:	.6032	.2333	.1161	.0100	.1032	.0933	.0806	.3065	.2767	.1968	.4800	.5419
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:	.2543	ANNUAL MAX:	1.100						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Mar. 15, 2022

(42101) Carbon monoxide

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (593) INSTRUMENTAL Gas Filter Correlatio
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2021

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .02

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.300	.700	.300	.400	.300	.200	.100	.100	.200	.300	.600	.800
2	.600	.900	.500	.400	.100	.200	.100	.100	.300	.200	.200	.700
3	.700	.400	.400	.200	.100	.300	.100	.100	.200	.200	.500	.800
4	.700	.300	.300	.300	.200	.200	.100	.200	.300	.300	.500	.900
5	.300	.600	.300	.300	.200	.100	.100	.200	.200	.200	.500	.900
6	.500	.600	.300	.100	.200	.100	.100	.500	.200	.200	.400	.800
7	.800	.400	.300	.300	.200	.100	.100	.400	.400	.200	.300	1.000
8	.600	.500	.300	.300	.100	.100	.200	.500	.400	.200	.400	.600
9	.400	.500	.100	.200	.100	.100	.200	.400	.300	.200	.400	.300
10	.400	.300	.200	.300	.100	.100	.200	.400	.300	.200	.400	.300
11	.400	.500	.200	.300	.100	.100	.300	.300	.200	.200	.400	.400
12	.500	.200	.200	.200	.200	.200	.300	.200	.100	.100	.400	.400
13	.500	.200	.200	.100	.200	.200	.200	.200	.100	.200	.400	.200
14	.500	.100	.300	.100	.100	.100	.100	.200		.200	.500	.100
15	.500	.200	.300	.100	.100	.200	.100	.400		.300	.600	.300
16	.500	.200	.100	.100	.100	.100	.100	.500		.400	.700	.300
17	.500	.200	.300	.100	.100	.100	.100	.400		.500	.200	.500
18	.500	.300	.200	.200	.200	.200	.100	.700		.400	.500	.600
19	.400	.300	.200	.300	.200	.100	.100	.700		.300	.900	.600
20	.600	.300	.200	.100	.100	.100	.100	.300		.300	.900	.900
21	.800	.200	.200	.100	.100	.100	.100	.300		.400	.400	1.100
22	1.000	.300	.200	.200	.100	.100	.100	.200		.400	.600	1.100
23	.100	.400	.400	.200	.100	.200	.100	.200		.300	.800	.800
24	.100	.300	.100	.200	.100	.100	.200	.200		.300	.200	.200
25	.500	.300	.200	.200	.200	.100	.200	.200		.100	.400	.100
26	.200	.200	.200	.200	.100	.000	.400	.300		.200	.600	.200
27	.200	.100	.200	.300	.200	.000	.100	.400		.400	.700	.200
28	.100	.100	.200	.300	.100	.000	.100	.400		.400	.700	.200
29	.200		.100	.300	.100	.100	.100	.300		.400	.800	.300
30	.100		.200	.200	.100	.100	.100	.400	.400	.500	.800	.100
31	.400		.300		.100		.100	.300		.700		.200
NO.:	31	28	31	30	31	30	31	31	14	31	30	31
MAX:	1.000	.900	.500	.400	.300	.300	.400	.700	.400	.700	.900	1.100
MEAN:	.4484	.3429	.2419	.2200	.1387	.1233	.1419	.3226	.2571	.2968	.5233	.5129
ANNUAL OBSERVATIONS:	349		ANNUAL MEAN:	.2991	ANNUAL MAX:	1.100						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Mar. 15, 2022

(42101) Carbon monoxide

SITE ID: 49-035-3010 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1250 NORTH 1400 WEST
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.78422
 LONGITUDE: -111.931
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2021

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.3	1.1	.4	.5	.0	.1	.0	-.2	.0	.1	.5	1.1
2	.3	.9	.6	.5	-.1	.2	.0	-.1	-.1	.2	.0	.9
3	.4	.3	.4	.4	.0	.1	.0	.0	.1	.3	.1	.9
4	.3	.3	.2	.3	.0	.0	.0	.1	.2	.0	.1	.6
5	.4	.4	.2	.3	.1	.0	-.1	.0	.1	.1	.2	.4
6	.5	.4	.3	.2	.2	.0	.0	.2	.1	-.1	.2	.6
7	.6	.5	.2	.3	.1	.0	.0	.2	.2	-.1	.0	.6
8	.8	.6	.2	.5	.1	.0	.0	.2	.2	-.1	.2	.3
9	.3	.3	.1	.2	.1	.0	.0	.2	.1	-.1	.4	.0
10	.7	.4	.1	.4	.0	.0	.1	.2	.1	.0	.1	.2
11	.5	.7	.3	.3	.1	.1	.3	.1	-.1	.0	.2	.2
12	.5	.2	.4	.3	.2	.2	.2	.1	.0	-.1	.1	.1
13	.5	.2	.1	.3	.2	.2	.0	.1	.0	.0	.3	.1
14	.8	.2	.2	.1	.1	.1	.0	.2	.1	.0	.3	.0
15	.7	.3	.2	.1	.0	.1	.0	.3	.1	.1	.2	.2
16	.4	.2	.1	.3	-.1	.0	.0	.4	.1	.2	.0	.2
17	.7	.4	.3	.4	.0	.0	.0	.1	.1	.3	.4	.3
18	.4	.5	.2	.6	.0	.1	.0	.4	.0	.0	.4	.4
19	.3	.3	.2	.2	.1	.0	-.1	.4	-.1	.0	.3	.6
20	.6	.3	.1	.1	.0	.0	-.1	.1	.1	.1	.3	.8
21	1.3	.2	.2	.0	.0	.1	-.1	.1	.1	.1	.4	.9
22	.5	.4	.4	.2	.1	.1	-.1	.0	.0	.1	.5	.9
23	.1	.2	.2	.1	.0	.0	-.1	.0	.2	.0	1.1	.4
24	.1	.1	.4	.0	.0	.0	.1	.1	.1	.0	.3	.1
25	.4	.4	.4	.0	.0	-.1	.2	.1	.0	-.1	.5	.1
26	.5	.3	.3	.0	.1	-.1	.1	.1	.0	.0	.5	.1
27	.2	.1	.6	.0	.2	-.1	-.1	.2	.0	.1	.8	.1
28	.2	.2	.3	.1	.0	.0	-.1	.1	.0	.1	.7	.2
29	.2	.3	.1	.1	.0	.0	-.2	.0	.0	.2	1.0	.1
30	.3	.4	.4	.0	.0	.0	-.1	.1	.0	.3	.6	.0
31	.4	.4	.4	.0	.0	.0	-.1	.1	.1	.5	.2	.2
NO.:	31	27	31	30	31	30	31	31	30	31	30	31
MAX:	1.3	1.1	.6	.6	.2	.2	.3	.4	.2	.5	1.1	1.1
MEAN:	.46	.38	.28	.23	.05	.04	-.01	.13	.06	.07	.35	.37
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:		.20		ANNUAL MAX:		1.3			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Mar. 15, 2022

(42101) Carbon monoxide

SITE ID: 49-035-3015 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 240 N 1950 W
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.777145
 LONGITUDE: -111.945849
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (594) INSTRUMENTAL Nondispersive Infrere
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2021

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .02

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		.700	.100	.100	.400	.400	.100	.000	.000	.300	.900	1.300
2		.700	.500	.200	.200	.400	.200	.100	.000	.300	.300	1.000
3		.100	.300	.100	.300	.500	.100	.200	.200	.300	.500	1.200
4		.100	.200	.000	.300	.400	.200	.200	.200	.100	.500	.900
5		.300	.100	.000	.500	.300	.100	.200	.000	.100	.500	.600
6	.300	.300	.100	.200	.600	.200	.200	.300	.000	.000	.400	.600
7	.700	.200	.100	.300	.400	.200	.200	.300	.200	.000	.200	.700
8	.900	.400	.100	.400	.300	.100	.100	.300	.200	.000	.400	.500
9	.300	.100	-.100	.200	.300	.100	.300	.300	.100	.000	.700	.300
10	.700	.200	.000	.400	.300	.100	.200	.300	.100	.100	.500	.300
11	.500	.500	.100	.200	.400	.200	.400	.200	.400	.100	.500	.300
12	.500	.000	.300	.200	.500	.300	.400	.400	.000	.000	.500	.200
13	.500	.000	.000	.300	.600	.300	.200	.200	.000	.000	.500	.200
14	.600	.000	.000	.200	.600	.200	.100	.200	.200	.000	.600	.200
15	.600	.000	.000	.300	.600	.200	.000	.400	.000	.100	.600	.400
16	.300	.000	.000	.300	.600	.200	.100	.500	.100	.200	.500	.400
17	.700	.100	.100	.300	.700	.200	.100	.300	.200	.500	.500	.400
18	.200	.100	.000	.500	.300	.300	.100	.700	.100	.000	.700	.500
19	.100	.100	.000	.300	.300	.200	.100	.600	.000	.100	.600	.900
20	.400	.100	.000	.300	.200	.100	.100	.100	.100	.200	.600	1.000
21	1.100	.000	.000	.200	.200	.100	.100	.100	.100	.300	.800	1.200
22	.300	.000	.100	.400	.200	.100	.000	.000	.100	.300	1.000	1.100
23	.000	.100	.000	.300	.300	.200	.200	-.100	.500	.100	1.500	.500
24	.000	.100	.000	.300	.300	.100	.200	.000	.200	.100	.500	.200
25	.300	.100	.000	.400	.300	.200	.400	.000	.200	.000	.700	.200
26	.200	.000	.000	.400	.200	.100	.400	.000	.200	.200	.800	.300
27	.000	.000	.200	.400	.400	.100	.100	.200	.200	.400	1.000	.300
28	.000	.000	.000	.300	.300	.000	.100	.100	.200	.400	.800	.300
29	.000		-.100	.500	.200	.000	.100	.100	.100	.500	1.100	.400
30	.100		.100	.500	.300	.000	.100	.100	.200	.700	1.000	.200
31	.200		.100		.300		.200	.100		.800		.300
NO.:	26	28	31	30	31	30	31	31	30	31	30	31
MAX:	1.100	.700	.500	.500	.700	.500	.400	.700	.500	.800	1.500	1.300
MEAN:	.3654	.1536	.0742	.2833	.3677	.1933	.1677	.2065	.1233	.2000	.6567	.5452
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:	.2775	ANNUAL MAX:	1.500						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Mar. 15, 2022

(42101) Carbon monoxide

SITE ID: 49-035-4002 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (53230) Murray
 SITE ADDRESS: 4951 South Galleria Dr
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.662878
 LONGITUDE: -111.9011881
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1295
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2021

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.0	.7	.4	.3	.2	.0	-.1	-.2	.0	.3	.5	1.0
2	.2	.8	.4	.3	.0	.2	-.1	-.1	.0	.3	.0	.8
3	.2	.1	.4	.3	.0	.2	.0	.0	.1	.4	.3	.8
4	.2	.1	.3	.2	.0	.1	.0	.3	.2	.3	.3	.9
5	.3	.2	.2	.2	.1	.0	-.2	.1	.2	.3	.5	.6
6	.4	.2	.3	.1	.1	.1	.0	.3	.2	.0	.2	.8
7	.7	.2	.1	.3	.1	.1	.0	.3	.3	.0	.0	.7
8	.4	.4	.1	.4	.0	.2	.0	.4	.4	.0	.2	.5
9	.2	.3	.0	.1	.0	.1	.0	.3	.3	.2	.3	.1
10	.3	.3	.2	.2	.0	.0	.1	.3	.3	.2	.2	.2
11	.4	.4	.5	.2	.0	.1	.2	.3	.0	.1	.3	.3
12	.4	.1	.3	.2	.2	.1	.1	.1	.0	.0	.4	.3
13	.3	.2	.2	.1	.1	.1	.1	.1	.0	.1	.4	.0
14	.5	.1	.2	.0	.1	.1	-.1	.2	.3	.2	.4	.1
15	.5	.1	.1	.1	.0	.1	-.1	.3	.2	.4	.4	.3
16	.2	.0	.0	.1	-.1	.0	-.1	.5	.2	.4	.4	.2
17	.5	.2	.1	.1	.0	.0	-.1	.2	.3	.6	.3	.4
18	.1	.2	.1	.1	.1	.0	.0	.5	.2	.1	.5	.4
19	.4	.3	.1	.1	.1	.0	-.1	.5	.0	.1	.6	.7
20	.5	.2	.0	.1	.0	.0	-.2	.2	.1	.3	.6	.9
21	1.0	.1	.0	.1	.0	.0	-.1	.2	.2	.4	.3	1.2
22	.6	.1	.2	.2	.0	.0	-.2	.0	.3	.4	.6	1.2
23	.0	.3	.1	.1	.0	.1	-.2	.1	.4	.1	1.0	.7
24	.0	.4	.1	.2	.0	-.1	.0	.2	.3	.2	.3	.1
25	.2	.2	.1	.2	.0	-.1	.1	.2	.3	.0	.4	.0
26	.3	.1	.1	.0	.0	-.1	.1	.2	.3	.1	.5	.0
27	.0	.2	.3	.0	.1	-.1	.1	.3	.3	.2	.7	.1
28	.0	.2	.1	.1	.0	.0	.1	.4	.3	.2	.8	.1
29	.1	.0	.0	.1	.0	-.1	.1	.3	.1	.3	.7	.3
30	.2	.2	.2	.2	-.1	.0	.3	.3	.2	.4	.8	.1
31	.3	.2	.2	.2	.0	.0	.3	.3	.3	.4	.4	.2
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	1.0	.8	.5	.4	.2	.2	.3	.5	.4	.6	1.0	1.2
MEAN:	.30	.24	.17	.16	.03	.04	0.00	.23	.20	.23	.43	.45
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.21		ANNUAL MAX:		1.2			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Mar. 15, 2022

(42101) Carbon monoxide

SITE ID: 49-049-4001 POC: 2
 COUNTY: (049) Utah
 CITY: (45090) Lindon
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.341389
 LONGITUDE: -111.713611
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1442
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (593) INSTRUMENTAL Gas Filter Correlatio
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2021

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .02

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.100	.500	.400	.300	.500	.300	.400	.200	.200	.400	.400	.600
2	.300	.400	.500	.300	.300	.300	.400	.200	.300	.400	.400	.700
3	.400	.300	.400	.300	.400	.400	.300	.200	.300	.400	.300	.700
4	.400	.300	.400	.300	.200	.400	.300	.300	.400	.500	.300	.700
5	.300	.400	.400	.300	.200	.400	.300	.300	.400	.500	.300	.700
6	.400	.400	.400	.200	.200	.300	.300	.700	.300	.400	.300	.900
7	.400	.400	.400	.300	.200	.300	.300	.500	.400	.400	.200	1.000
8	.500	.500	.400	.300	.100	.100	.400	.500	.400	.500	.400	.700
9	.500	.500	.300	.300	.100	.100	.400	.400	.400	.400	.400	.500
10	.300	.400	.400	.300	.100	.100	.500	.500	.300	.400	.200	.400
11	.400	.300	.400	.300	.200	.200	.500	.300	.300	.500	.400	.500
12	.500	.200	.400	.300	.200	.200	.500	.300	.200	.400	.400	.600
13	.600	.300	.400	.300	.300	.200	.400	.300	.300	.400	.400	.700
14	.400	.200	.400	.400	.300	.200	.300	.300	.300	.400	.400	.600
15	.500	.300	.500	.400	.200	.200	.300	.500	.400	.500	.400	.200
16	.600	.300	.400	.300	.200	.300	.400	.500	.400	.600	.300	.300
17	.500	.200	.500	.300	.200	.300	.400	.500	.300	.600	.400	.400
18	.500	.200	.500	.300	.200	.300	.400	.800	.300	.600	.700	.400
19	.300	.300	.500	.400	.300	.300	.400	.900	.200	.500	.800	.500
20	.500	.300	.400	.300	.200	.300	.400	.300	.200	.600	.500	.600
21	.600	.300	.400	.300	.300	.200	.300	.300	.300	.600	.400	.600
22	.600	.300	.500	.300	.200	.200	.300	.200	.400	.600	.500	1.300
23	.300	.400	.200	.300	.200	.200	.400	.100	.400	.600	.500	1.200
24	.400	.300	.200	.400	.200	.300	.500	.200	.400	.600	.300	.400
25	.400	.300	.200	.300	.300	.200	.500	.200	.400	.500	.500	.400
26	.400	.300	.200	.400	.300	.200	.500	.200	.400	.100	.500	.300
27	.300	.400	.200	.400	.300	.200	.200	.300	.500	.200	.600	.300
28	.400	.400	.200	.400	.300	.200	.200	.300	.500	.200	.600	.400
29	.300		.100	.400	.300	.200	.200	.300	.400	.300	.600	.400
30	.400		.200	.400	.300	.200	.200	.300	.400	.300	.700	.300
31	.400		.200		.300		.200	.300		.300		.400
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	.600	.500	.500	.400	.500	.400	.500	.900	.500	.600	.800	1.300
MEAN:	.4161	.3357	.3548	.3267	.2452	.2433	.3581	.3613	.3467	.4419	.4367	.5710
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.3704	ANNUAL MAX:	1.300						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Mar. 15, 2022

(42101) Carbon monoxide

SITE ID: 49-057-1003 POC: 1
 COUNTY: (057) Weber
 CITY: (33540) Harrisville
 SITE ADDRESS: 425 W 2550 NORTH, OGDEN, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 630-08-0
 LATITUDE: 41.3036139529
 LONGITUDE: -111.98787086
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1331
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (593) INSTRUMENTAL Gas Filter Correlatio
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2021

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .02

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.400	.500	.300	.300	.200	.300	.200	.200	.300	.300	.300	.600
2	.400	.400	.400	.300	.100	.200	.300	.200	.100	.200	.200	.600
3	.500	.300	.400	.200	.100	.300	.200	.300	.100	.200	.300	.600
4	.500	.300	.100	.100	.200	.300	.200	.300	.200	.300	.400	.700
5	.400	.400	.200	.100	.200	.300	.200	.300	.200	.300	.400	.600
6	.400	.400	.200	.100	.200	.300	.200	.600	.200	.200	.500	.700
7	.500	.200	.200	.200	.100	.300	.300	.600	.400	.100	.500	.600
8	.500	.300	.200	.200	.100	.200	.300	.500	.300	.300	.300	.500
9	.400	.400	.100	.200	.100	.200	.300	.500	.300	.300	.300	.400
10	.500	.300	.100	.200	.100	.200	.400	.400	.300	.300	.300	.300
11	.400	.300	.100	.200	.200	.200	.400	.400	.300	.300	.300	.400
12	.500	.100	.100	.200	.200	.300	.400	.400	.200	.300	.400	.400
13	.500	.200	.200	.100	.200	.200	.300	.300	.200	.300	.300	.400
14	.200	.200	.300		.200	.200	.300	.400	.300	.300	.300	.300
15	.500	.200	.200	.300	.200	.300	.300	.600	.300	.100	.400	.400
16	.500	.200	.100	.200	.200	.300	.200	.600	.400	.300	.300	.300
17	.500	.200	.300	.100	.200	.300	.200	.400	.300	.300	.300	.400
18	.500	.300	.200	.200	.200	.300	.200	1.000	.200	.200	.500	.700
19	.300	.200	.200	.300	.300	.200	.300	.900	.200	.400	.500	.700
20	.400	.200	.100	.100	.200	.200	.200	.400	.300	.500	.500	.700
21	.500	.200	.200	.100	.200	.200	.200	.300	.300	.400	.500	.800
22	.400	.300	.200	.300	.200	.300	.200	.300	.500	.400	.600	.900
23	.100	.200	.200	.200	.200	.200	.200	.300	.400	.300	.500	1.000
24	.200	.300	.100	.200	.300	.200	.300	.200	.200	.300	.300	.400
25	.300	.200	.100	.200	.200	.200	.400	.200	.200	.300	.500	.400
26	.100	.200	.100	.200	.200	.200	.400	.300	.200	.300	.500	.300
27	.200	.200	.200	.300	.200	.200	.300	.400	.400	.400	.600	.300
28	.200	.200	.100	.200	.200	.200	.200	.400	.200	.300	.600	.300
29	.200		.100	.200	.200	.200	.300	.300	.200	.500	.600	.400
30	.100		.300	.200	.200	.200	.300	.500	.300	.600	.600	.400
31	.200		.200		.200		.200	.400		.600		.400
NO.:	31	28	31	29	31	30	31	31	30	31	30	31
MAX:	.500	.500	.400	.300	.300	.300	.400	1.000	.500	.600	.600	1.000
MEAN:	.3645	.2643	.1871	.1966	.1871	.2400	.2710	.4161	.2667	.3194	.4200	.5129
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	.3047	ANNUAL MAX:	1.000						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.