

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 2177547

Report Code: AMP350MX

Apr. 2, 2024

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			42602							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA			

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2023 01 01	2023 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-003-7001 POC: 1
 COUNTY: (003) Box Elder
 CITY: (00000) Not in a city
 SITE ADDRESS: 8600 WEST 24000 NORTH PORTAGE, UTAH
 SITE COMMENTS: SITE IS LOCATED IN MALAD VALLEY
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 41.945874098
 LONGITUDE: -112.23397302
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1369
 PROBE HEIGHT: 4

SUPPORT AGENCY: (195) Northwestern Band of Shoshoni Nation of Utah (Washakie)
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (599) Instrumental Chemiluminescence Tel
 PQAQ: (195) Northwestern Band of Shoshoni Nation of Utah (Washakie)

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .05

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.0	9.6	1.0	2.7	2.5	.2	.4	.0		.0	4.5	
2	2.0	8.9	2.0	.0	1.6	1.3	.4	.0		1.3	5.9	
3	5.6	15.3	2.6	.0	1.3	.4	2.3	.0		.9	3.0	
4	8.0	13.3	2.5	.0	.5	1.2	1.6	.0		2.1	2.0	
5	7.6	7.4	2.2	.8	2.1	1.3	.1	.0		.0	.3	
6	7.6	8.3	1.1	3.1	.7	.8	.3	.0	5.4	.0	2.4	
7	3.4	4.9	.7	3.4	.6	1.0	.6	.0	1.9	.0	1.6	
8	2.6	6.2	2.2	3.3	.6	1.0	.3		.9	.1	.5	
9	7.7	2.2	4.5	.4	1.4	.6	.4	.4	1.1	.3		
10	2.9	2.9	1.9	1.5	.8	.5	2.1	.6	1.7	2.5	3.5	
11	1.0	2.8	.0	2.3	.6	.2	.4	.2	.5	3.4	.7	
12	.9	4.2	.0	1.3	.6	.2	.1		.0	1.7	2.5	
13	2.6	7.5	.0	.2	.2	2.1	.2		.0	3.3	.2	
14	4.2	1.3	.0	.2	.8	.5	.0	.3	.3	1.7	2.2	
15	3.3	.8	.0	.7	1.4	.7	.2	.0	.2	1.5	.8	
16	1.5	4.6	.0	1.5	.4	.1	.0	.0	.8	1.8	1.5	
17	1.0	4.2	.0	.8	.9	1.4	.1	.0	.0	1.1	1.1	
18	6.4	5.2	1.0	1.1	1.0	2.8	8.1	.2	.0	3.5	5.7	
19	2.9	3.6	3.6	.0	.8	.9	4.3	.0	.5	1.3	7.2	
20	1.4	5.2	5.9	.6	.9	.0	1.6	.1	1.6	.0	4.6	
21	.0	3.4	1.5	.9	1.3		1.0	.0	.6	1.3	5.7	
22	.5	3.2		.0	.7	.2	.5	.1	.4	2.9	2.6	
23	1.2	5.0	2.2	.3	2.0	1.1	.7	.0	.0	.5	1.9	
24	5.7	4.8	1.3		1.1	.0	1.9	.2	.4	.1	.0	
25	2.3	2.3	.0	.0	1.1	.2	2.1	1.0	3.8	.0	.0	
26	5.9	3.4	1.5	.0	.8	.2	1.5	.7	.2	.4	2.1	
27	6.1	1.0	2.2	.0	.2		.7	.7	.7	.9	2.1	
28	.6		3.4	.0	.6	.6	.0	.0	.0	4.1	3.7	
29	.0		3.2	.0	.5	.5	.0	.0	.0	7.4	4.5	
30	3.7		.3	14.9	.8	.0	.0	.6	1.1	9.4	2.1	
31	2.5		.0		.4	.0	.0		2.0		2.8	
NO.:	31	27	30	29	31	28	30	7	23	31	30	22
MAX:	8.0	15.3	5.9	14.9	2.5	2.8	8.1	0.0	5.4	3.8	9.4	7.2
MEAN:	3.26	5.24	1.56	1.38	.94	.71	1.04	0.00	.58	.65	2.31	2.61
ANNUAL OBSERVATIONS:	319		ANNUAL MEAN:	1.79	ANNUAL MAX:	15.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-005-0007 POC: 1
 COUNTY: (005) Cache
 CITY: (69640) Smithfield
 SITE ADDRESS: 675 West 220 North
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 41.842649
 LONGITUDE: -111.852199
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	7.0	42.1	13.1	16.5	9.8	9.0	5.4	9.0	3.2	.9	17.7	18.0
2	12.6	47.5	13.0	3.4	11.6	11.9	5.2	6.3	.4	2.6	20.8	10.3
3	17.0	45.6	9.9	3.2	10.2	7.6	5.7	6.9	.6	6.1	24.9	8.2
4	36.3	45.2	11.9	4.8	5.7	5.5	4.9	4.4	-.7	6.1	18.1	15.1
5	25.0	37.3	6.1	8.2	7.5	6.7	4.2	4.2	2.7	6.2	8.9	20.6
6	37.5	26.2	15.4	14.7	3.4	7.5	8.1	3.2	5.1	6.8	9.9	23.8
7	15.4	20.9	14.1	22.5	4.2	8.0	6.3	6.1	2.7	5.2	9.1	20.2
8	13.9	23.9	26.0	12.0	5.3	7.8	4.8	4.2	11.5	3.5	13.1	20.1
9	24.1	35.6	18.8	12.0	12.4	6.7	6.5	5.8	6.4	14.3	14.3	18.1
10	26.3	31.0	10.0	21.3	9.9	4.5	5.9	19.4	2.5	8.7	20.0	18.6
11	14.4	29.8	15.5	14.0	10.1	4.4	5.6	6.1	8.1	6.8	17.7	22.7
12	33.2	27.2	5.9	18.9	6.1	6.2	6.1	4.6	6.1	6.2	18.7	23.4
13	32.7	30.7	17.0	6.4	2.7	5.0	10.8	4.5	7.3	6.5	22.8	17.4
14	18.0	13.2	28.7		5.3	6.3	6.8	11.3	5.5	6.4	16.9	23.0
15	15.3	28.6	6.8	9.4	15.7	5.3	4.4	2.7	12.2	5.7	17.7	23.6
16	11.8	34.3	25.3	11.6	5.5	6.3	4.5	6.8	2.8	13.9	15.9	26.5
17	8.8	36.3	22.0	6.6	8.3	4.5	6.5	7.7	2.2	11.1	17.8	23.4
18	20.8	31.5	21.5	2.9	5.1	4.7	4.1	3.3	5.3	19.2	16.0	23.3
19	25.1	14.9	16.1	15.5	8.5	4.4	8.4	.7	9.8	8.7	9.3	22.7
20	22.0	12.8	14.3	6.0	7.8	4.9	6.7	-.2	6.4		9.6	21.6
21	27.4	6.9	19.4	6.9	4.8	6.2	8.1	4.2	1.9	8.0	21.4	22.0
22	20.5	13.6	8.7	10.7	6.8	5.7	6.3	4.6	6.5	8.5	18.2	21.8
23	34.6	12.4	6.1	11.2	4.2	4.4	6.0	6.1	3.4	18.9	13.4	14.4
24	20.9	25.8	5.9	10.6	7.7	5.0	25.3	.8	4.4	9.9	8.4	22.4
25	20.4	20.8	7.4	7.3	5.2	3.3	8.7	4.9	16.5	8.5	7.5	21.7
26	18.9	28.5	8.6	16.2	5.6	8.3	9.7	1.9	9.1	6.5	16.6	22.3
27	21.7	10.9	9.9	12.3	4.5	9.6	9.3	.3	11.4	17.0	19.2	13.4
28	9.5	6.6	14.4	5.8	4.2	5.5	6.7	7.6	16.3	12.5	21.8	23.2
29	3.8		22.7	9.6	4.5	5.8	7.4	10.2	13.6	13.5	27.6	23.9
30	38.4		5.0	6.0	8.0	10.7	5.2	12.8	7.3	24.8	22.5	23.5
31	37.7		8.2		10.4		6.1	5.2		22.5		20.7
NO.:	31	28	31	29	31	30	31	30	30	30	30	31
MAX:	38.4	47.5	28.7	22.5	15.7	11.9	25.3	19.4	16.5	24.8	27.6	26.5
MEAN:	21.65	26.43	13.80	10.57	7.13	6.39	7.09	5.65	6.35	9.85	16.53	20.32
ANNUAL OBSERVATIONS:	362		ANNUAL MEAN:	12.59	ANNUAL MAX:	47.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-007-1003 POC: 1
 COUNTY: (007) Carbon
 CITY: (62030) Price
 SITE ADDRESS: On Prperty of Resident at 351 W 2500 E. Price, Utah
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 39.59575
 LONGITUDE: -110.770111
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1737.6
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SPM
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	5.9	7.3	7.7	2.8	6.6	2.9	3.7	4.9		6.7		
2	2.7	8.6	3.7	3.0	3.7	3.4	3.4	4.5	3.6	7.1		2.8
3	10.8	20.6	8.8	4.2	4.4	3.0	3.3	3.0	2.7			10.2
4	4.4	9.4	8.1	1.4	5.8	2.7	3.0	3.4	2.3			9.4
5	11.5	9.0	13.2	1.4	5.7	7.0	3.7	2.9	2.1			
6	14.1	9.5	3.4	5.5	3.7	5.6	4.4	3.3	3.2			6.5
7	16.9	8.2	5.7	4.5	1.7	3.5	3.8	2.9	4.4			5.9
8	15.9	7.3	5.1	4.8	3.3	3.1	2.4	4.2				4.9
9	9.3	4.2	5.6	2.0	3.6	3.8	2.7	3.9	2.6			1.5
10	19.5	8.1	18.2	4.6	5.7	2.5	3.4	6.2	3.9			2.3
11	8.1	7.7	4.6	5.1	2.4	2.6	2.9	3.6	3.0			12.3
12	9.9	6.6	9.2		3.5	2.6	4.8	2.7	4.5			9.5
13	10.7	6.0	6.7	8.0	2.1	2.1	4.0	2.3	5.8			5.6
14	12.6	4.7	9.0	2.0	3.3	4.9	4.8	2.5	3.6			6.2
15	11.2	3.3	6.1	3.5	5.2	4.9	2.7	6.3	5.3			3.7
16	16.7	6.7	1.8	2.0	3.7	3.6	5.9	5.8	4.8			3.1
17	17.4	7.3		5.7	3.2	2.7	3.6	4.4	2.5			6.7
18	6.0	6.2	6.5	6.0	2.0	3.7	6.2	5.4	5.6			7.9
19	15.6	6.7	2.9	2.6	2.8	4.5	5.1	3.4	3.1			7.5
20	6.3	11.7	7.9		3.7	4.4	5.2	4.1	4.2			9.3
21	3.6	10.3	8.0		3.5	4.6	3.7	3.1	6.8			12.3
22	7.9	4.6	3.3	1.5	5.4	4.1	3.8	3.6	4.0			14.0
23	2.8	11.4	5.4	3.4	4.5	2.7	2.8	3.5	2.5			7.4
24	3.6	9.0	6.3	2.8	3.8	2.3	3.5	7.1	2.3			2.4
25	2.3	10.4	4.2	2.4	4.4	2.1	3.9	3.8	10.4			2.6
26	6.3	11.9	6.3	2.6	2.7	2.7	6.2	3.3	3.9			4.9
27	11.5	3.8	3.3	3.1	2.4	3.8	7.5	3.3	3.6			6.6
28	21.4	3.9	5.6	3.1	3.5	4.2	4.3	3.9	4.8	6.8		6.5
29	12.0		6.2	4.3	2.5	2.5	2.6	6.9	3.2	8.2		9.2
30	6.7		3.9	3.9	3.4	3.5	4.5	3.6	6.5	12.3		8.2
31	5.9		4.2		4.4		3.6	5.0				4.9
NO.:	31	28	30	27	31	30	31	31	28	2	3	29
MAX:	21.4	20.6	18.2	8.0	6.6	7.0	7.5	7.1	10.4	7.1	12.3	14.0
MEAN:	9.98	8.01	6.36	3.56	3.76	3.53	4.05	4.09	4.11	6.90	9.10	6.70
ANNUAL OBSERVATIONS:	301		ANNUAL MEAN:		5.47	ANNUAL MAX:		21.4				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-011-0004 POC: 1
 COUNTY: (011) Davis
 CITY: (07690) Bountiful
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH
 SITE COMMENTS: NEW SITE TO REPLACE 490110001
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.902967
 LONGITUDE: -111.884467
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1309
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	32.7	55.1	23.3	20.8	49.7	19.8	14.6	14.9	6.6	6.4	38.2	36.1
2	16.2	58.2	36.0	10.8	9.9	14.4	9.8	12.8	5.4	12.6	39.9	11.9
3	24.4	61.0	42.1	11.3	28.6	12.2	13.3	20.0	6.4	22.7	39.8	13.6
4	41.5	57.3	37.6	12.1	29.0	8.6	12.5	18.1	4.8	22.5	30.9	29.3
5	43.8	57.7	36.4	16.1	4.7	27.0	21.8	9.8	24.4	21.4	23.7	32.6
6	23.8	47.2	21.6	43.7	12.7	17.8	21.2	11.0	19.7	25.0	34.6	36.0
7	32.4	44.7	31.8	44.5	16.8	19.6	26.8	15.4	20.6	11.8	14.8	19.0
8	31.1	44.3	49.1	29.3	23.9	22.7	6.8	25.3	30.6	9.0	17.7	22.3
9	40.8	47.7	38.1	27.0	23.5	22.4	7.8	21.8	20.0	28.1	28.8	23.7
10	20.5	52.5	18.1	29.2	19.1	10.8	7.3	28.4	10.8	22.6	35.8	34.5
11	18.0	49.9	19.8	38.5	15.6	7.8	35.7	14.5	17.8	17.1	33.2	33.6
12	40.6	50.2	23.2	23.0	22.5	6.2	29.5	15.8	25.1	12.3	33.7	37.2
13	42.8	57.2	37.0	14.7	6.4	14.1	26.7	10.1	25.8	18.0	37.5	18.2
14	35.5	30.6	16.8	32.9	10.0	17.3	19.1	6.9	20.5	23.3	39.7	31.7
15	22.6	29.5	21.7	25.7	17.3	15.3	13.5	13.5	20.1	13.6	33.2	39.9
16	31.9	50.7	47.0	26.4	32.2	8.3	14.2	11.3	9.6	31.8	22.9	38.9
17	34.0	50.3	30.1	18.4	22.5	20.6	21.9	19.8	15.2	35.9	32.2	39.5
18	21.6	48.6	37.5		24.9	5.2	21.0	22.4	21.4	24.4	27.1	37.9
19	36.5	44.6	28.4	23.3	5.1	20.6	10.2	12.9	26.9	28.8	15.1	32.9
20	22.5	48.8	18.5	16.2	21.2	12.9	22.2	8.8	27.5	34.6	22.3	30.3
21	30.8	41.3	39.9	40.6	7.0	11.6	29.9	17.1	10.2	18.7	28.7	38.1
22	29.7	28.4	14.8	11.4	13.3	16.2	17.0	25.0	10.9	14.2	33.0	32.1
23	25.8	27.9	23.2	22.5	14.9	24.0	11.0	18.7	14.8	25.8	37.1	29.5
24	45.8	38.3	21.8	24.6	9.6	13.2	13.8	24.9	10.0	28.3	8.0	13.3
25	39.8	49.5	6.0	22.0	27.1	15.3	15.7	16.3	20.6	9.0	9.8	32.8
26	41.6	46.7	16.0	32.6	9.4	17.6	22.6	13.7	21.9	7.1	20.1	37.3
27	39.7	4.7	14.8	45.6	16.3	13.1	22.9	8.3	23.3	35.0	32.6	32.2
28	18.0	12.1	47.3	24.7	7.5	20.2	22.1	25.6	20.2	24.3	34.2	33.8
29	29.9		23.4	31.7	12.2	17.1	17.0	24.3	25.9	15.6	39.3	33.4
30	41.8		17.6	13.8	15.1	10.6	6.2	19.7	5.9	34.7	34.4	29.7
31	50.2		11.7		23.3		22.4	31.7		35.9		28.1
NO.:	31	28	31	29	31	30	31	31	30	31	30	31
MAX:	50.2	61.0	49.1	45.6	49.7	27.0	35.7	31.7	30.6	35.9	39.9	39.9
MEAN:	32.46	44.11	27.44	25.29	17.78	15.42	17.95	17.38	17.43	21.63	29.28	30.30
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	24.58	ANNUAL MAX:	61.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-011-0004 POC: 2
 COUNTY: (011) Davis
 CITY: (07690) Bountiful
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH
 SITE COMMENTS: NEW SITE TO REPLACE 490110001
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.902967
 LONGITUDE: -111.884467
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1309
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (256) Instrumental - Teledyne API - Mode
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	26.7	39.7	19.5	15.9	36.6	17.6	12.8	13.7	6.1	6.5	34.2	28.6
2	13.0	42.5	29.1	9.0	7.2	12.9	9.0	11.6	5.4	12.2	35.9	10.6
3	19.4	44.0	34.3		21.6	15.5	11.1	18.4	6.0	21.4	33.9	13.1
4	33.7	40.2	29.3	11.9	12.1	7.9	17.1	16.9	4.6	20.8	26.8	28.4
5	36.2	38.7	29.8	12.5	4.6	24.2	19.3	8.8	22.0	20.4	20.4	30.1
6	18.6	34.1	18.3	35.5	12.3	15.1	18.4	9.8	17.5	22.6	31.5	32.0
7	26.8	37.4	26.1	34.3	16.4	18.4	23.6	13.3	19.0	11.1	14.4	17.5
8	26.7	35.1	36.4	23.1	21.4	19.8	5.7	22.9	28.1	7.8	16.7	20.5
9	33.6	39.6	30.0	21.9	21.5	19.7	7.1	19.6	18.0	25.5	26.4	22.1
10	17.9	43.0	15.5	24.2	18.4	9.2	6.0	25.1	10.3	20.3	31.6	31.1
11	15.4	37.4	16.4	31.0	19.6	6.6	32.8	13.0	15.9	16.6	29.2	29.2
12	35.0	38.6	20.0	19.3	20.3	6.2	26.2	11.3	22.8	11.7	29.9	32.4
13	34.8	42.2	31.9	12.1	6.0	12.6	23.7	7.8	23.7	16.6	36.3	16.4
14	28.2	25.3	14.3	25.3	9.3	15.4	16.9	6.2	18.4	21.3	36.9	27.7
15	19.1	24.2	1.2	20.3	15.8	14.9	11.9	10.8	18.7	12.7	30.3	35.2
16	26.1	41.6	1.2	21.0	28.4	8.0	12.5	9.4	9.6	28.3	21.8	32.7
17	26.1	40.8	2.6	15.5	19.4	16.5	19.5	17.8	13.7	31.7	30.3	30.8
18	17.7	36.1	34.3	9.0	22.5	6.7	18.6	20.6	19.2	21.9	23.6	30.1
19	30.2	14.2	24.1	18.6	4.5	19.5	9.2	11.8	23.9	26.2	13.6	26.9
20	15.0	14.2	16.3	12.9	17.2	11.8	20.3	8.0	25.1	31.8	20.6	24.7
21	25.1		33.5	31.4	5.8	11.0	25.8	15.5	9.4	16.9	26.2	34.6
22	22.1		12.9	8.0	12.0	14.8	14.2	23.6	10.8	12.8	27.7	28.7
23	20.3		20.2	16.4	12.9	21.0	10.1	16.7	12.9	23.6	29.8	24.3
24	38.1		17.3	18.4	8.4	11.5	12.1	22.2	9.0	25.9	6.4	12.5
25	30.7		5.2	16.2	24.7	13.0	14.5	14.8	18.9	7.8	9.2	29.4
26	31.6		12.7	24.3	8.5	16.4	21.0	12.3	20.4	7.0	18.0	33.6
27	31.8		12.5	34.1	12.5	11.2	21.1	7.7	21.4	32.2	29.2	32.8
28	14.5	10.9	39.8	19.3	6.7	18.0	20.0	23.2	18.7	22.2	29.5	33.1
29	25.4		20.4	22.7	11.2	14.9	14.2	21.4	23.0	14.0	32.5	33.1
30	34.4		14.5	13.2	12.7	10.1	5.8	18.4	6.0	31.1	27.4	29.0
31	39.7		10.0		20.4		20.6	27.7		32.1		26.8
NO.:	31	21	31	29	31	30	31	31	30	31	30	31
MAX:	39.7	44.0	39.8	35.5	36.6	24.2	32.8	27.7	28.1	32.2	36.9	35.2
MEAN:	26.25	34.28	20.31	19.91	15.19	14.01	16.16	15.49	15.95	19.77	26.01	27.03
ANNUAL OBSERVATIONS:		357		ANNUAL MEAN:	20.51		ANNUAL MAX:	44.0				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-013-0002 POC: 1
 COUNTY: (013) Duchesne
 CITY: (64670) Roosevelt
 SITE ADDRESS: 290 S. 1000 W.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.2941780318
 LONGITUDE: -110.00973229
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1596
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	31.0	45.2	24.8	16.4	16.5	17.0	12.3	9.7	8.5	18.4	17.5	17.7
2	25.4	62.3	15.0	23.7	16.7	16.7	13.5	14.0	12.7	13.9	22.6	17.3
3	20.9	50.2	30.2	16.3	13.9	9.0	19.4	10.2	15.3	10.8	13.6	9.2
4	36.5	42.0	24.6	11.5	11.4	7.6	14.7	9.3	7.5	12.8	11.9	14.5
5	28.9	63.2	22.4	18.6	9.5	9.0	14.9	11.7	13.0	8.9	10.3	21.2
6	25.4	40.3	25.5	6.6	8.2	7.8	15.4	11.2	10.1	14.2	15.7	26.9
7	23.0	38.7	9.5	19.6	8.4	16.9	10.3	11.7	17.5	22.7	20.7	16.2
8	21.2	51.3	38.5	14.5	11.2	6.9	13.9	23.5	9.9	16.0	9.7	22.8
9	27.6	40.1	23.6	11.0	12.7	8.7	13.5	13.7	15.7	13.1	15.0	12.5
10	34.9	39.6	22.2	16.8	16.7	15.7	15.2	12.2	12.5	16.6	16.1	17.5
11	25.5	43.0	11.3	12.2	10.3	10.5	25.4	5.7	10.5	11.0	13.0	18.3
12	36.6	51.0	28.5	19.7	8.0	9.5	12.0	9.5	20.1	4.9	25.0	27.1
13	39.0	52.1	14.7	21.1	3.1	6.5	14.3	8.3	11.3	5.8	26.2	20.5
14	40.6	54.7	12.1	11.1	5.7	6.7	17.0	11.1	7.8	9.4	16.7	19.3
15	30.3	23.6	27.1	8.2	10.9	10.0	7.9	13.6	10.1	10.4	19.8	22.7
16	33.7	37.8	6.5	9.5	8.0	7.8	19.0	10.1	12.6	14.9	27.3	23.6
17	28.4	27.6	9.8	12.3	10.9	12.3	22.5	12.7	15.2	18.9	12.4	23.1
18	32.3		20.4	20.1	8.0	12.8	16.0	10.9	13.2	18.0	21.5	29.9
19	34.6		12.7	8.6	6.7	9.8	11.6	11.6	8.7	20.9	13.6	31.4
20	42.1		20.6	7.3	8.9	12.8	13.2	20.3	9.9	18.9	20.4	
21	43.1	30.1	23.7	14.2	9.4	14.2	9.9	11.1	11.4	14.5	16.8	32.7
22	35.8	23.6	14.9	11.0	8.6	16.3	19.0	8.7	10.3	8.8	13.3	29.4
23	55.2	27.3	7.8	9.3	9.9	17.8	11.5	17.8	7.5	16.1	19.3	23.5
24	67.5	35.8	8.7	13.6	6.4	22.8	22.6	15.4	11.5	13.2	18.4	12.2
25	42.6	44.4	5.3	10.9	12.1	13.1	11.1	11.5	12.3	25.0	17.7	12.5
26	49.9	28.9	7.4	15.1	9.7	11.8	11.2	10.3	14.8	15.0	18.6	16.1
27	50.3	45.2	10.2	13.3	8.5	19.8	19.0	9.4	14.0	16.5	20.0	21.4
28	42.7	12.0	15.2	19.7	6.8	13.5	13.8	12.4	18.4	16.1	17.0	21.2
29	25.5		20.9	21.1	7.0	10.7	18.2	16.2	11.3	7.3	14.9	24.8
30	24.2		8.7	13.0	9.3	8.8	10.9	13.0	12.5	18.4	20.3	28.1
31	44.3		12.3		14.9		10.7	16.3		15.3		25.4
NO.:	31	25	31	30	31	29	31	31	30	31	30	30
MAX:	67.5	63.2	38.5	23.7	16.7	22.8	25.4	23.5	20.1	25.0	27.3	32.7
MEAN:	35.45	40.40	17.26	14.21	9.95	11.90	15.04	12.15	12.20	14.41	17.51	21.30
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:	18.18	ANNUAL MAX:	67.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-013-7011 POC: 1
 COUNTY: (013) Duchesne
 CITY: (00000) Not in a city
 SITE ADDRESS: 6000 SOUTH AND 10000 WEST (MYTON)
 SITE COMMENTS: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: DESERT
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.2167789200
 LONGITUDE: -110.18274169
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1606
 PROBE HEIGHT: 4

SUPPORT AGENCY: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (599) Instrumental Chemiluminescence Tel
 PQAQ: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .05

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	15.5	31.0	11.3	19.0	25.0		15.0	9.1	8.3			
2	9.9	21.2	15.4	8.0	11.3		9.0	9.8	11.2			
3	7.4	28.0	22.9	10.3	21.2		9.2	7.9	7.0			
4	13.4	20.5	12.6	4.0	4.4		11.3	9.4	8.0			
5	17.8	22.4	17.8	7.2	3.5		10.2	11.6	11.9			
6	18.3	19.4	22.3	21.9	4.3	5.1	10.2	12.2	8.9			
7	19.4	25.2	10.3	24.2	9.9	7.9	12.9	11.2	12.7			
8	21.3	24.9	16.9	10.9	8.9	6.7	9.8	9.7	12.2			
9	34.9	13.3	11.7	13.5	12.0	6.3	13.5	23.0	9.8			
10	15.6	22.1	9.4	32.6		8.7	7.8	15.8	13.1			
11	15.4	29.0	8.9	34.0		9.6	12.7	9.8	19.6			
12	21.5	25.4	7.1	16.5		6.6	12.6	10.0	15.4			
13	18.0	24.4	8.1	7.8	2.6	8.9	6.0	9.8	12.1			
14	20.9	22.9	7.4	5.7	9.6	8.7	8.4	10.8	15.2			
15	41.4	16.2	12.4	10.9	10.9	10.9	8.2	13.4	16.1			
16	19.7	14.6	4.0	12.2	12.7	9.5	7.7	8.1	18.9			
17	20.0	38.0	13.7	10.0	11.2	11.7	6.7	11.2	17.7			
18	23.0	18.1	6.7	6.2	6.1	9.8	7.9	11.9	9.5			
19	18.4	31.6	10.1	4.0	9.4	11.5	7.8	10.8	10.7			
20	24.4	16.5	12.7	10.5	11.1	11.7	12.6	11.6	13.0			
21	21.2	17.7	9.6	6.5	7.6	7.0	13.4	13.9	15.0			
22	22.0	9.8	6.3	5.5	10.3	9.8	10.9	3.1	9.6			
23	20.9	9.3	13.4	13.5	6.4	12.3	9.4	6.7	21.9			
24	24.3	14.3	7.4	18.0	5.7	8.8	10.4	8.5	22.4			
25	20.2	19.0	4.3	4.5	7.3	11.5	6.6	10.8	11.1			
26	19.7	17.3	21.6	7.2	6.6	12.8	8.5	8.1	15.5			
27	25.4	27.7	7.0	11.1	8.5	7.2	14.2	10.2	10.1			
28	19.7	9.8	25.0	6.7	7.9	11.2	11.0	11.9	10.8			
29	16.5		17.7	7.1	6.0	10.4	13.3	11.7	12.7			
30	13.9		11.3	16.4	8.5	10.5	7.7	11.9	11.7			
31	22.9		8.7				12.9	16.5				
NO.:	31	28	31	30	27	25	31	31	30	0	0	0
MAX:	41.4	38.0	25.0	34.0	25.0	12.8	15.0	23.0	22.4			
MEAN:	20.09	21.06	12.06	12.20	9.22	9.29	10.25	10.98	13.07			
ANNUAL OBSERVATIONS:	264		ANNUAL MEAN:	13.20	ANNUAL MAX:	41.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-019-0007 POC: 1
 COUNTY: (019) Grand
 CITY: (50700) Moab
 SITE ADDRESS: 691 S Mill Creek Dr
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (014) FOUR CORNERS
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: COMMERCIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 38.566055
 LONGITUDE: -109.53716
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1222
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SPM
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1					7.8	3.3	11.7	10.7	6.5	10.9	22.7	13.7
2					7.5	6.3	11.9	18.6	11.8	8.8	25.7	15.5
3					12.0	5.5	8.1	18.9	4.6	13.5	19.8	9.6
4					2.5	5.8	7.1	16.3	9.7	21.8	13.3	17.5
5					2.8	7.4	8.4	8.6	7.1	17.6	22.6	20.4
6					4.4	7.5	6.5	9.1	7.6	19.6	9.0	18.7
7					8.0	10.8	5.8	12.7	8.8	13.7		20.3
8					6.2	7.1	10.2	6.8	10.0	8.6	11.2	9.6
9					11.4	7.9	7.6	10.3	10.4	13.9	15.6	16.5
10					4.5	12.8	11.7	5.2	7.9	14.3	22.0	17.5
11					7.0	3.1	10.6	4.9	15.9	7.9	13.6	23.6
12					5.7	3.7	11.0	7.4	13.6	16.4	14.9	23.4
13					3.3	10.2	14.6	11.0	9.2	23.8	23.9	17.1
14					3.4	5.4	6.2	7.2	8.0	17.3	20.8	20.4
15				10.6	5.7	5.8	6.4	6.9	8.2	13.9	16.6	16.7
16				12.1	7.2	8.5	9.2	11.9	13.9	15.0	20.6	16.2
17				5.7	5.2	7.9	5.8	9.0	10.8	21.7	20.0	12.8
18				3.0	9.2	3.9	11.4	10.2	12.4	19.8	11.8	18.4
19				3.7	6.9	1.4	9.2	10.8	8.8	20.0	15.5	21.1
20				12.4	5.9	4.7	10.6	3.3	5.9	17.6	7.8	
21				15.6	3.6	5.8	8.9	9.2	7.3	12.8	20.0	15.8
22				5.3	10.3	5.3	9.6	9.9	2.7	10.4	19.3	15.6
23				12.1	5.9	5.9	5.2	7.4	16.0	12.7	13.4	12.8
24				13.1	7.1	8.0	6.4	5.4	14.1	13.0	12.2	13.6
25				10.7	8.5	3.8	7.4	18.2	16.9	15.5	9.8	14.1
26				15.2	5.5	10.1	12.4	6.1	17.9	10.6	14.6	15.9
27				8.4	9.0	6.1	8.2	11.3	10.6	14.1	20.5	15.7
28				18.1	9.9	10.5	9.1	14.1	13.4	12.0	27.6	16.3
29				12.7	4.3	13.9	10.0	8.1	12.0	3.3	15.5	15.3
30				9.9	11.2	6.7	2.1	9.1	2.0	19.4	23.2	19.2
31					8.3		5.1	11.0		22.0		11.8
NO.:	0	0	0	16	31	30	31	31	30	31	29	30
MAX:				18.1	12.0	13.9	14.6	18.9	17.9	23.8	27.6	23.6
MEAN:				10.54	6.78	6.84	8.66	9.99	10.13	14.90	17.36	16.50
ANNUAL OBSERVATIONS:	259		ANNUAL MEAN:	11.30	ANNUAL MAX:	27.6						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-021-0005 POC: 1
 COUNTY: (021) Iron
 CITY: (23200) Enoch
 SITE ADDRESS: 3840 North 325 East
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (014) FOUR CORNERS
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 37.74743
 LONGITUDE: -113.055525
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1692
 PROBE HEIGHT: 4

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	3.1	91.3	51.8	12.4	10.1	12.8	13.1	13.8	6.3	6.8	30.1	22.5
2	23.5	35.7	20.4	11.6	12.5	9.7	8.2	19.1	8.6	8.8	35.7	10.1
3	24.5	27.2	25.0	38.2	12.0	9.8	14.0	11.4	7.8	14.3	29.7	10.9
4	27.8	20.7	6.0	19.5	12.0	7.2	13.8	15.8	9.1	13.0	24.1	25.0
5	9.5	14.0	.6	29.6	17.6	19.9	18.7	12.3	19.4	20.2	11.3	24.4
6	20.4	80.7	113.0	37.5	10.1	12.3	23.6	8.5	18.6	20.9	5.8	32.6
7	17.6	31.4	65.6	33.7	6.7	19.1	11.7	15.8	21.1	14.3	2.4	25.2
8	14.2	31.1	17.3	13.0	21.8	19.8	12.5	11.8	14.6	13.5	3.9	16.4
9	12.0	18.1	45.7	14.2	14.4	15.9	7.9	24.5	8.8	25.8	20.7	22.4
10	3.5	26.4	49.9	20.5	16.5	13.7	15.7	12.8	10.5	24.0	22.7	25.7
11	19.3	25.4	6.0	15.1	22.8	8.0	15.8	12.7	12.0	25.3	23.8	29.3
12	23.7	17.2	7.6	12.3	13.7	15.1	18.9	8.8	10.2	21.8	18.0	27.8
13	20.6	60.8	74.9	6.0	9.9	14.6	13.9	9.3	15.2	23.1	15.6	23.8
14	3.9	6.4	12.8	6.9	4.4	12.8	11.8	16.6	13.4	22.0	24.4	23.0
15	2.3	5.5	62.4	15.2	11.0	9.6	11.1	16.8	17.0	13.0	26.7	23.6
16	8.9	33.7	3.0	12.7	21.6	12.0	8.8	14.6	12.7	26.3	19.3	24.4
17	13.2	43.4	11.0	29.0	15.6	9.2	14.4	22.2	13.5	28.4	21.4	19.7
18	15.5	24.0	11.5	10.0	12.4	4.2	18.2	7.4	24.1	26.6	11.4	16.9
19	17.5	15.9	5.4	12.8	14.1	2.1	18.7	6.8	22.3	27.3	4.7	23.6
20	13.3	22.3	12.7	26.9	8.1	7.3	20.2	7.5	22.2	24.5	6.1	22.0
21	27.6	30.1	12.8	24.2	6.3	16.2	16.0	8.5	14.4	17.5	20.1	21.4
22	15.0	13.8	44.6	3.6	14.3	19.1	8.4	8.4	19.0	20.4	22.9	26.7
23	28.1	88.3	20.8	10.7	19.0	9.4	10.2	9.8	16.1	18.4	14.8	9.1
24	35.2	15.0	56.7	18.3	16.7	13.9	16.8	18.4	13.7	24.3	10.1	15.7
25	12.9	6.5	17.0	7.7	21.5	14.3	17.1	18.4	29.3	22.1	3.5	13.0
26	14.3	2.1	10.7	17.5	12.4	7.5	16.3	8.5	19.9	15.0	14.7	20.7
27	29.1	50.8	38.2	19.9	8.6	16.0	13.0	11.3	24.9	21.3	26.0	25.9
28	17.4	42.9	28.9	11.0	6.5	14.6	14.9	20.8	20.2	11.0	22.7	27.5
29	7.4		37.8	12.0	13.2	16.6	12.6	19.2	23.6	7.4	24.7	20.8
30	5.8		37.0	8.3	14.8	12.0	10.2	22.0	3.9	25.2	15.4	15.3
31	33.7		46.0		24.9		14.3	14.3		30.8		14.9
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	35.2	91.3	113.0	38.2	24.9	19.9	23.6	24.5	29.3	30.8	35.7	32.6
MEAN:	16.80	31.45	30.75	17.01	13.73	12.49	14.22	13.81	15.75	19.78	17.76	21.30
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	18.66	ANNUAL MAX:	113.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-2005 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (49710) Midvale
 SITE ADDRESS: 8449 S. Monroe St.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.598056
 LONGITUDE: -111.894167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	32.1	48.9	15.1	25.3	18.1	16.7	16.1	10.2	8.5	9.9	41.9	37.7
2	23.2	49.8	26.7	8.4	15.9	17.9	10.5	10.1	5.7	22.1	45.5	19.6
3	37.6	51.8	35.4	22.9	22.7	11.1	11.4	10.2	5.3	21.4	39.3	28.4
4	40.9	50.0	38.0	16.5	21.1	13.1	19.0	17.0	10.4	18.9	37.4	33.8
5	15.1	50.2	13.2	35.6	3.1		19.6	11.4	16.0	22.0	32.2	33.7
6	37.9	41.8	27.5	43.9	11.7	23.8	22.2	13.5	20.4	23.2	25.5	30.0
7	35.3	38.8	39.1	46.8	15.7	15.5	22.9	18.9	22.3	27.2	15.7	37.5
8	24.0	35.5	43.6	31.3	26.6	16.6	14.2	13.9	23.0	26.8	31.2	31.5
9	26.6	41.3	30.0	26.5	23.4	14.9	9.9	16.2	18.1	28.6	33.9	
10	15.5	44.4	11.0	33.1	14.1	11.2	12.1	14.5	15.2	25.9	39.1	37.0
11	37.6	46.4	37.2	12.7	24.2	10.1	20.4	14.1	20.6	22.0	41.9	37.1
12	37.3	48.3	34.2	19.4	22.9	16.8	22.0	18.0	25.1	20.3	38.4	37.8
13	34.2	49.8	35.7	22.3	14.2	12.6	20.7	16.2	17.3	23.5	37.2	39.7
14	29.9	26.9	16.4	37.4	5.4	15.0	22.9	21.5	22.0	25.1	37.7	36.2
15	21.4	32.8	19.0	32.0	16.8	15.6	16.6	20.9	24.5	32.2	27.0	38.5
16	31.3	41.1	33.4	27.3	19.1	22.4	14.9	18.6	23.3	37.2	32.8	34.3
17	32.4	42.9	42.7	12.1	24.8	16.8	17.6	15.6	17.8	34.9	32.3	35.9
18	29.9	44.3	40.9	12.0	21.4	9.5	18.7	13.0	14.0	29.6	31.6	40.9
19	32.4	37.0	34.9	19.9	17.0	12.2	10.3	10.7		40.4	13.4	33.9
20	20.6	29.9	12.3	27.5	13.5	16.6	13.3	5.4	13.6	41.3	28.4	34.4
21	38.0	20.7	40.5	19.2	14.9	17.0	17.1	14.4	10.1	34.2	34.9	33.9
22	37.2	31.1	15.4	17.6	10.3	18.1	18.9	15.5	23.5	31.4	34.6	33.3
23	43.1	21.8	12.1	29.4	12.8	18.0	9.3	13.4	28.7	30.7	30.7	28.7
24	39.3	30.9	19.8	26.3	14.0	15.9	7.4	16.9	24.3	34.5	29.3	34.9
25	46.3	50.2	19.6	20.2	22.2	14.7	19.5	17.9	24.0	16.5	29.9	36.9
26		47.5	26.4	26.4	12.9	18.7	11.1	15.6	25.0	22.0	30.4	38.8
27	33.8	5.2	18.8	26.1	13.7	14.4	16.3	17.3	26.0	37.0	39.1	37.3
28	32.7	13.6	36.2	22.4	15.9	25.9	21.7	24.2	29.7	31.2	40.6	38.6
29	24.7		19.3	21.6	15.9	19.2	14.4	24.5	29.9	33.9	43.1	39.3
30	28.6		14.9	16.2	16.5	20.9	5.0	22.7	14.8	42.1	37.0	40.5
31	43.7		29.8		19.6		15.3	19.2		46.0		35.3
NO.:	30	28	31	30	31	29	31	31	29	31	30	30
MAX:	46.3	51.8	43.6	46.8	26.6	25.9	22.9	24.5	29.9	46.0	45.5	40.9
MEAN:	32.09	38.32	27.07	24.61	16.79	16.25	15.85	15.85	19.28	28.77	33.73	35.18
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:	25.22	ANNUAL MAX:	51.8						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	35.1	45.4	12.8	25.1	15.4	14.6	8.5	7.5	8.2	5.3	39.1	37.7
2	19.8	48.5	22.4	13.7	19.0	15.1	4.4	11.3	9.9	13.6	39.8	32.3
3	38.5	53.1	29.0	33.5	22.7	9.0	12.5	10.9	7.3	17.6	35.1	23.2
4	36.2	49.1	34.7	10.9	11.4	8.6	8.8	13.1	8.0	14.2	34.6	26.0
5	29.9	47.8	18.6	28.2	6.6	16.9	18.5	13.1	17.2	17.8	30.0	36.2
6	37.1	37.1	22.7	20.4	12.0	19.9	22.3	11.2		19.4	34.7	39.6
7	29.4	38.5	28.6	32.9	11.6	16.4	14.0	18.7		17.6	22.0	38.5
8	33.0	37.9	34.5	34.9	22.5	11.5	5.1	13.7		17.4	22.8	32.5
9	34.3	38.8	38.8	28.0	19.9	15.8	10.4	15.9		21.9	28.7	29.8
10	22.0	43.2	12.7	31.7	19.1	7.5	12.6	13.2		21.5		38.3
11	36.6	44.8	20.6	23.6	17.3	10.9	16.1	13.6		10.2	39.5	38.3
12	37.1	47.6	22.4	10.7	21.6	9.7	23.3	6.4	23.2	19.6	38.9	35.9
13	38.3	58.3	33.1	11.4	7.9	11.1	20.1	10.8	22.7	16.2	40.3	33.3
14	31.5	41.2	18.1	23.3	6.3	11.3	15.9	8.8	18.7	21.1	41.5	39.5
15	34.8	21.4	17.8	27.0	10.0	8.3	12.6	18.3	7.8	27.5	34.5	35.0
16	34.9	38.5	33.3	19.2	13.3	12.1	7.8	13.1	12.3	31.8	25.6	37.4
17	33.8	42.8	4.9	23.7	16.7	13.1	16.6	25.4	14.5	30.7	31.5	39.9
18	27.1	42.4	6.5	7.3	16.5	7.2	13.9	13.1	11.5	24.5	32.5	43.0
19	34.3	34.3	24.7	8.2	9.0	13.3	10.5	8.5	22.0	25.3	21.8	41.2
20	13.9	37.4	24.0	18.5	12.5	15.1	10.9	6.8	14.3	29.1	23.6	32.7
21	35.4	26.7	32.1	16.2	9.1	12.6	6.2	16.4	10.4	30.4	33.5	34.0
22	34.4	31.9	17.9	14.6	17.2	13.2	13.5	13.4	16.3	27.4	32.4	32.9
23	38.7	29.0	22.0	8.1	11.8	10.0	11.1	14.8	18.3	23.7	30.6	29.3
24	29.2	33.6	19.7	25.8	8.4	11.0	16.6	15.0	15.4	31.2	22.7	24.1
25	35.8	45.1	11.2	29.1	14.0	9.2	18.4	9.5	22.7	17.7	16.3	34.8
26	37.8	41.1	14.5	27.1	10.5	17.3	18.2	8.3	29.2	11.4	30.5	38.6
27	32.2	4.4	9.6	28.1	11.1	8.9	15.7	11.3	22.7	29.1	38.7	37.6
28	31.3	18.2	26.3	20.0	12.8	25.6	18.9	20.1	21.6	28.2	38.1	40.6
29	35.1		22.6	21.8	8.0	10.6	12.3	19.3	28.2	23.8	48.3	39.3
30	34.3		29.8	14.5	14.0	16.3	9.0	16.9	17.8	33.3	38.0	37.9
31	38.2		23.4		23.3		18.8	22.5		40.4		34.3
NO.:	31	28	31	30	31	30	31	31	24	31	29	31
MAX:	38.7	58.3	38.8	34.9	23.3	25.6	23.3	25.4	29.2	40.4	48.3	43.0
MEAN:	32.90	38.50	22.24	21.25	13.92	12.74	13.66	13.58	16.68	22.55	32.61	35.28
ANNUAL OBSERVATIONS:	358		ANNUAL MEAN:	22.96	ANNUAL MAX:	58.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3006 POC: 3
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (256) Instrumental - Teledyne API - Mode

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	36.7	42.5	14.6	25.3	16.9	16.0	8.5		8.8	5.6	41.6	37.0
2	20.6	45.1	25.0	14.4	19.8	15.3	4.6	11.3	10.4	14.3	42.1	32.9
3	39.1	48.6	32.8	33.6	24.4	9.5	13.2	11.3	7.5	18.5	36.6	24.7
4	36.8	40.8	37.0	11.8	12.5	9.0	8.6	14.0	8.0	15.8	36.8	27.7
5	31.4	41.5	21.4	28.1	7.3	16.5	19.2	13.3	13.4	19.4	33.3	37.9
6	39.4	37.1	25.4	20.6	12.5	12.8	22.6	11.5	20.6	20.4	38.4	39.4
7	30.6	42.0	31.0	32.1	12.6	16.6	14.5	18.9	24.6	17.7	24.2	40.4
8	35.6	39.2	35.2	33.7	23.9	10.2	4.8	14.0	28.0	17.8	25.5	34.3
9	36.2	41.9	41.0	27.9	22.2	16.2	10.1	16.5	15.1	23.6	31.3	31.5
10	24.4	45.0	15.3	31.8	20.8	7.6	13.7	13.6	10.8	21.3	38.6	39.2
11	39.2	44.0	23.1	19.8	19.0	11.0	17.1	15.4	12.2	10.7	39.0	40.1
12	40.0	46.9	24.6	11.8	22.7	9.7	23.2	6.4	12.9		38.0	33.5
13	39.4	55.4	37.6	12.0	8.7	9.5	20.5	10.9	24.4	16.8	41.3	34.1
14	31.8	44.9	21.1	23.7	7.3	11.1	15.7	6.0	19.8	23.0	42.2	38.9
15	37.3	24.1	20.4	27.9	11.4	8.4	13.0	17.4	6.9	29.0	35.0	35.0
16	35.6	42.1	38.1	19.5	13.0	12.4	7.7	13.9	12.7	33.6	25.8	36.4
17	33.4	45.9	5.4	24.8	18.1	13.2	16.3	25.9	14.7	33.5	31.0	35.5
18	29.0	43.2	7.9	7.8	17.9	7.4	13.2	13.6	12.7	27.6	32.7	38.8
19	35.4	36.3	26.8	8.9	9.2	13.1	10.8	8.7	23.6	26.4	22.2	40.7
20	13.5	40.1	27.4		12.9		11.0	6.9	15.2	30.7	25.2	30.2
21	37.3	28.5	32.0	17.4	9.8		6.1	16.5	11.0	31.1	33.7	32.8
22	34.3	33.7	20.0	16.0	18.4	12.9	13.7	14.2	17.5	29.5	30.6	31.8
23	39.5	31.5	25.0	8.7	10.3	10.6	10.9	16.0	19.8	26.8	28.5	27.7
24	32.4		19.8	26.8	9.4	11.2	17.0	15.4	16.0	33.6	21.2	25.2
25	35.5	46.8	11.5	29.8	16.2	9.6	19.4	9.6	24.7	19.9	16.6	35.7
26	37.8	41.9	14.4	27.7	11.3	17.8	19.1	8.4	27.9	13.6	31.4	39.3
27	33.7	5.6	10.4	29.7	12.5	9.2	16.4	11.9	24.5	33.6	37.4	37.3
28	33.5	19.3	20.2	21.5		26.3	19.5	20.9	23.8	30.8	36.5	37.4
29	37.2		22.3	22.4		10.9	12.5	20.3	28.6	25.9	42.1	39.4
30	36.5		30.1	15.1		16.5	9.4	16.8	18.7	37.4	34.2	34.0
31	35.7		24.0				19.0	22.7		42.7		31.5
NO.:	31	27	31	29	27	28	31	30	30	30	30	31
MAX:	40.0	55.4	41.0	33.7	24.4	26.3	23.2	25.9	28.6	42.7	42.2	40.7
MEAN:	34.15	39.03	23.90	21.74	14.85	12.52	13.91	14.07	17.16	24.35	33.10	34.85
ANNUAL OBSERVATIONS:	355		ANNUAL MEAN:	23.68	ANNUAL MAX:	55.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3010 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1250 NORTH 1400 WEST
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.78422
 LONGITUDE: -111.931
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	29.7	43.9	11.6	17.5	17.8	15.0	14.6	10.3	7.6	10.6	42.6	38.5
2	15.2	49.1	24.0	6.4	18.9	15.7	9.9	16.7	10.2	21.2	39.2	31.9
3	40.4	51.3	39.5	23.9	32.0	13.3	19.5	13.3	9.4	17.9	40.0	19.2
4	46.4	50.3	34.7	11.7	25.0	9.7	11.6	15.2	16.2	17.6	40.2	33.0
5	19.2	46.5	23.4	23.4	7.5	25.2	20.3	16.3	18.4	23.6	36.7	31.0
6	40.3	44.0	15.0	54.1	12.7	32.5	25.2	21.0	23.9	26.4	35.8	35.5
7	39.5	41.9	31.4	55.7	18.8	20.8	17.9	26.1	21.8	28.6	23.3	33.9
8	33.8	39.8	48.0	34.8	29.3	18.6	20.0	19.4	24.4	23.5	32.6	22.6
9	33.4	46.4	34.9	35.3	23.8	19.4	20.0	18.5	23.4	28.6	32.3	36.9
10	19.2	46.8	17.3	38.7	16.7	10.7	12.0	17.1	25.0	29.7	38.2	34.6
11	37.6	46.7	35.2	13.4	21.3	8.4	21.7	19.7	30.1	15.4	38.3	38.3
12	43.7	48.8	22.8	7.2	31.5	22.3	25.9	21.3	31.5	20.3	40.9	41.2
13	41.7	52.4	41.3	28.6	14.7	14.6	24.8	21.4	23.4	27.2	41.7	36.5
14	31.9	18.3	10.8	46.4	9.8	20.0	24.1	23.2	23.6	28.6	41.5	38.9
15	40.9	29.6	20.8	25.5	27.9	21.5	23.0	23.0	27.5	31.0	30.7	37.2
16	30.7	43.4	36.5	37.1	24.2	18.5	15.3	17.6	31.2	37.9	28.8	41.0
17	29.9	49.8	45.1	13.4	19.1	14.7	19.4	30.4	17.6	34.3	28.6	43.0
18	36.6	49.4	47.8	10.6	21.8	8.8	20.3	13.4	22.3	35.4	33.6	44.1
19	37.3	41.6	16.1	23.9	21.6	15.2	14.1	10.2	21.9	35.1	25.6	35.3
20	35.6	41.3	16.8	20.1	23.3	15.9	16.5	7.0	17.7	35.8	24.7	30.9
21	31.6	20.8	27.1	18.0	24.6	17.0	25.0	16.1	14.6	36.7	34.0	37.0
22	38.7	30.5	13.5	21.6	20.1	18.0	23.4	14.0	22.1	34.1	34.6	37.7
23	43.0	24.6	18.4	40.2	26.0	19.0	12.5	19.0	29.2	33.1	33.2	32.4
24	34.6	27.1	17.3	25.0	24.0	18.6	13.2	23.6	27.8	27.7	20.0	28.9
25	31.6	50.0	19.3	28.7	23.4	16.9	17.3	20.8	33.2	17.9	12.7	38.2
26	40.5	48.0	20.2	29.8	18.0	17.8	17.6	21.5	26.1	17.8	29.6	39.2
27	36.8	10.5	22.9	27.0	17.3	12.7	18.4	21.4	29.0	37.7	37.8	36.4
28	31.3	17.3	27.1	32.4	11.8	10.2	19.9	31.0	27.2	29.4	39.2	41.5
29	32.1		23.3	23.6	10.6	25.3	25.8	30.5	32.2	27.5	44.6	44.8
30	27.7		18.3	21.2	26.3	25.0	7.7	23.6	17.8	37.2	40.7	37.8
31	48.7		26.3		24.3		18.4	24.4		43.8		38.2
NO.:	31	28	31	30	31	30	31	30	30	31	30	31
MAX:	48.7	52.4	48.0	55.7	32.0	32.5	25.9	31.0	33.2	43.8	44.6	44.8
MEAN:	34.83	39.65	26.02	26.51	20.78	17.38	18.56	19.47	22.88	28.12	34.06	35.99
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	26.95	ANNUAL MAX:	55.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3013 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (34970) Herriman
 SITE ADDRESS: 14058 Mirabella Dr.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.496392
 LONGITUDE: -112.036298
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	22.6	35.4	6.8	8.3	7.4	11.8	5.8	4.6	1.6	3.6	28.7	28.1
2	18.7	42.9	14.9	5.4	2.9	13.0	3.1	4.8	1.4	6.0		8.1
3	18.7	46.1	10.2	6.1	14.7	11.7	6.7	3.7	2.0	10.4	19.5	7.6
4	16.3	46.1	4.3	7.2	12.7	3.3	7.6	8.2	3.9	12.1	7.1	10.5
5	2.9	12.5	5.5	17.5	1.6	20.9	13.7	13.6	6.9	13.3	5.4	22.9
6	18.2	19.0	8.4	15.8	4.2	9.0	10.6	7.6	9.7	10.1	10.0	12.2
7	12.9	22.1	18.2	6.0	6.0	11.1	9.0	10.9	6.6	16.8	5.7	11.2
8	3.8	26.1	21.7	7.4	14.2	17.8	8.0	5.3	6.5	5.6	10.1	5.4
9	5.0	15.6		10.5	14.2	6.1	8.9	10.7	3.4	14.0	14.5	13.5
10	6.6	26.0	4.4	14.9	17.6	10.2	1.6	3.2	5.9	5.7	18.1	16.2
11	10.7	31.3	17.4	1.4	9.6	5.0	5.4	13.3	11.5	6.0	16.0	27.7
12	20.5	28.5	14.5	1.0	22.4	8.4	13.3	6.5	11.7	6.7	7.7	27.1
13	7.9	43.9	13.3	6.9	5.7	6.1	7.4	9.4	8.3	10.1	5.7	15.3
14	2.1	11.9	2.0	16.8	3.2	6.8	11.7	10.4	14.8	4.4	7.2	24.7
15	9.2	7.2	5.3	11.5	8.6	6.4	17.0	9.0	19.1	9.6	2.4	33.5
16	8.4	17.8	8.7	4.1	11.8	10.2	2.7	13.0	10.0	13.4	9.5	32.7
17	20.5	23.1	9.6	4.2	19.7	5.1	13.0	4.7	3.3	17.4	18.8	35.6
18	10.7	20.9	11.8	5.4	8.9	2.9	8.1	2.5	5.8	17.4	7.8	35.0
19	18.0	17.9	2.3	4.8	7.7	2.6	6.1	2.8	9.9	22.2	5.8	29.8
20	20.2	16.0	4.6	12.9	9.2	8.9	7.5	2.6	3.9	14.3	10.5	16.6
21	16.0	4.4	12.3	10.4	6.6	13.8	7.1	3.7	5.7	8.2	20.7	15.1
22	13.7	12.9	10.2	7.4	4.6	11.4	5.7	2.6	9.0	6.7	19.8	25.6
23	22.0	2.7	13.0	5.6	5.9	15.3	5.4	5.0	7.1	13.8	24.3	17.2
24	21.6	5.9	12.0	9.5	7.7	8.3	5.0	9.6	3.6	8.7	15.9	7.3
25	19.5	17.7	7.4	9.9	5.8	7.1	8.0	7.4	6.2	2.0	14.1	12.7
26	18.2	27.5	7.5	16.6	6.2	12.1	3.8	4.1	12.7	5.6	13.5	23.1
27	10.4	5.1	11.1	12.2	4.4	10.6	5.0	5.8	5.7	11.2	22.2	25.9
28	8.4	4.3	15.0	8.7	8.2	16.7	9.0	12.9	11.7	6.9	29.5	28.7
29	12.8		19.0	9.4	5.7	11.0	2.8	7.9	15.9	7.7	35.9	28.1
30	15.9		10.6	3.2	5.8	18.7	2.2	22.0	3.2	17.4	39.1	31.4
31	30.4		7.2		13.5		2.0	14.8		21.8		26.1
NO.:	31	28	30	30	31	30	31	31	30	31	29	31
MAX:	30.4	46.1	21.7	17.5	22.4	20.9	17.0	22.0	19.1	22.2	39.1	35.6
MEAN:	14.28	21.10	10.31	8.70	8.93	10.08	7.20	7.83	7.57	10.62	15.36	21.13
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:	11.86	ANNUAL MAX:	46.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3014 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (83470) West Valley City
 SITE ADDRESS: 2782 South Corporate Park Dr.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.709762
 LONGITUDE: -112.00876
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1297
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	12.3	45.4	11.7	13.0	21.9	12.0	15.5	7.5	3.9	6.2	37.2	35.1
2	12.8	48.1	22.2	7.7	12.0	15.2	16.7	16.8	5.6	14.7	35.4	15.1
3	32.3	46.7	30.8	25.7	18.1	13.5	14.6	10.4	7.1	17.1	28.9	28.9
4	31.0	42.8	22.3	13.6	21.3	10.7	9.4	13.7	17.1	18.0	35.4	28.5
5	10.3	40.0	11.0	24.0	5.4	23.5	12.6	9.9	20.2	21.0	33.0	31.8
6	37.8	41.0	16.8	42.2	8.9	23.0	14.7	10.5	22.5	23.6	27.1	32.9
7	33.3	39.7	24.6	41.7	17.6	12.5	18.6	18.4	22.1	26.7	16.4	36.7
8	26.5	35.9	33.0	25.8	28.4	19.1	12.6	16.4	21.6	25.6	29.8	23.6
9	31.6	42.6	22.3	29.1	19.8	12.6	10.1	24.1	24.4	31.5	30.6	34.7
10	18.7	37.0	9.0	35.4	12.0	13.0	17.6	18.9	15.6	17.4	35.6	30.2
11	37.0	42.0	33.4	8.2	23.8	11.3	20.6	20.9	17.6	8.2	38.5	35.2
12	35.6	48.9	31.6	6.2	20.2	11.6	22.3	20.1	24.5	18.1	36.8	37.2
13	32.1	46.6	29.1	27.3	8.3	13.2	22.8	17.5	9.1	21.9	35.4	34.5
14	27.2	32.3	9.0	45.8	7.0	14.4	18.1	14.5	22.7	22.7	39.0	36.9
15	22.3	20.4	10.3	31.3	21.2	19.1	17.6	16.9	19.4	26.6	32.5	34.6
16	24.1	42.3	22.2	20.8	23.1	20.0	20.2	19.0	20.1	32.9	27.0	34.5
17	22.1	42.9	33.4	8.3	23.8	16.9	13.8	13.3	25.9	31.9	30.8	31.3
18	34.1	41.8	37.7	6.7	15.5	8.2	12.9	3.7	18.6	28.8	30.9	32.0
19	26.0	36.4	8.9	31.1	14.0	6.5	8.8	10.6	17.6	31.8	23.2	31.3
20	14.7	32.8	10.9	31.2	21.0	8.5	14.0	6.3	9.8	38.2	27.4	26.1
21	37.7	7.1	32.0	18.4	19.9	10.8	18.9	9.0	9.0	31.8	32.7	30.2
22	35.8	25.4	12.4	20.1	7.9	17.5	20.1	6.0	24.3	25.3	30.7	29.4
23	41.3	18.7	8.4	33.1	8.5	21.9	10.7	17.6	25.7	26.5	29.3	27.1
24	36.6	25.0	9.6	27.2	16.9	21.2	6.3	13.7	23.9	31.1	21.8	34.6
25	35.6	47.0	19.3	24.7	20.6	18.2	13.6	20.5	28.9	14.7	24.8	36.9
26	26.2	42.6	27.0	28.4	14.3	14.2	6.6	18.6	24.6	24.3	24.3	36.4
27	34.5	4.8	22.7	28.5	25.5	12.3	16.9	13.8	25.3	28.4	35.9	36.5
28	36.4	10.3	13.2	29.2	22.9	12.8	21.5	21.5	22.6	12.5	35.3	34.3
29	13.6		6.4	29.8	10.1	15.3	23.2	14.9	22.4	34.0	35.9	34.7
30	19.5		13.8	25.1	19.0	18.1	3.7	20.9	9.9	36.3	33.2	35.4
31	47.0		20.8		17.8		7.3	18.3		37.2		30.5
NO.:	31	28	31	30	31	30	31	31	30	31	29	31
MAX:	47.0	48.9	37.7	45.8	28.4	23.5	23.2	24.1	28.9	38.2	39.0	37.2
MEAN:	28.58	35.23	19.86	24.65	16.99	14.90	14.91	14.97	18.73	24.68	31.24	32.16
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	22.96	ANNUAL MAX:	48.9						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3015 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 240 N 1950 W
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.777145
 LONGITUDE: -111.945849
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	30.3	44.2	15.5	25.4	21.2	18.1	23.9	11.2		8.2	46.4	38.6
2	15.6	56.9	34.6	10.5	30.0	21.1	14.1	12.0	13.2	20.1	45.9	39.6
3	48.4	59.1	37.7	31.5	25.7	16.1	19.8	13.5	12.1	18.6	43.8	21.4
4	39.5	52.1	35.4	17.0	30.7	19.3	17.5	17.7	14.4	20.2	42.2	38.5
5	21.7	48.5	26.7	28.0	13.9	31.9	25.7	22.2	22.0	24.7	40.2	38.1
6	38.8	46.6	36.4	52.6	16.7	28.2	31.5	21.1	23.4	24.6	34.8	40.9
7	38.7	47.4	24.8	52.4	29.1	24.8	18.7	25.9	26.3	28.4	27.5	39.5
8	34.5	42.0	43.3	33.1	33.1	24.7	21.2	18.5	24.0	27.1	33.6	24.9
9	39.4	48.8	29.1	39.6	25.6	24.0	14.4	29.3	26.8	30.1	35.9	35.5
10	27.9	49.7	14.3	45.7	18.6	19.8	22.2	24.3	30.6	30.4	42.7	36.9
11	41.4	45.9	44.2	16.5	27.8	11.6	25.6	24.4	28.2	15.1	43.7	42.7
12	43.6	54.6	28.6	9.0	34.3	26.8	33.1	18.4	35.9	23.8	46.0	48.8
13	43.7	59.1	39.8	26.2	13.3	14.2	30.9	27.2	23.2	22.9	43.1	43.6
14	32.8	23.3	24.1	51.6	12.3	20.8	31.1	28.7	24.9	30.3	47.0	43.1
15	38.6	29.8	24.5	36.1	30.0	25.7	24.9	32.2	28.6	36.2	41.5	41.5
16	39.0	45.3	36.1	41.5	27.3	16.6	23.3	28.1	29.7	41.2	38.8	43.8
17	27.6	50.0	48.0	24.2	30.5	19.6	28.9	20.5	22.7	40.6	36.2	41.8
18	38.4	47.9	45.5	14.4	24.5	10.6	24.9	13.5	29.2	36.3	38.2	42.8
19	34.5	42.3	16.5	21.4	20.0	18.5	14.4	9.1	27.3	40.0	32.1	38.0
20	25.8	42.1	21.6	22.9	31.6	18.6	17.1	7.9	22.7	42.7	24.5	34.0
21	34.7	25.5	39.6	28.7	21.0	27.7	27.7	18.1	12.7	37.7	37.2	45.2
22	40.3	42.3	27.6	24.8	16.1	18.3	22.3	13.9	27.3	32.2	39.0	39.8
23	39.8	30.2	20.2	34.3	11.4	20.0	15.5	20.0	26.8	31.9	35.6	32.7
24	31.5	36.0	19.2	29.5	18.0	24.6	20.5	20.2	34.7		18.7	35.2
25	38.4	51.2	22.5	27.5	27.3	24.2	27.1	20.9	36.8	18.3	15.1	38.4
26	39.8	47.0	34.0	35.9	20.6	25.2	24.6	20.6	31.9	21.4	31.4	44.3
27	35.7	9.2	27.6	34.6	26.1	12.3	28.2	24.4	25.7	41.1	41.5	36.8
28	36.6	17.0	24.7	36.2	21.4	12.1	28.5	28.9	29.8	20.7	45.9	42.5
29	25.6		20.6	40.3	16.3	27.8	31.2	32.9	31.6	32.6	47.2	45.6
30	20.2		88.2	40.0	32.3	26.6	14.4	24.9	15.5	41.9	38.2	42.6
31			31.5		29.1		21.3	29.7		45.4		42.9
NO.:	30	28	31	30	31	30	31	31	29	30	30	31
MAX:	48.4	59.1	88.2	52.6	34.3	31.9	33.1	32.9	36.8	45.4	47.2	48.8
MEAN:	34.76	42.64	31.69	31.05	23.74	20.99	23.37	21.30	25.45	29.49	37.80	39.35
ANNUAL OBSERVATIONS:	362		ANNUAL MEAN:	30.05	ANNUAL MAX:	88.2						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3016 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1480 North 8000 West
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: INDUSTRIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.807897
 LONGITUDE: -112.087717
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	4.6	23.6	7.9	21.3	23.5	5.4	16.0	8.0	3.6	5.8	35.1	26.2
2	7.0	36.2	10.3	2.6	19.9	8.5	9.2	18.0	4.0	11.9	32.5	11.8
3	34.8	20.9	30.9	13.7	23.7	13.8	13.9	14.2	3.6	19.8	33.5	20.9
4	38.2	25.2	34.0	1.0	11.1	12.4	4.0	16.1	13.7	18.1	29.2	28.7
5	16.5	37.8	11.0	27.4	7.4	21.4	5.6	3.6	15.3	17.9	29.0	29.3
6	41.2	30.3	18.9	22.2	7.7	16.2	9.0	4.3	19.1	24.9	23.5	26.3
7	38.2	40.7	6.8	22.2	17.8	8.8	14.6	14.5	21.9	26.1	16.7	38.5
8	8.0	36.6	26.7	11.3	23.6	13.5	7.4	6.2	11.6	30.1	13.1	20.5
9	26.5	40.9	27.5	13.2	8.5	12.9	15.7	20.6	13.0	28.1	25.7	29.8
10	8.7	38.7	9.6	31.5	18.2	15.7	22.1	18.0	10.8	18.4	28.5	25.7
11	41.7	15.2	23.9	12.8	25.0	8.0	15.9	8.8	18.6	3.7	30.6	12.4
12	25.1	50.7	8.6	5.9	5.6	7.9	26.4	10.4	30.8	20.7	34.0	41.1
13	28.3	44.4	22.3	6.9	7.0	14.0	19.5	20.3	16.7	19.3	21.8	15.2
14	11.8	3.5	12.8	26.8	9.2	17.2	8.0	16.1	16.3	19.4	34.6	32.7
15	35.2	2.7	15.9	24.6	21.2	12.2	15.6	23.0	14.6	26.5	29.5	34.2
16	32.3	44.0	10.6	17.3	12.9	21.8	17.0	15.1	14.9	34.7	20.0	30.0
17	6.0	20.2	26.4	4.7	27.9	14.3	14.6	13.1	17.6	28.9	26.9	29.0
18	36.6	19.2	27.4	6.0	12.6	9.2	18.7	7.0	16.0	30.6	26.8	34.0
19	24.5	21.4	16.9	16.1	11.0	2.0	12.3	7.3	16.3	28.2	29.4	28.8
20	4.4	36.2	9.4	15.5	18.1	.8	18.4	3.3	11.9	38.1	2.0	27.1
21	7.0	10.2	29.7	22.2	16.7	1.1	20.0	11.4	7.4	31.6	20.2	24.8
22	32.5	26.8	11.1	12.0	11.0	7.0	15.1	8.6	17.6	24.1	29.6	24.1
23	4.2	9.0	14.6	15.3	9.2	12.0	10.7	9.3	14.4	10.5	29.8	26.7
24	10.7	14.5	13.9	29.9	7.7	15.5	8.9	14.7	24.4	25.1	5.8	29.9
25	9.6	16.9	17.8	24.3	18.6	19.3	16.0	14.3	21.9	15.5	4.3	35.3
26	29.3	45.7	28.3	27.1	12.9	14.1	10.4	15.9	25.9	11.1	3.9	33.8
27	21.1	4.9	25.3	31.5	18.7	1.2	9.1	9.7	16.9	21.6	31.2	22.5
28	19.9	5.4	18.5	13.0	21.1	1.6	21.2	13.1	11.9	2.9	36.3	30.1
29	6.4		7.3	27.7	11.1	14.8	19.7	15.0	20.3	29.3	34.7	31.1
30	1.8		10.8	25.2	18.0	20.1	7.5	8.8	4.3	29.3	21.0	26.1
31	27.2		28.1		3.4		10.0	14.4		31.4		29.7
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	41.7	50.7	34.0	31.5	27.9	21.8	26.4	23.0	30.8	38.1	36.3	41.1
MEAN:	20.62	25.78	18.17	17.71	14.85	11.42	13.95	12.36	15.18	22.05	24.64	27.62
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	18.65	ANNUAL MAX:	50.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-4002 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (53230) Murray
 SITE ADDRESS: 4951 South Galleria Dr
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: MOBILE
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.6629611
 LONGITUDE: -111.9018514
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1295
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	38.7	52.8	15.7	28.6	30.5	23.2	22.2	16.6	14.5	10.9	42.0	30.9
2	21.0	60.1	31.3	12.1	31.1	28.8	14.3	20.5	14.8	22.5	41.4	23.7
3	44.2	70.6	41.4	38.8	34.3	19.2	24.7	16.7	8.6	23.5	39.7	26.3
4	45.8	56.7	48.7	23.3	26.0	16.5	16.3	24.4	18.1	19.2	36.5	28.8
5	26.7	58.8	19.0	36.7	19.1	29.4	21.8	14.5	21.4	20.8	34.0	
6	43.9	45.5	37.6	48.5	17.0	33.3	27.0	12.6		23.7	34.3	37.2
7	43.3	52.3	42.9	57.5	19.1	28.2	28.7	22.8		26.4	24.9	38.2
8	42.3	43.7	48.7	35.0	31.8	32.4	15.4	22.8	28.3	29.1	29.2	34.9
9	40.6	51.1	48.2	31.2	28.1	26.5	18.7	32.3	24.7	29.2	32.6	33.4
10	31.0	51.1	12.2	37.3	20.7	18.3	22.0	26.7	13.6	27.2	36.5	34.5
11	44.6	52.0	45.6	18.1	32.2	13.8	27.2	23.1	25.4	19.1	38.8	36.5
12	46.0	53.9	39.5	16.5	30.6	25.8	32.3	15.8	25.6	21.4	38.5	37.5
13	51.6	61.1	38.9	17.5	15.7	22.4	24.7	19.2	24.6	19.5	38.0	37.5
14	38.4	46.6	17.2	49.6	14.0	27.5	27.8	23.6	25.3	25.8	41.3	37.1
15	36.8	35.3	23.1	36.1	31.3	25.9	28.0	28.6	25.5	26.4	30.6	36.3
16	40.1	53.9	24.8	35.4	30.1	29.0	22.4	27.7	25.4	34.6	28.7	34.8
17	31.9	54.9	37.8	16.7	28.0	21.1	24.2	29.5	24.1	33.6	28.4	34.4
18	41.2	50.5	50.2	19.9	23.2	12.1	21.2	25.6	21.2	31.4	31.8	37.7
19	39.2	32.7	16.5	23.9	23.5	13.1	16.0	16.5	28.5	35.8	24.8	38.1
20	29.9	38.2	22.6	30.6	26.0	12.5	23.4	7.9	16.2		22.4	35.0
21	43.4	23.0	44.0	32.4	20.7	14.8	35.4	24.4	14.3	36.4	30.3	34.6
22	43.8	40.5	31.4	23.0	24.1	23.7	22.1	16.0	26.4	33.5	31.2	33.4
23	49.5		20.2	31.8	22.4	30.5	13.6	18.8	26.9	33.6	28.7	27.9
24	45.6	46.8	25.3	35.8	23.7	21.1	19.3	21.6	28.5	33.7	25.7	30.7
25	48.6	56.9	21.4	33.1	27.5	21.3	20.7	25.4	30.8	18.9	26.6	36.1
26	39.3	53.7	24.0	34.7	20.0	25.2	23.6	26.4	31.1	17.6	25.7	38.2
27	41.2	18.5	26.2	35.0	21.0	26.8	20.4	16.5	26.7	34.4	33.2	35.0
28	33.7	19.2	28.7	32.2	19.7	21.1	26.1	21.9	24.9	30.4	35.1	35.7
29	27.3		18.1	33.3	18.7	24.8	19.0	30.7	35.0	34.5	36.8	36.3
30	25.7		20.7	25.4	28.0	32.0	10.5	29.6	17.4	39.6	30.4	36.0
31	57.0		39.0		25.1		27.7	24.2		39.3		32.5
NO.:	31	27	31	30	31	30	31	31	28	30	30	30
MAX:	57.0	70.6	50.2	57.5	34.3	33.3	35.4	32.3	35.0	39.6	42.0	38.2
MEAN:	39.75	47.42	31.00	31.00	24.62	23.34	22.47	22.03	23.14	27.73	32.60	34.31
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:	29.82	ANNUAL MAX:	70.6						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-045-0004 POC: 1
 COUNTY: (045) Tooele
 CITY: (23640) Erda
 SITE ADDRESS: 2163 W. Erda Way
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: COMMERCIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.60055
 LONGITUDE: -112.35578
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1321.7
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: MULTIPLE METHODS
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE:

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	3.1	19.5	3.8	4.0	1.8	5.1	3.6	2.0	-.2	4.3	11.0	10.2
2	7.3	23.8	9.1	1.8	2.4	7.9	3.3	8.8	.1	3.6	16.4	4.6
3	13.0	19.0	5.8	5.8	2.3	2.9	4.0	5.7	.7	3.4	12.0	3.5
4	20.0	17.7	6.1	1.4	2.8	2.3	3.4	4.5	3.2	6.2	12.4	12.7
5	9.5	12.1	2.5	8.0	1.2	3.8	6.4	3.6	3.2	7.5	6.1	13.4
6	9.2	14.3	5.4	5.8	3.6	6.0	5.2	3.6	4.8	7.9	9.0	14.1
7	5.2	11.9	7.0	11.7	3.4	2.8	3.4	5.9	2.3	3.3	1.6	6.6
8	4.5	7.9	6.5	5.7	4.2	3.4	3.7	2.3	1.6	3.7	4.9	3.3
9	13.6	9.8	9.6	3.2	5.2	5.1	4.3	3.9	.9	5.2	9.8	5.6
10	3.3	18.1	1.7	6.8	4.3	2.8	2.6	2.2	2.6	5.5	12.4	6.5
11	7.2	13.6	3.5	2.9	5.2	4.5	1.6	3.6	1.4	1.6	11.5	12.8
12	9.7	19.8	6.7	3.1	3.9	7.3	5.5	2.9	3.0	4.0	10.1	14.0
13	12.4	13.8	5.4	3.4	3.6	4.6	5.4	3.4	1.1	4.3	11.2	19.3
14	9.6	9.6	1.6	6.4	3.0	5.0	3.1	3.4	6.6	5.0	6.7	13.6
15	2.4	4.5	2.4	7.3	5.0	3.7	7.5	.8	3.4	4.6	10.8	16.6
16	6.8	8.3	5.8	3.4	4.0	8.6	2.0	4.5	4.8	10.7	7.9	17.2
17	5.1	13.0	5.2	2.9	5.8	4.6	2.7	3.2	3.1	15.5	11.4	10.7
18	10.2	10.8	6.2	2.8	6.5	2.6	2.2	1.6	4.5	6.9	12.1	14.0
19	9.4	7.5	1.7	3.0	5.1	3.8	8.5	1.2	1.8	9.8	3.6	18.4
20	7.2	7.3	4.6	8.0	5.7	3.6	6.9	.9	1.3	8.4	6.7	21.9
21	10.1	2.0	6.4	5.9	4.1	4.5	3.0	.8	2.5	3.9	11.2	13.3
22	8.0	8.6	1.7	5.0	4.1	5.4	2.3	1.0	4.0	3.6	10.4	11.4
23	10.9	1.8	4.5	5.2	4.6	4.1	1.6	7.2	5.9	5.9	5.9	7.2
24	20.8	4.3	7.3	5.1	9.5	5.7	4.2	3.4	4.4	10.8	2.2	3.8
25	13.4	15.1	4.5	4.3	6.4	3.3	4.2	4.1	3.2	1.6	1.6	8.0
26	10.5	7.4	4.0	3.6	3.2	5.1	1.6	2.5	7.4	3.3	9.7	11.1
27	11.1	1.3	5.5	8.9	3.5	2.8	1.4	4.2	4.7	5.6	11.4	12.6
28	4.8	1.5	3.9	10.7	3.2	5.2	3.9	3.4	9.2	2.0	19.2	15.7
29	4.3		1.6	4.0	4.2	7.3	1.4	4.0	10.6	3.3	14.9	19.9
30	8.6		7.7	5.3	3.1	7.0	1.4	2.2	1.4	4.0	11.6	14.2
31	11.5		2.8		6.3		1.7	2.4		8.9		12.0
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	20.8	23.8	9.6	11.7	9.5	8.6	8.5	8.8	10.6	15.5	19.2	21.9
MEAN:	9.12	10.87	4.85	5.18	4.23	4.69	3.61	3.33	3.45	5.62	9.52	11.88
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	6.33	ANNUAL MAX:	23.8						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-1004 POC: 1
 COUNTY: (047) Uintah
 CITY: (80090) Vernal
 SITE ADDRESS: 628 North 1700 West
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.4647097224
 LONGITUDE: -109.56147150
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10.4	33.9	26.0	7.9	7.9	5.9	3.8	11.4	4.0	4.3	11.1	10.6
2	17.1	38.4	15.3	3.4	3.8	6.6	6.0	9.0	4.8	3.7	13.1	14.0
3	17.2	50.5	18.2	5.7	5.3	5.2	5.6	5.6	2.8	8.1	9.2	13.5
4	16.0	48.1	16.4	8.3	4.5	3.8	6.1	5.9	3.8	10.2	7.8	12.1
5	27.7	35.8	17.7	6.4	7.5	5.4	3.1	5.5	5.9	6.6	12.6	14.2
6	26.4	22.2	15.5	4.8	5.2	19.5	4.6	3.8	6.8	8.4	16.9	22.3
7	18.3	29.8	11.2	7.1	3.6	4.6	3.1	4.0	6.6	4.9	9.0	13.7
8	7.4	31.5	16.5	5.1	2.5	6.1	6.0	4.8	6.0	4.1	8.3	17.9
9	16.9	17.4	17.0	4.8	5.8	3.1	2.8	13.4	3.6	6.8	14.0	11.0
10	30.9	24.5	12.4	6.7	4.9	2.9	4.6	5.0	3.1	8.3	13.1	11.2
11	16.2	29.9	8.8	5.9	9.7	3.8		2.7	6.1		8.3	21.2
12	37.6	25.8	6.6	3.6	3.9	2.4		4.4	7.8	3.6	10.4	18.4
13	37.7	43.9	11.0	7.8	2.5	2.5		2.3	7.1	15.1	14.3	23.2
14	37.6	24.3	10.3	4.4	4.5	4.6		5.9	5.2	8.6	12.7	16.7
15	31.4	7.0	23.2	6.6	4.3	5.5		5.6	4.0	7.1	13.3	19.3
16	45.1	14.9	2.8	6.0	5.8	4.7		4.5	7.1	8.3	12.1	17.4
17	25.8	26.7	9.6	11.1	8.7	5.8	6.3	4.5	5.6	12.1	9.7	16.3
18	13.6	21.1	10.2	9.4	6.6	5.0	6.6	6.0	5.8	9.5	10.9	22.6
19	37.9	23.9	8.1	4.1	5.4	6.2	4.8	6.3	12.0	11.3	6.9	23.6
20	31.6	17.0	13.9	6.3	5.2	7.7	3.9	4.6	6.6	7.5	14.4	26.6
21	21.9	12.1	9.1	6.0	4.8	3.1	3.3	8.4	7.7	6.3	17.8	25.3
22	24.9	15.0	10.7	4.5	7.5	5.8	4.8	8.6	4.7	6.2	12.1	21.5
23	29.1	26.3	5.8	5.7	4.3	2.3	6.1	9.7	4.5	6.1	9.4	17.8
24	26.1	22.3	5.4	8.9	3.3	4.1	4.5	13.2	3.7	9.6	4.7	6.7
25	26.4	24.4	4.8	6.8	5.6	4.2	8.2	5.6	8.3	5.8	7.5	13.2
26	23.7	23.4	5.2	5.7	5.0		8.3	2.1	7.4	14.2	5.0	14.5
27	32.0	15.1	4.0	7.1	5.2	5.1	7.2	1.7	6.6	7.7	5.8	20.0
28	21.1	14.1	7.8	9.5	2.8	11.4	7.6	6.8	4.3	3.2	13.8	20.5
29	11.4		16.0	4.4	3.8	6.5	4.5	7.3	6.8	7.8	18.5	20.2
30	12.9		3.4	5.3	3.2	3.6	3.5	4.0	6.4	12.2	13.7	21.2
31	24.4		5.1		6.2		7.3	9.0		10.4		20.4
NO.:	31	28	31	30	31	29	25	31	30	30	30	31
MAX:	45.1	50.5	26.0	11.1	9.7	19.5	8.3	13.4	12.0	15.1	18.5	26.6
MEAN:	24.41	25.69	11.23	6.31	5.14	5.43	5.30	6.18	5.84	7.93	11.21	17.65
ANNUAL OBSERVATIONS:	357		ANNUAL MEAN:	11.07	ANNUAL MAX:	50.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-2002 POC: 1
 COUNTY: (047) Uintah
 CITY: (00000) Not in a city
 SITE ADDRESS: 2 Miles west of Redwash atop Deadman's Bench
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: DESERT
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.2062906011
 LONGITUDE: -109.35393186
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1701.8
 PROBE HEIGHT: 2

SUPPORT AGENCY: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE
 PQAQ: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	11.3	17.9	11.1	9.1	5.5	5.2	5.9	5.6	8.8			
2	2.6	25.9	23.1	6.2	6.2	5.8	6.2	8.0	11.1			
3	7.8	18.0	14.0	2.9	7.0	2.7	3.0	7.9	7.7			
4	8.9	19.9	9.2	3.0	3.1	4.3	1.7	10.3	5.1			
5	13.0	20.8	11.5	5.0	4.4	4.3	3.9	9.7	3.1			
6	12.1	18.2	13.9	3.7	5.3	3.2	2.7	4.0	8.7			
7	7.1	16.5	10.1	6.4	3.1	3.6	1.4	14.9	8.5			
8	7.3	18.3	11.9	20.8	8.8	10.8	3.4	17.5	7.5			
9	9.6	30.5	16.8	3.6	8.2	5.8	3.1	2.9	3.9			
10	16.4	20.5	17.4	5.7	4.7	2.9	2.9	11.9	3.9			
11	19.4	13.6	7.9	5.0	11.3	2.6	4.3	4.8	9.6			
12	11.9	23.3	9.5	13.5	1.9	4.8	4.3	4.2	5.3			
13	14.9	21.5	8.6	2.7	.5	5.7	11.8	5.3	7.4			
14	16.5	14.6	7.5	1.5	2.4	4.5	17.9	3.8	5.7			
15	28.8	2.3	8.8	8.1	4.1	3.4	6.7	3.2	9.6			
16	13.6	12.1	1.2	2.9	9.4	2.7	4.9	5.5	10.7			
17	15.3	18.6	6.6	5.6	7.4	4.1	10.8	9.1	6.2			
18	11.8	16.5	4.7	10.1	10.1	3.2	7.1	6.6	6.5			
19	10.5	14.3	9.8	3.8	6.0	1.5	4.4	7.4	4.0			
20	26.5	10.1	6.8	12.6	4.8	1.4	6.6	5.6	4.8			
21	17.1	12.4	7.1	10.4	3.5	3.6	4.6	2.7	4.6			
22	43.2	5.3	5.3	1.7	9.4	6.3	3.5	5.1	5.1			
23	16.1	8.1	10.2	6.5	8.8	2.9	2.7	5.6	2.2			
24	18.5	9.6	5.3	7.2	2.5	9.0	5.0	8.6	6.5			
25	11.6	11.5	1.8	3.7	4.3	2.0	6.6	10.5	12.5			
26	12.0	10.5	5.7	8.6	9.5	13.5	6.8	2.9	11.4			
27	14.0	8.1	6.4	6.0	4.0	5.1	4.7	5.8	7.4			
28	12.0	4.0	9.2	6.7	3.9	5.9	7.8	6.7	7.0			
29	7.0		9.9	7.8	6.1	2.8	5.3	9.5	8.8			
30	8.5		6.6	8.0	4.8	4.8	2.9	7.5	6.8			
31	18.1		3.7		4.7		8.8	11.8				
NO.:	31	28	31	30	31	30	31	31	30	0	0	0
MAX:	43.2	30.5	23.1	20.8	11.3	13.5	17.9	17.5	12.5			
MEAN:	14.30	15.10	9.08	6.63	5.67	4.61	5.54	7.25	7.01			
ANNUAL OBSERVATIONS:	273		ANNUAL MEAN:	8.31	ANNUAL MAX:	43.2						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-2003 POC: 1
 COUNTY: (047) Uintah
 CITY: (00000) Not in a city
 SITE ADDRESS: 2 miles south of Ouray and south of the White and Green River confluence
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: DESERT
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.0567100920
 LONGITUDE: -109.68810764
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1466.8
 PROBE HEIGHT: 2

SUPPORT AGENCY: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE
 PQAO: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	8.9	15.0	7.8	6.5	5.8	5.8	4.1	3.4	4.4			
2	6.2	16.0	13.5	5.5	6.8	5.6	8.2	7.4	4.9			
3	8.2	16.2	13.9	5.9	7.8	4.5	9.9	5.5	6.6			
4	10.9	25.5	10.4	1.7	2.4	6.7	6.8	9.3	3.7			
5	10.4	28.4	14.9	9.6	1.9	4.9	2.6	4.3	7.2			
6	9.0	15.2	8.2	2.7	4.9		5.7	8.7	6.3			
7	7.2	14.0	5.6	6.1	5.5		3.3	8.8	6.5			
8	4.9	24.3	10.7	6.7	7.5	5.8	4.6	5.2	6.3			
9	8.5	22.5	8.5	5.1	4.3	2.2	3.6	5.4	7.2			
10	10.8	18.6	9.7	5.7	7.8	5.7	4.1	3.6	5.6			
11	7.2	15.7	5.8	6.6	3.7	4.5	5.3	4.8	7.7			
12	15.5	19.5	8.5	8.6	2.9	3.5	4.9	4.6	6.3			
13	15.2	20.3	7.0	7.9	1.8	3.7	4.9	7.2	2.9			
14	13.2	20.7	3.3	4.1	2.9	6.5	4.4	3.6	5.8			
15	15.8	9.4	5.7	5.5	4.0		3.8	8.7	6.4			
16	13.3	10.2	1.8	8.2	7.1	7.6	5.7	3.3	8.9			
17	11.7	13.2	6.1	7.7	7.5	5.8	5.6	6.0	8.2			
18	16.4	10.6	3.6	1.7	7.4	5.7	3.4	7.1	7.1			
19	17.6	18.6	5.4	1.2	7.9	3.0	6.9	8.2	4.8			
20	13.3	19.0	4.5	6.3	11.3	2.9	4.5	7.5	6.5			
21	13.8	14.3	5.8	5.2	10.7	5.0	7.6	6.6	5.0			
22	17.7	12.0	5.4	2.6	3.9	10.7	7.1	3.1	4.2			
23	19.0	5.4	4.8	3.7	3.2	5.4	7.0	4.4	6.7			
24	18.0	11.1	3.7	6.8	5.5	4.7	7.3	5.1	8.4			
25	20.0	13.6	2.8	3.4	4.6	7.4	2.4	5.6	7.9			
26	20.8	20.8	4.5	5.2	6.1	7.3	3.6	9.0	6.3			
27	14.8	13.5	2.7	4.4	5.7	4.5	6.4	6.3	9.0			
28	18.0	4.2	6.3	4.1	4.4	3.7	9.4	6.8	9.1			
29	18.7		5.5	8.7	10.1	3.4	7.5	7.8	4.9			
30	8.0		6.4	6.9	6.8	3.8	3.7	7.8	8.6			
31	11.7		3.6				3.6	6.0				
NO.:	31	28	31	30	30	27	31	31	30	0	0	0
MAX:	20.8	28.4	14.9	9.6	11.3	10.7	9.9	9.3	9.1			
MEAN:	13.05	15.99	6.66	5.48	5.74	5.08	5.42	6.16	6.45			
ANNUAL OBSERVATIONS:		269		ANNUAL MEAN:	7.75	ANNUAL MAX:	28.4					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-7022 POC: 1
 COUNTY: (047) Uintah
 CITY: (00000) Not in a city
 SITE ADDRESS: WHITEROCKS & COUNTY ROAD
 SITE COMMENTS: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: DESERT
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.4835983220
 LONGITUDE: -109.90679622
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1893
 PROBE HEIGHT: 4

SUPPORT AGENCY: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (599) Instrumental Chemiluminescence Tel
 PQAQ: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT

REPORT FOR: 2023

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .05

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	3.3	7.7	4.6	1.2	1.3	1.7	1.5	6.5	1.6			
2	3.2	10.8	2.5	1.8	.7	3.7	1.9	6.2	4.0			
3	1.8	13.8	30.4	2.0	.7	2.5	1.2	10.8	1.6			
4	1.8	11.6	3.7	1.0	1.0	1.0	1.4	5.7	2.1			
5	5.2	14.8	3.6	.8	1.1	1.3	4.1	1.4	2.1			
6	4.9	9.2	3.7	.6	1.4	1.2	3.0	1.5	3.4			
7	6.0	5.3	2.2	1.2	1.9	1.5	2.6	1.3	1.4			
8	6.2	6.9	4.8	1.4	.6	1.1	2.7		1.0			
9	5.8	2.1	4.0	1.1		.8	1.9	1.4	4.0			
10	6.6	7.2	3.8	1.4		.7	1.3	2.1	2.1			
11	7.0	8.2	1.9	1.7		.8	2.2	1.0	.9			
12	2.7	11.4	2.5	1.4		1.9	.8	1.9	1.2			
13	5.9	12.7	3.1	2.0		1.3		1.3	2.0			
14	10.1	8.8	2.9	1.8		1.8	.8	1.5	2.1			
15	9.4	4.7	11.4	1.1		2.4	.8	.8	1.3			
16	7.3	6.9	2.9	1.4	1.5	2.5	1.0	1.3	2.0			
17	8.1	7.9	1.3	.9	1.3	1.4	1.9		1.8			
18	2.3	9.2	3.0	2.5	1.2	1.5	2.3	3.2	2.9			
19	6.4	4.7	3.6	.8	1.6	1.6	3.5	3.4	1.5			
20	4.8	3.0	3.5	.9	3.0	1.4	7.4	1.2	1.3			
21	3.7	3.7	2.8	1.1	1.2	1.5	2.1	1.5	1.2			
22	9.6	2.6	.9	1.4	3.3	1.7	1.5	3.8	1.6			
23	7.3	5.0	1.2	1.0	1.2	1.0	6.2	8.2	1.3			
24	6.3	4.1	1.1	1.0	.8	1.8	2.0	8.7	2.2			
25	4.5	6.4	.4	1.3	2.4	.9	1.7	5.1	1.6			
26	4.9	7.6	.9	1.4	2.1	1.5	2.9	2.2	1.8			
27	5.7	3.0	1.1	.6	3.4	1.9	1.9	1.9	1.2			
28	4.8	3.5	1.3	1.2	1.0	1.8	2.6	2.4	1.1			
29	5.8		1.3	1.2	.8	1.4	2.6	2.6	1.5			
30	4.3		1.3	1.1	1.0	1.1	1.7	1.9	.7			
31	4.2		1.0		.9		2.7	1.4				
NO.:	31	28	31	30	24	30	30	29	30	0	0	0
MAX:	10.1	14.8	30.4	2.5	3.4	3.7	7.4	10.8	4.0			
MEAN:	5.48	7.24	3.64	1.28	1.48	1.56	2.34	3.18	1.82			
ANNUAL OBSERVATIONS:		263		ANNUAL MEAN:	3.13	ANNUAL MAX:	30.4					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-049-4001 POC: 2
 COUNTY: (049) Utah
 CITY: (45090) Lindon
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.341389
 LONGITUDE: -111.713611
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1442
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	16.5	41.9	12.1	26.6	17.9	8.5	8.7	8.6	7.3	4.2	30.0	31.9
2	18.4	45.5	15.2	9.5	15.3	9.8	7.1	7.5	5.7	7.9	32.1	13.7
3	23.9	45.7	22.4	15.1	12.7	7.7	6.7	5.7	7.4	10.5	27.1	12.4
4	38.2	42.9	25.7	7.9	7.3	8.0	19.8	13.9	5.0	9.5	27.3	30.4
5	30.4	31.3	11.9	11.9	4.7	11.7	8.9	10.3	8.0	14.6	25.4	31.0
6	28.9	23.7	12.4	27.0	8.5	12.5	8.1	9.1	11.8	13.7	7.2	27.8
7	27.4	30.3	21.8	29.8	9.6	7.6	9.5	13.7	17.5	13.0	16.3	26.7
8	30.3	31.8	21.6	14.7	13.2	9.2	9.8	6.3	14.6	11.5	16.0	16.0
9	33.4	34.3	24.1	12.8	15.9	8.6	4.7	13.1	8.2	17.3	27.6	25.7
10	6.7	38.1	5.3	16.8	13.9	6.5	8.4	29.3	6.7	21.1	33.2	27.4
11	20.6	46.5	16.5	16.7	15.7	4.4	21.4	12.1	9.5	9.9	29.4	37.1
12	30.3	38.6	16.2	6.1	16.8	7.6	11.0	11.1	11.3	12.3	22.4	33.2
13	35.0	34.8	21.2	17.0	5.8	13.8	10.9	6.4	14.3	14.9	27.6	29.3
14	21.0	17.0	26.1	21.0	6.1	7.9	7.2	9.7	9.4	14.2	26.5	26.8
15	19.6	22.5	7.3	24.3	13.5	8.3	6.9	14.0	15.4	12.6	23.3	29.3
16	28.2	32.4	30.7	19.4	12.0	9.3		11.9	9.1	25.2	26.9	28.4
17	22.0	40.1	31.3	32.7	13.2	9.1		9.2	7.8	23.7	27.9	31.4
18	13.5	37.8	23.6	10.2	10.5	11.4		10.0	12.8	18.9	19.5	34.1
19	27.9	18.7	24.8	14.6	9.6			5.5	11.7	16.7	5.8	32.0
20	30.8	36.9	7.8	21.7	10.7	20.0	12.5	5.3	8.4	18.5	13.7	25.2
21	14.0	23.9	24.1	10.1	6.9	7.3	9.4	7.3	8.6	13.8	22.2	25.5
22	21.7	9.3	12.0	7.7	6.9	16.5	10.3	13.6	10.0	11.0	26.6	28.6
23	33.7	32.6	12.4	17.7	8.9	10.1	6.6	8.6	15.3	14.0	20.6	27.2
24	17.3	22.9	18.6	13.8	11.9	7.4	13.7	14.4	8.5	14.1	22.5	19.8
25	22.2	24.6	12.5	9.2	9.0	4.7		9.9	14.9	25.5	14.0	27.9
26	21.4	17.6	15.7	18.5	7.7	11.1		5.9	16.8	9.9	14.0	29.2
27	26.5	4.9	12.9	22.8	13.8	5.5	11.3	6.4	15.3	24.6	29.5	27.7
28	22.9	13.1	30.6	15.5	7.8	8.6	11.5	14.0	13.0	16.9	30.4	37.4
29	18.5		25.4	14.1	10.4	6.7	7.7	10.3	15.0	17.2	41.3	31.4
30	29.8		22.6	9.8	8.5	6.8	5.9	10.2	6.7	27.6	35.4	26.2
31	35.7		16.9		9.0		11.0	12.5		31.1		27.6
NO.:	31	28	31	30	31	29	25	31	30	31	30	31
MAX:	38.2	46.5	31.3	32.7	17.9	20.0	21.4	29.3	17.5	31.1	41.3	37.4
MEAN:	24.73	29.99	18.76	16.50	10.76	9.19	9.96	10.51	10.87	16.00	24.06	27.69
ANNUAL OBSERVATIONS:	358		ANNUAL MEAN:	17.49	ANNUAL MAX:	46.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-049-5010 POC: 1
 COUNTY: (049) Utah
 CITY: (71290) Spanish Fork
 SITE ADDRESS: 312 W. 2050 NORTH, SPANISH FORK, UTAH
 SITE COMMENTS: SITE IS LOCATED AT SPANISH FORK AIRPORT
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.136378
 LONGITUDE: -111.657936
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1380
 PROBE HEIGHT: 5

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	17.6	39.3	6.5	6.8	6.5	16.9	7.4	10.8	10.1	5.1	40.3	29.0
2	8.2	46.1	17.3	7.0	13.2	18.6	6.3	12.5	7.9	16.4	38.8	28.3
3	35.5	36.3	36.9	12.9	9.4	5.0	6.4	17.0	5.6	18.5	30.3	18.7
4	30.1	37.2	6.3	7.1	14.1	6.6	5.0	16.7	8.2	19.8	17.1	22.7
5	7.8	34.4	11.8	9.8	13.2	10.4	9.5	11.8	14.9	15.9	30.7	28.8
6	31.8	25.8	8.9	10.9	7.9	18.7	14.6	12.3	17.5	17.6	26.6	28.6
7	28.4	29.5	16.0	6.8	8.0	9.8	8.8	12.8	12.0	23.6	13.8	32.9
8	10.8	13.4	13.7	8.5	11.3	10.0	6.7	11.5	12.7	20.2	19.7	8.7
9	15.9	19.1	20.6	5.4	10.8	9.8	7.2	10.7	9.9	16.9		16.3
10	14.0	14.6	10.4	8.9	21.1	4.4	12.6	13.3	11.3	13.6	30.0	27.6
11	17.6	33.9	24.4	15.2	15.7	11.5	11.4	12.2	13.5	11.9	31.6	31.6
12	25.7	33.7	16.0	18.4	19.1	13.2	11.9	9.7	12.7	13.1	15.8	32.3
13	17.6	36.5	11.5	10.4	9.1	11.6	8.8	9.4	15.3	18.8	35.8	33.5
14	6.4	11.7	10.0	19.0	4.8	13.2	10.6	10.1	13.2	16.5	36.0	30.0
15	18.9	10.8	10.7	18.1	12.2	10.9	8.0	12.6	22.6	23.1	36.4	33.0
16	22.6	15.1	33.3	5.8	12.3	10.3	5.1	19.8	9.8	14.2	28.1	31.2
17	31.1	22.8	7.3	10.1	10.9	9.6	9.5	18.6	11.3	27.2	19.1	32.7
18	15.9	24.9	4.8	9.3	11.6	4.9	11.2	9.9	14.2	26.5	19.3	31.4
19	20.5	32.3	4.7	15.2	8.3	11.2	13.1	7.2	11.0	27.8	9.7	15.2
20	30.9	31.9	24.4	26.4	9.5	19.2	12.8	7.2	13.9	38.7		10.6
21	16.5	19.3	11.1	14.3	6.2	9.2	10.1	19.0	17.1	23.0		
22	23.0	16.3	15.9	9.2	9.6	15.8	7.0	14.7	15.9	20.5	29.0	13.0
23	35.5	20.4	18.6	12.9	8.7	10.8	6.7	14.7	11.4	17.2	16.5	26.2
24	20.3	23.7	27.2	11.3	13.4	12.2	6.6	11.2	7.9	22.5	13.5	12.8
25	15.5	11.6	11.6	17.5	10.2	6.5	10.0	9.7	14.3	12.3	9.7	12.4
26	32.9	5.2	7.8	16.8	12.8	11.1	10.2	9.6	12.6	15.0	7.2	31.7
27	28.4	21.9	11.9	19.6	6.1	22.5	11.4	10.7	19.2	12.1	28.8	34.3
28	26.1	6.5	8.1	14.4	7.5	13.8	9.4	11.8	15.3	15.3	31.3	35.2
29	12.2		6.3	8.7	7.4	10.9	7.2	12.8	27.7	16.9	40.7	36.7
30	21.3		26.4	6.5	15.5	9.8	8.2	29.4	11.1	18.4	29.5	31.2
31	37.0		13.1		12.4		13.3	14.3		25.4		31.5
NO.:	31	28	31	30	31	30	31	31	29	31	27	30
MAX:	37.0	46.1	36.9	26.4	21.1	22.5	14.6	29.4	27.7	38.7	40.7	36.7
MEAN:	21.81	24.08	14.63	12.11	10.93	11.61	9.26	13.23	13.27	18.84	25.38	26.27
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:	16.65	ANNUAL MAX:	46.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-053-0007 POC: 1
 COUNTY: (053) Washington
 CITY: (37170) Hurricane
 SITE ADDRESS: 147 N 870 W, Hurricane, Utah
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (014) FOUR CORNERS
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 37.179125
 LONGITUDE: -113.305096
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 846
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	12.9	31.3	11.8		3.0	5.1	3.6		4.1	2.4	25.5	16.1
2	22.2	25.2	6.1		7.7	2.8	3.6		6.4	5.4	28.5	6.5
3	17.3	31.8	12.9		8.7	9.6	4.6		3.9	16.4	20.0	12.0
4	18.7	20.5	12.1		6.7	2.8	8.3		6.9	12.3	20.4	19.5
5	14.5	8.7	11.7	26.3	6.2	3.8	4.4		5.1	14.6	21.7	19.9
6	23.6	26.5	24.9	19.0	3.1	10.7	5.7			14.5	23.0	24.5
7	22.0	14.4	18.5	21.7	3.5	4.5	4.7		25.4	12.8	16.4	15.9
8	18.5	24.1	19.0	9.4	2.9	3.1	6.7		12.0	6.8	-1	12.5
9	15.1	13.1	25.7	12.0	6.8	3.7	3.7		2.8	7.1	16.6	8.2
10	25.6	34.5	13.2	16.1	5.9	6.1	4.6		4.5	5.3	26.5	16.7
11	30.9	11.2	17.0	17.6	9.5	1.6	7.5		7.0	18.8	24.9	21.3
12	27.4	24.3	14.5	10.9	5.4	6.7	6.2		7.0	.4	9.7	17.0
13	28.9	26.5	15.6	23.2	2.8	4.6	4.2		9.7	17.1	26.8	23.8
14	20.3	14.6	5.1	13.1	2.0	2.7	4.4			11.5	14.7	22.1
15	9.6	10.3	5.3	12.6	3.5	7.3	11.0		6.1	12.0	17.5	19.9
16	10.8	11.4		11.5	7.6	5.4	7.0	6.1	2.1	13.3	12.2	13.5
17	22.6	24.2	22.1	7.4	4.1	5.6	2.8	12.1	8.2	14.3	14.7	15.8
18	27.0	23.9	10.3	18.5	6.3	1.4	6.9	3.0	5.9	16.9	8.2	27.6
19	14.4	19.8	22.2	3.4	8.6	3.4	6.6	2.7	7.2	22.9	4.0	23.6
20	17.6	23.0	9.5	8.4	2.4	7.4	7.0	5.3	3.0	15.1	.5	18.8
21	8.9	15.9	11.2	11.1	2.1	4.6	6.8	7.4	6.2	8.5	15.9	12.7
22	15.8	10.3	12.6	.9	4.5	4.4	5.5	6.5	10.9	2.7	19.2	11.4
23	5.3	11.7	17.0	1.9	3.9	11.2	4.2	9.7	3.5	20.1	6.6	5.4
24	12.8	13.5	12.8	7.7	4.1	5.8	5.6	6.6	6.7	19.8	2.8	.1
25	29.3	10.9	25.0	1.1	4.9	2.0	7.2	5.2	17.8	6.4	2.9	3.1
26	10.9	9.7	12.6	3.6	5.2	3.2	5.8	5.3	11.8	21.7	11.0	10.9
27	16.5	11.0	16.7	9.0	10.2	8.8	15.4	5.4	12.0	18.4	14.4	17.4
28	14.8	10.7	15.1	4.4	5.1	6.8	2.5	9.2	17.1	3.1	23.5	21.0
29	14.9		11.7	5.0	3.4	7.6	3.5	11.1	4.0	.2	21.1	
30	8.3		21.6	6.9	4.4	6.6	3.6	9.8	2.2	22.8	10.8	
31	11.8		20.4		6.6		8.3	2.6		27.2		
NO.:	31	28	30	26	31	30	31	16	28	31	30	28
MAX:	30.9	34.5	25.7	26.3	10.2	11.2	15.4	12.1	25.4	27.2	28.5	27.6
MEAN:	17.72	18.32	15.14	10.87	5.20	5.31	5.87	6.75	7.84	12.61	15.33	15.61
ANNUAL OBSERVATIONS:		340		ANNUAL MEAN:	11.52		ANNUAL MAX:	34.5				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 2, 2024

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-057-1003 POC: 1
 COUNTY: (057) Weber
 CITY: (33540) Harrisville
 SITE ADDRESS: 425 W 2550 NORTH, OGDEN, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 41.3036139529
 LONGITUDE: -111.98787086
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1331
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2023

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10.7	46.4	14.0	24.0	19.4		5.4	7.7	6.5	4.2	35.2	31.1
2	10.7	51.3	30.0	7.2	25.2	12.5	6.1	11.9	6.9	6.9	34.8	18.1
3	20.5	48.6	11.3	6.4	22.2	9.1	11.8	9.1	7.4	16.5	35.8	14.3
4	40.5	47.1	33.3	10.3	2.9	5.4	6.8	7.3	3.8	13.6	24.7	24.3
5	31.2	48.7	15.9	22.1	4.5	15.9	15.0	6.4	9.3	16.5	20.0	26.9
6	28.8	42.1	17.6	22.8	6.7	4.9	13.8	6.8	19.6	16.4	24.5	27.1
7	27.0	38.3	42.2	37.8	8.8	6.8	15.2	13.2	21.2	11.8	20.3	23.2
8	29.4	37.7	30.6	22.6	20.6	17.6	4.1	8.6	10.2	12.2	24.7	12.3
9	31.5	37.2	26.1	19.2	16.8	19.5	6.0	10.9	10.3	18.4	24.4	28.1
10	15.7	44.1	12.2	24.5	18.6	7.0	9.1	13.2	6.3	21.6	33.0	26.1
11	24.6	42.5	23.1	22.9	20.2	3.5	9.9	9.0	17.4	10.2	30.1	29.4
12	36.9	43.7	30.6	13.3	22.9	12.0	20.9	6.9	16.8	16.1	30.4	31.7
13	36.4	47.2	33.4	7.5	1.3	13.5	16.6	12.7	17.0	18.3	31.1	18.0
14	31.4	21.7	25.3	27.0	5.2	9.7	19.2	6.2	19.1	17.5	34.3	28.7
15	37.2	14.1	20.2	14.5	15.4	12.1	5.5	21.9	5.1	15.1	41.4	28.3
16	40.2	40.5	14.2	23.8	7.5	13.9	6.9	8.7	12.1	23.9	16.3	30.0
17	20.2	42.7	1.7	14.1	20.5	5.7	19.1	12.5	8.4	25.0	27.1	29.4
18	34.5	37.9	23.2	4.4	13.8	6.6	8.2	12.0	19.8	23.1	20.0	25.7
19	30.1	21.8	34.9	18.5	3.4	12.7	9.0	8.7	17.7	22.5	13.8	26.9
20	24.9	21.8	11.8	5.7	13.2	5.2	7.1	7.2	22.7	26.6	22.9	24.7
21	35.0	17.8	36.0	13.0	6.9	16.9	10.3	9.7	6.7	19.2	26.2	26.4
22	34.8	18.3	19.2	10.8	13.7	4.0	8.0	11.2	12.5	18.2	29.3	25.3
23	25.3	27.1	20.4	8.4	6.1	5.9	5.1	19.8	9.6	18.8	25.5	23.3
24	37.6	24.7	18.3	22.3	11.6	7.6	10.4	14.5	11.4	23.1	1.7	27.5
25	33.1	44.8	12.0	14.7	20.2	8.9	16.3	8.9	23.3	16.8	26.2	29.5
26	35.4	43.0	7.8	27.3	4.4	17.0	21.6	3.1	22.6	9.7	24.2	30.4
27	22.2	10.2	16.0	18.2	6.9	11.3	19.3	2.7	15.5	27.6	29.9	27.9
28	18.5	8.1	27.9	10.3	4.3	15.2	17.3	17.0	21.6	23.5	32.3	31.8
29	12.0		17.3	11.3	6.4	13.8	11.6	12.1	22.0	16.6	31.6	29.2
30	41.0		10.1	8.4	14.0	9.7	5.1	17.8	8.6	34.7	27.0	27.2
31	42.0		14.4		11.0		9.3	24.0		33.0		27.7
NO.:	31	28	31	30	31	29	31	31	30	31	30	31
MAX:	42.0	51.3	42.2	37.8	25.2	19.5	21.6	24.0	23.3	34.7	41.4	31.8
MEAN:	29.01	34.62	21.00	16.44	12.08	10.48	11.29	11.02	13.71	18.63	26.62	26.15
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	19.18	ANNUAL MAX:	51.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.