

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 2375782

Report Code: AMP350MX

Apr. 22, 2026

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			42101							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2025 01 01	2025 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 Annual 2024
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42101) Carbon monoxide

SITE ID: 49-035-2005 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (49710) Midvale
 SITE ADDRESS: 8449 S. Monroe St.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.598056
 LONGITUDE: -111.894167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (593) INSTRUMENTAL Gas Filter Correlatio
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .02

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.400	.300	.500	.100	.200	.200	.100	.200	.200	.200	.500	.500
2	.400	.300	.600	.300	.200	.100	.100	.200	.300	.300	.600	.600
3	.500	.100	.100	.200	.300	.100	.100	.200	.300	.300	.600	.400
4	.400	.100	.200	.200	.100	.100	.200	.200	.200	.200	.400	.500
5	.600	.200	.300	.200	.100	.100	.300	.200	.200	.300	.400	.300
6	.300	.400	.100	.200	.100	.100	.200	.200	.300	.300	.400	.600
7	.200	.200	.100	.200	.100	.200	.100	.200	.300	.500	.600	.700
8	.500	.300	.200	.200	.100	.200	.100	.200	.200	.600	.600	.400
9	.400	.400	.300	.300	.200	.200	.100	.200	.200	.500	.600	.500
10	.600	.500	.300	.300	.200	.200	.100	.300	.100	.200	.700	.500
11	.200	.300	.200	.200	.100	.100	.200	.200	.100	.200	.700	.600
12	.300	.400	.100	.200	.000	.200	.200	.200	.300	.300	.700	.700
13	.500	.500	.100	.100	.100	.200	.200	.200	.300	.300	.800	.800
14	.400	.200	.100	.200	.100	.200	.200	.200	.200	.300	.200	.800
15	.600	.100	.100	.300	.100	.200	.200	.200	.200	.200	.500	.800
16	.800	.200	.100	.200	.200	.200	.200	.100	.200	.300	.500	.900
17	.800	.300	.000	.100	.200	.100	.100	.100	.400	.400	.200	.700
18	.200	.300	.100	.100	.100	.100	.100	.100	.300	.400	.500	.500
19	.300	.400	.300	.200	.100	.200	.200	.200	.300	.400	.500	.300
20	.200	.200	.200	.200	.100	.100	.200	.200	.200	.400	.500	.500
21	.700	.400	.400	.200	.200	.100	.000	.300	.200	.500	.600	.500
22	.900	.500	.100	.200	.200	.100	.100	.300	.200	.600	.600	.200
23	.600	.500	.200	.200	.100	.200	.100	.200	.200	.500	.600	.200
24	.400	.500	.200	.200	.200	.200	.100	.100	.300	.600	.600	.200
25	.400	.200	.300	.300	.100	.200	.200	.200	.300	.600	.600	.200
26	.400	.500	.300	.100	.100	.200	.200	.200	.300	.200	.800	.200
27	.600	.400	.200	.100	.200	.300	.100	.200	.300	.300	.900	.200
28	.700	.500	.200	.100	.200	.200	.200	.200	.100	.500	.600	.300
29	.700		.300	.200	.200	.200	.200	.300	.100	.600	.500	.600
30	.600		.200	.100	.200	.200	.200	.300	.200	.600	.600	.800
31	.700		.200		.200	.200	.200	.300		.600		.800
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	.900	.500	.600	.300	.300	.300	.300	.300	.400	.600	.900	.900
MEAN:	.4935	.3286	.2129	.1900	.1484	.1667	.1548	.2065	.2333	.3935	.5633	.5097
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.3000		ANNUAL MAX:	.900					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42101) Carbon monoxide

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (593) INSTRUMENTAL Gas Filter Correlatio
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .02

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.300	.300	.500	.100	.200	.100	.200	.100	.100	.400	.500	.300
2	.400	.400	.500	.200	.100	.100	.200	.100	.200	.400	.600	.400
3	.400	.100	.200	.200	.200	.100	.100	.100	.200	.500	.600	.900
4	.500	.100	.200	.200	.100	.100	.100	.100	.200	.100	.500	.400
5	.500	.200	.300	.100	.100	.200	.100	.200	.100	.100	.500	.200
6	.400	.400	.200	.200	.100	.100	.100	.100	.100	.200	.400	.600
7	.200	.200	.200	.200	.100	.100	.200	.100	.100	.200	.600	.700
8	.400	.300	.400	.300	.200	.100	.200	.100	.100	.200	.600	.400
9	.300	.300	.300	.300	.200	.100	.300	.100	.100	.200	.500	.400
10	.400	.500	.500	.300	.200	.200	.100	.100	.100	.100	.600	.500
11	.200	.200	.300	.200	.200	.200	.000	.100	.200	.000	.600	.500
12	.200	.200	.200	.300	.100	.100	.000	.200	.200	.200	.700	.500
13	.400	.400	.100	.100	.100	.200	.000	.200	.100	.200	.700	.600
14	.300	.300	.200	.200	.100	.100	.100	.200	.100	.100	.500	.600
15	.500	.200	.200	.300	.200	.100	.200	.200	.200	.100	.600	.600
16	.700	.400	.300	.300	.200	.100	.200	.100	.100	.100	.300	.600
17	.800	.400	.200	.100	.100	.100	.200	.100	.200	.200	.300	.500
18	.200	.300	.200	.100	.100	.200	.200	.200	.200	.200	.300	.500
19	.200	.400	.300	.200	.100	.200	.200	.200	.200	.200	.300	.500
20	.200	.200	.200	.200	.200	.100	.100	.100	.100	.100	.400	.400
21	.600	.200	.400	.200	.200	.100	.100	.200	.100	.300	.200	.500
22	.800	.400	.200	.200	.200	.100	.100	.100	.100	.200	.200	.200
23	.500	.500	.300	.200	.200	.100	.100	.000	.100	.300	.300	.600
24	.500	.600	.300	.100	.100	.100	.100	.100	.100	.600	.300	.500
25	.600	.200	.400	.100	.100	.200	.100	.100	.200	.600	.300	.500
26	.300	.400	.300	.200	.100	.200	.000	.100	.100	.300	.300	.300
27	.600	.400	.200	.200	.200	.200	.100	.100	.200	.300	.300	.300
28	.600	.400	.100	.100	.200	.100	.200	.100	.000	.500	.300	.300
29	.700		.300	.200	.100	.100	.200	.200	.100	.500	.200	.400
30	.600		.200	.100	.200	.100	.100	.100	.300	.400	.400	.600
31	.600		.200		.200		.100	.100		.600		.600
NO.:	31	28	31	30	31	30	28	30	30	31	30	31
MAX:	.800	.600	.500	.300	.200	.200	.300	.200	.300	.600	.700	.900
MEAN:	.4484	.3179	.2710	.1900	.1516	.1300	.1250	.1267	.1400	.2710	.4300	.4806
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:	.2582		ANNUAL MAX:	.900					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42101) Carbon monoxide

SITE ID: 49-035-3010 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1250 NORTH 1400 WEST
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.78422
 LONGITUDE: -111.931
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (093) INSTRUMENTAL GAS FILTER CORRELATIO

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.1	.0	.6	.0	.0	.1	.0	.1	.1	.3	.5	.3
2	.0	-.1	.6	.1	.1	.0	.1	.1	.2	.2	.7	.2
3	-.1	-.1	.0	.0	.0	.0	.0	.0	.2	.2	.6	.1
4	.0	-.1	.0	.1	.0	.0	.0	.0	.2	.1	.3	.4
5	.1	-.1	.1	.3	.0	.0	.1	.1	.2	.2	.3	.1
6	.0	.1	.0	.2	.0	.0	.0	.0	.3	.3	.2	.5
7	.2	.0	.0	.1	.1	.0	.0	.1	.3	.5	.3	.6
8	.3	.0	.3	.1	.2	.0	.0	.0	.2	.3	.3	.3
9	.1	.1	.1	.1	.3	.1	.0	.1	.2	.1	.4	.3
10	.2	.4	.1	.3	.2	.0	.0	.1	.1	.0	.5	.3
11	.0	.1	.1	.1	.1	.0	.1	.1	.1	-.1	.8	.3
12	.1	.1	.0	.2	.0	.0	.0	.1	.2	.1	.5	.3
13	.2	.2	-.1	.0	.1	.0	.1	.0	.3	.1	.7	.4
14	.1	-.1	-.1	.1	.1	.0	.1	.2	.1	.1	.2	.9
15	.2	.0	.0	.2	.1	.0	.2	.2	.1	.2	.3	.4
16	.4	.0	-.1	.3	.2	.0	.2	.1	.2	.1	.4	.5
17	.7	.0	-.1	.1	.1	.1	.1	.1	.3	.2	.1	.4
18	.1	-.1	-.1	.1	.0	.2	.1	.1	.2	.2	.3	.2
19	.1	-.1	.0	.2	.0	.1	.1	.2	.2	.2	.3	.0
20	.1	-.2	.3	.1	.1	.1	.1	.3	.1	.2	.4	.1
21	.3	-.1	.3	.1	.1	.0	.1	.3	.2	.3	.5	.1
22	.7		.1	.1	.2	.0	.1	.3	.1	.5	.4	.0
23	.8		.4	.2	.2	.1	.1	.2	.1	.5	.5	.0
24	.2		.2	.0	.1	.1	.1	.1	.1	.4	.3	.0
25	.2	.2	.3	.1	.2	.2	.1	.1	.1	.5	.4	.0
26	.2	.5	.3	.1	.1	.1	.1	.1	.2	.1	.5	.0
27	.9	.4	.1	.1	.2	.1	.0	.1	.2	.2	.5	.0
28	.9	.5	.1	.0	.1	.1	.1	.1	.0	.5	.8	.1
29	1.1		.2	.1	.1	.1	.1	.4	.0	.7	.4	.3
30	.4		.1	.0	.1	.2	.1	.2	.2	.7	.4	.7
31	.3		.1		.2		.0	.3		.6		.9
NO.:	31	25	31	30	31	30	31	31	30	31	30	31
MAX:	1.1	.5	.6	.3	.3	.2	.2	.4	.3	.7	.8	.9
MEAN:	.29	.06	.13	.12	.11	.06	.07	.14	.17	.27	.43	.28
ANNUAL OBSERVATIONS:	362		ANNUAL MEAN:	.18	ANNUAL MAX:	1.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42101) Carbon monoxide

SITE ID: 49-035-3015 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 240 N 1950 W
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.777145
 LONGITUDE: -111.945849
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (093) INSTRUMENTAL GAS FILTER CORRELATIO

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.3	.4	.7	.3	.3	.4	.1	.3	.1	.2	.7	.6
2	.3	.4	.9	.4	.4	.3	.1	.3	.2	.1	.9	.5
3	.3	.3	.2	.3	.4	.4	.1	.3	.2	.1	.8	.4
4	.5	.2	.1	.3	.2	.4	.1	.3	.1	.1	.5	.7
5	.5	.3	.3	.4	.2	.4	.1	.3	.1	.1	.4	.4
6	.3	.6	.1	.4	.2	.4	.2	.3	.2	.3	.3	.6
7	.4	.4	.2	.5	.3	.4	.2	.3	.2	.5	.5	.7
8	.7	.4	.4	.4	.3	.4	.2	.3	.1	.5	.5	.4
9	.4	.5	.3	.5	.3	.5	.2	.4	.1	.3	.6	.5
10	.6	.9	.4	.6	.4	.5	.2	.5	.1	.1	.7	.6
11	.3	.6	.3	.5	.3	.4	.2	.4	.1	.1	1.1	.5
12	.4	.6	.2	.6	.2	.5	.3	.4	.1	.2	.8	.6
13	.8	.6	.1	.4	.3	.5	.3	.3	.2	.2	1.0	.8
14	.5	.5	.2	.6	.2	.4	.3	.4	.1	.2	.3	1.4
15	.3	.5	.2	.6	.2	.4	.2	.3	.1	.1	.4	.8
16	.6	.6	.2	.3	.4	.6	.2	.3	.1	.2	.5	.8
17	.8	.7	.1	.1	.3	.5	.2	.4	.1	.3	.3	.8
18	.1	.5	.3	.1	.2	.5	.2	.4	.2	.3	.4	.6
19	.2	.3	.4	.3	.3	.5	.2	.4	.1	.3	.5	.5
20	.2	.2	.3	.3	.3	.4	.2	.5	.1	.2	.6	.5
21	.4	.3	.5	.3	.3	.0	.2	.1	.1	.5	.7	.5
22	1.1	.3	.2	.3	.4	.0	.2	.2	.0	.4	.7	.3
23	.9	.5	.4	.4	.3	.1	.3	.1	.1	.7	.7	.3
24	.4	.4	.3	.1	.4	.2	.3	.0	.1	.5	.6	.3
25	.3	.1	.4	.3	.4	.2	.3	.0	.1	.5	.5	.2
26	.4	.7	.4	.2	.3	.1	.3	.0	.1	.1	.7	.4
27	1.1	.5	.3	.2	.4	.2	.3	.0	.1	.2	.8	.4
28	1.1	.7	.4	.2	.4	.2	.3	.1	.0	.5	1.1	.5
29	1.0	.5	.3	.2	.4	.2	.3	.2	.0	.7	.7	.6
30	.8	.3	.2	.2	.4	.2	.3	.1	.0	.7	.8	1.1
31	.7	.3	.3	.4	.4	.4	.3	.2	.6	.6	1.2	
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	1.1	.9	.9	.6	.4	.6	.3	.5	.2	.7	1.1	1.4
MEAN:	.54	.46	.32	.35	.32	.34	.22	.26	.11	.32	.64	.60
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.37	ANNUAL MAX:		1.4				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42101) Carbon monoxide

SITE ID: 49-035-4002 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (53230) Murray
 SITE ADDRESS: 4951 South Galleria Dr
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: MOBILE
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.6629611
 LONGITUDE: -111.9018514
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1295
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (093) INSTRUMENTAL GAS FILTER CORRELATIO

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.4	.4	.6	.3	.4	.3	.1	.4	.1	.5	.7	.3
2	.5	.4	.7	.4	.4	.2	.1	.3	.2	.4	.8	.4
3	.5	.3	.2	.2	.3	.2	.0	.3	.2	.4	.6	.4
4	.5	.3	.2	.2	.3	.3	.0	.3	.3	.3	.5	.5
5	.7	.3	.4	.3	.1	.4	.0	.4	.4	.2	.4	.3
6	.4	.7	.1	.5	.1	.3	.0	.2	.5	.4	.4	.8
7	.3	.5	.1	.4	.3	.3	.1	.3	.5	.3	.5	.9
8	.7	.5	.2	.2	.4	.3	.1	.2	.3	.5	.5	.6
9	.6	.7	.4	.4	.3	.3	.1	.2	.3	.4	.6	.6
10	.8	.9	.6	.4	.3	.3	.2	.2	.3	.2	.7	.6
11	.4	.5	.3	.4	.3	.3	.2	.3	.2	.1	.9	.6
12	.4	.3	.1	.4	.2	.3	.1	.3	.3	.1	.8	.7
13	.9	.4	.1	.2	.1	.3	.0	.3	.2	.2	1.0	.8
14	.7	.1	.2	.4	.2	.3	.3	.3	.3	.2	.2	1.0
15	.6	.2	.1	.4	.3	.3	.4	.3	.2	.1	.5	.8
16	1.1	.3	.2	.3	.4	.4	.3	.3	.3	.1	.6	.9
17	1.1	.3	.2	.2	.3	.3	.2	.2	.3	.2	.2	.6
18	.4	.3	.2	.2	.2	.4	.2	.2	.3	.3	.4	.6
19	.5	.4	.5	.3	.3	.4	.2	.2	.3	.3	.5	.4
20	.6	.2	.3	.3	.3	.4	.2	.3	.3	.2	.5	.5
21	.9	.4	.5	.2	.3	.3	.1	.3	.4	.4	.5	.5
22	1.2	.7	.2	.3	.4	.2	.1	.4	.2	.6	.6	.3
23	1.0	.6	.3	.3	.4	.4	.2	.2	.3	.7	.7	.2
24	.7	.5	.4	.2	.3	.3	.1	.1	.4	.6	.5	.2
25	.6	.2	.4	.3	.2	.4	.1	.3	.4	.7	.4	.2
26	.5	.6	.5	.3	.3	.4	.1	.3	.4	.2	.8	.2
27	.8	.5	.3	.2	.3	.4	.1	.2	.4	.3	.8	.2
28	1.0	.6	.2	.2	.4	.4	.2	.2	.2	.5	.7	.1
29	1.1	.4	.3	.3	.4	.3	.3	.3	.3	.6	.4	.5
30	.8	.3	.2	.3	.3	.3	.2	.2	.2	.7	.4	.7
31	.8	.2	.2	.2	.2	.3	.3	.1	.6	.6	.8	.8
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	1.2	.9	.7	.5	.4	.4	.4	.4	.5	.7	1.0	1.0
MEAN:	.69	.43	.30	.30	.29	.32	.15	.26	.30	.36	.57	.52
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.38		ANNUAL MAX:		1.2			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42101) Carbon monoxide

SITE ID: 49-049-4001 POC: 2
 COUNTY: (049) Utah
 CITY: (45090) Lindon
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.341389
 LONGITUDE: -111.713611
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1442
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (093) INSTRUMENTAL GAS FILTER CORRELATIO

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.6	.4	.6	.2	.4	.1	.1	.4	.2	.2	.5	.4
2	.6	.3	.6	.2	.4	.1	.2	.4	.2	.3	.5	.4
3	.7	.2	.4	.2	.4	.1	.1	.3	.3	.3	.5	.2
4	.7	.2	.4	.3	.3	.1	.2	.4	.3	.2	.5	.4
5	.5	.2	.5	.3	.4	.1	.2	.4	.3	.2	.5	.4
6	.6	.3	.4	.2	.4	.1	.1	.4	.3	.3	.0	.4
7	.6	.3	.4	.3	.4	.1	.2	.4	.3	.3	.1	.5
8	.6	.2	.5	.2	.4	.1	.2	.4	.2	.3	.1	.6
9	.6	.3	.5	.3	.4	.1	.2	.4	.3	.3	.2	.6
10	.6	.4	.5	.3	.4	.2	.2	.4	.3	.2	.3	.3
11	.5	.4	.6	.3	.3	.1	.2	.4	.2	.2	.3	.1
12	.5	.3	.4	.3	.3	.1	.2	.4	.3	.2	.3	.1
13	.6	.4	.4	.2	.3	.2	.2	.5	.3	.3	.3	.1
14	.6	.3	.4	.3	.4	.3	.2	.5	.3	.2	.1	.2
15	.8	.3	.4	.3	.4	.3	.3	.5	.3	.2	.4	.2
16	.8	.4	.4	.3	.4	.4	.2	.1	.3	.2	.4	.4
17	.8	.4	.4	.3	.4	.1	.3	.1	.3	.3	.1	.4
18	.2	.4	.4	.3	.4	.1	.2	.2	.4	.3	.1	.3
19	.2	.5	.5	.3	.4	.1	.2	.2	.3	.3	.1	.4
20	.2	.4	.5	.3	.4	.2	.2	.2	.1	.3	.1	.2
21	.4	.4	.5	.3	.4	.2	.2	.2	.1	.4	.1	.2
22	.4	.4	.5	.3	.4	.1	.2	.2	.1	.4	.2	.0
23	.3	.5	.5	.4	.4	.0	.3	.1	.1	.4	.2	.4
24	.6	.5	.6	.3	.5	.0	.3	.1	.1	.4	.2	.1
25	.6	.4	.5	.3	.4	.0	.3	.2	.2	.4	.2	.0
26	.3	.4	.5	.3	.5	.1	.3	.2	.1	.3	.3	.0
27	.5	.5	.5	.3	.5	.0	.3	.2	.1	.3	.3	.1
28	.5	.5	.4	.3	.5	.1	.3	.2	.1	.4	.2	.3
29	.5		.1	.3	.5	.1	.3	.2	.2	.5	.3	.4
30	.5		.1	.3	.1	.1	.4	.2	.2	.5	.3	.4
31	.5		.1		.1		.3	.2		.5		.5
NO.:	31	28	31	30	31	29	31	31	30	31	30	31
MAX:	.8	.5	.6	.4	.5	.3	.4	.5	.4	.5	.5	.6
MEAN:	.53	.36	.44	.28	.38	.11	.23	.29	.23	.31	.26	.29
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:		.31	ANNUAL MAX:		.8				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42101) Carbon monoxide

SITE ID: 49-057-1003 POC: 1
 COUNTY: (057) Weber
 CITY: (33540) Harrisville
 SITE ADDRESS: 425 W 2550 NORTH, OGDEN, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 630-08-0
 LATITUDE: 41.3036139529
 LONGITUDE: -111.98787086
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1331
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (093) INSTRUMENTAL GAS FILTER CORRELATIO
 PQAQO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.4	.4	.6	.1	.2	.2	.3	.2	.2	.2	.4	.5
2	.3	.4	.6	.2	.1	.1	.2	.1	.2	.2	.4	.4
3	.5	.4	.5	.2	.1	.2	.2	.1	.2	.2	.5	.4
4	.4	.4	.5	.2	.1	.2	.2	.2	.2	.2	.4	.4
5	.4	.4	.5	.1	.2	.2	.2	.2	.2	.2	.4	.3
6	.5	.5	.5	.2	.1	.2	.2	.2	.1	.2	.3	.4
7	.4	.6	.5	.2	.1	.2	.2	.3	.1	.2	.3	.4
8	.4	.5	.5	.1	.2	.2	.2	.1	.1	.4	.3	.5
9	.4	.5	.5	.2	.2	.2	.2	.1	.1	.4	.4	.4
10	.5	.5	.6	.2	.2	.2	.2	.1	.1	.2	.5	.5
11	.4	.5	.7	.2	.1	.2	.3	.2	.1	.2	.5	.5
12	.4	.4	.5	.2	.1	.2	.2	.1	.2	.2	.5	.5
13	.6	.6	.5	.1	.1	.2	.2	.2	.2	.3	.5	.5
14	.5	.5	.5	.1	.1	.2	.3	.3	.1	.2	.3	.5
15	.5	.5	.5	.2	.1	.2	.2	.1	.2	.2	.4	.7
16	.6	.5	.5	.3	.2	.3	.3	.1	.2	.2	.4	.6
17	.7	.5	.5	.1	.2	.2	.2	.1	.2	.3	.2	.6
18	.4	.5	.5	.1	.1	.2	.3	.1	.2	.2	.4	.4
19	.4	.6	.2	.2	.2	.2	.2	.1	.3	.2	.4	.3
20	.4	.5	.2	.2	.2	.2	.3	.2	.2	.3	.5	.5
21	.6	.6	.2	.1	.2	.2	.2	.2	.2	.4	.4	.5
22	.7	.6	.1	.2	.2	.2	.2	.3	.2	.4	.4	.4
23	.6	.6	.1	.2	.2	.2	.2	.1	.1	.4	.5	.4
24	.6	.6	.2	.2	.2	.2	.2	.1	.2	.4	.5	.4
25	.7	.5	.2	.1	.1	.3	.2	.2	.3	.3	.4	.3
26	.4	.6	.2	.2	.2	.2	.2	.1	.2	.2	.4	.3
27	.6	.6	.2	.2	.2	.3	.2	.1	.2	.3	.5	.3
28	.7	.7	.1	.1	.2	.2	.6	.2	.2	.4	.4	.4
29	.7		.2	.2	.2	.2	.3	.2	.2	.5	.4	.5
30	.7		.1	.1	.2	.2	.1	.2	.1	.5	.4	.6
31	.6		.2		.2		.1	.1		.4		.6
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	.7	.7	.7	.3	.2	.3	.6	.3	.3	.5	.5	.7
MEAN:	.52	.52	.38	.17	.16	.21	.23	.16	.18	.29	.41	.45
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.30		ANNUAL MAX:		.7			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.