

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 2375784

Report Code: AMP350MX

Apr. 22, 2026

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			42602							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2025 01 01	2025 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 Annual 2024
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-003-0005 POC: 1
 COUNTY: (003) Box Elder
 CITY: (08460) Brigham City
 SITE ADDRESS: 340 Paxton Pl, BRIGHAM CITY, UT
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 41.485007
 LONGITUDE: -112.021476
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1334
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	14.2	21.4	30.8	12.7	21.0	9.2	20.5	20.5	15.4	16.9	23.4	19.6
2	26.4	19.2	27.6	25.6	18.5	3.8	13.3	4.4	31.9	28.5	17.8	19.7
3	30.4	11.3	16.7	11.4	22.3	10.4	17.2	7.7	26.7	15.1	31.2	9.5
4	24.6	3.3	16.0	4.7	4.2	11.8	6.4	13.7	34.6	3.8	26.0	16.6
5	18.9	6.6	25.4	13.0	3.0	10.8	7.8	18.3	28.7	6.2	27.2	12.3
6	25.1	21.7	18.1	12.9	4.8	19.9	6.1	26.3	13.8	14.2	23.5	18.7
7	4.7	23.6	4.2	31.6	10.3	15.7	18.8	23.6	21.2	26.5	24.9	19.5
8	20.8	18.0	15.3	25.7	29.0	8.2	28.1	10.8	17.1	25.3	17.7	26.2
9	17.7	17.8	21.8	19.4	24.3	9.7	22.3	16.4	9.9	28.4	18.7	26.9
10	26.0	26.4	35.2	33.2	18.7	21.9	11.7	18.6	19.2	7.5	32.6	30.0
11	10.6	6.5	29.7	35.1	4.5	21.4	16.6	21.0	11.6	3.4	32.4	26.3
12	19.0	24.3	16.0	13.0	3.2	14.6	14.3	22.9	30.4	8.8	28.1	26.3
13	27.1	29.2	4.8	3.6	3.5	13.9	12.8	24.0	10.7	19.0	33.4	27.8
14	16.8	24.5	21.4	19.4	12.0	11.4	19.5	25.4	15.7	9.8	11.0	25.9
15	29.3	17.6	13.6	38.2	20.4	9.5	21.0	26.8	11.6	7.0	19.7	28.3
16	32.3	17.8	1.3	35.1	20.3	25.5	19.6	5.1		12.1	13.9	29.0
17	30.5	21.0	4.0	5.9	12.3	12.2	26.0	10.2	16.5	19.8	15.1	28.1
18	21.1	22.9	4.3	4.3	5.2	20.7	16.3	21.3	29.8	23.1	24.0	29.0
19	17.1	28.2	28.9	13.7	8.9	20.6	10.2	28.5	31.4	12.5	19.6	14.2
20	27.3	25.9	19.5	7.8	22.7	7.0	11.7	31.1	13.6	7.0	19.8	23.0
21	27.4	24.8	27.7	17.3	25.5	1.8	5.7	14.6	8.1	27.1	21.9	20.7
22	32.4	30.1	10.0	20.9	19.7	2.1	6.6	21.5	14.4	26.4	15.8	28.7
23	32.0	27.9	11.8	14.4	13.0	11.4	12.1	10.1	4.7	29.6	17.8	24.5
24	35.6	31.0	24.8	10.5	4.4	8.7	13.2	6.4	21.6	28.9	22.5	12.7
25	11.8	21.2	23.7	3.0	4.8	17.4	25.5	12.4	29.5	22.6	24.4	1.6
26	13.2	28.5	26.1	9.6	7.9	27.9	9.8	17.2	23.8	8.6	27.4	10.0
27	23.0	29.4	34.4	5.4	9.3	18.8	6.2	15.3	9.5	10.7	22.8	6.7
28	27.8	35.6	14.7	20.2	25.1	10.4	26.2	20.4	6.9	26.8	22.8	11.2
29	33.0		11.2	20.8	17.7	2.6	25.7	19.0	25.1	27.4	16.1	27.7
30	36.3		14.4	9.0	23.2	16.1	10.6	15.8	11.3	30.0	13.2	27.4
31	33.0		21.3		14.3		10.7	9.2		27.0		26.6
NO.:	31	28	31	30	31	30	31	31	28	31	30	31
MAX:	36.3	35.6	35.2	38.2	29.0	27.9	28.1	31.1	34.6	30.0	33.4	30.0
MEAN:	24.05	21.99	18.54	16.58	14.00	13.18	15.24	17.37	19.04	18.48	22.10	21.12
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:	18.45	ANNUAL MAX:	38.2						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-003-7001 POC: 1
 COUNTY: (003) Box Elder
 CITY: (00000) Not in a city
 SITE ADDRESS: 8600 WEST 24000 NORTH PORTAGE, UTAH
 SITE COMMENTS: SITE IS LOCATED IN MALAD VALLEY
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 41.945874098
 LONGITUDE: -112.23397302
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1369
 PROBE HEIGHT: 4

SUPPORT AGENCY: (195) Northwestern Band of Shoshoni Nation of Utah (Washakie)
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (599) Instrumental Chemiluminescence Tel
 PQAQ: (195) Northwestern Band of Shoshoni Nation of Utah (Washakie)

REPORT FOR: 2025

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .05

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	3.2	4.1	.3	1.0				.0	1.3	3.4	3.1	7.4
2	2.9	1.2	2.3	1.4				6.6		3.4	3.7	
3	3.4	2.0	.1	.8				3.3	1.6	2.6	4.2	1.8
4	2.4	3.1		1.1				.0	1.3	1.8	3.3	3.7
5	2.8	1.0	1.1	.5				.0	1.2	1.0	5.4	6.2
6	1.6	.4	.4	1.0				.0	1.2		1.3	1.3
7	.2	2.3	.0	2.9		.0		.0	.8	1.9	4.6	3.6
8	1.4	-.5	.0	.8		.0		.0	1.6	2.9	.6	1.9
9	1.3	.3	1.1	1.4		.0		.0	.3		1.4	4.6
10	3.4	1.5		1.9		.0		.0	1.5	6.7	4.8	5.4
11	2.9	.0	2.5	2.3		.0		.0	2.2	1.6	5.4	6.4
12	.0	.1		1.2				.0	.0	1.2		5.3
13	2.8	7.5	.9	1.1		.0			.3	2.1	5.6	6.5
14	4.0	4.4	1.6	1.1		.0			.3	2.7	3.5	5.8
15	.6	-.7	2.2	1.9		.0	.0		.0	1.9	1.9	10.6
16	6.5	2.9	2.6	2.8		.0	1.7		.0	3.9	5.0	16.7
17	11.4	4.8	.4			.0	.0			2.7	2.3	18.3
18	.0	2.2		.8		.0	.0		.6	1.0		3.7
19	1.2	6.5	1.5	.9		.0	.0		.9	1.9	6.2	4.2
20	.4	2.1	2.1	3.7		.0	.0		2.6	1.1		2.4
21	2.9	.1	1.8	1.0		.0	.0	.5	.9	1.8	2.5	3.9
22	1.1		1.5			.0	.0	.3	1.3	7.3	1.8	1.2
23	2.0	3.6	.6			.0	.0	2.6	.6	1.7	2.4	8.2
24	2.8	5.8	3.7			.0	.0	2.8	.6	4.2	4.8	4.5
25	.5	1.5	.7			.0	.0	2.5	1.4	4.0	2.0	1.3
26	.0	.1	1.5			.0	.0	4.6	1.5	2.1		
27	2.1	2.7	2.9			.0	.0		1.7	.7	4.8	
28	1.3	.6	.9					2.4	.6	1.9	1.8	
29	1.5		1.1			.0	.0	2.2		4.8	2.2	3.8
30	2.1		1.1			.0	.0	1.8		1.7	1.8	8.9
31	5.7		.9			.0	.0	1.4		3.3		5.6
NO.:	31	27	27	20	0	16	16	22	25	29	26	27
MAX:	11.4	7.5	3.7	3.7		0.0	1.7	6.6	2.6	7.3	6.2	18.3
MEAN:	2.40	2.21	1.33	1.48		0.00	.11	1.41	1.05	2.67	3.32	5.67
ANNUAL OBSERVATIONS:	266		ANNUAL MEAN:		2.16		ANNUAL MAX:		18.3			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-005-0007 POC: 1
 COUNTY: (005) Cache
 CITY: (69640) Smithfield
 SITE ADDRESS: 675 West 220 North
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 41.842649
 LONGITUDE: -111.852199
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	12.8	9.7	26.5	4.4	13.4	4.3	6.4	6.2	6.7	8.5	15.7	19.0
2	22.9	4.9	20.9	17.8	9.8	4.0	5.9	5.8	18.2	13.1	15.4	23.5
3	19.3	16.4	9.8	14.5	5.8	6.2	9.0	6.8	18.3	6.7	19.6	9.6
4	17.1	6.9	7.9	13.6	3.2	5.5	3.1	13.3	8.3	2.1	25.7	16.4
5	10.2	8.4	18.8	12.9	4.4	4.7	4.7	9.6	10.3	2.1	17.1	9.9
6	10.9	20.2	10.5	17.4	1.7	5.2	3.1	10.9	7.4	6.7	12.8	5.0
7	21.9	8.5	10.9	14.7	4.6	5.1	5.7	8.7	5.9	15.1	13.8	9.7
8	10.3	10.8	17.8	13.3	6.0	5.0	8.1	7.9	5.1	13.2	17.6	23.9
9	22.9	15.3	24.1	10.7	7.6	4.3	8.6	4.0	7.1	14.9	12.8	12.5
10	19.9	13.7	16.7	17.2	6.9	5.3	3.7	4.3	11.1	7.5	20.5	13.2
11	7.6	4.3	17.8	21.0	4.5	5.8	7.2	8.1	12.6	5.0	20.1	19.5
12	9.1	9.1	33.1	5.2	6.1	4.9	4.8	7.7	7.3	4.1	24.3	16.9
13	18.8	16.2	4.7	3.8	2.4	5.8	4.1	12.3	4.6	13.7	20.2	17.5
14	13.2	14.3	12.5	18.7	5.8	9.7	9.8	5.9	5.2	5.7	11.8	19.3
15	24.0	13.4	8.8	13.8	8.9	7.6	6.2	9.8	5.5	12.2	16.6	26.7
16	24.4	9.6	6.0	19.2	6.5	5.4	10.8	4.4	11.5	6.6	10.4	24.7
17	21.5	12.4	7.3	2.5	6.5	7.8	5.6	3.9	11.1	10.1	15.4	24.2
18	13.4	10.7	2.8	6.8	2.1	6.8	5.9	7.5	6.3	9.1	14.1	18.9
19	13.8	17.5	17.3	10.5	5.5	5.8	4.2	8.6	9.9	9.3	12.0	9.4
20	17.7	13.5	17.6	5.2	6.6	3.5	5.8	11.4	5.9	9.2	18.2	16.9
21	25.5	16.5	10.0	9.0	5.4	1.4	11.3	10.8	5.5	18.6	13.1	9.3
22	24.2	16.6	2.5	14.4	6.1	2.7	7.1	12.3	3.7	18.4	6.6	12.2
23	29.6	23.5	5.5	5.0	5.8	3.1	6.1	7.9	13.9	18.6	3.1	21.0
24	22.0	24.2	19.0	7.4	5.0	4.4	9.0	4.4	11.6	18.0	9.2	6.2
25	15.5	14.7	18.3	14.0	4.6	4.5	9.8	5.8	7.3	19.1	21.1	1.6
26	11.2	16.9	16.8	6.3	4.9	9.0	5.1	10.5	7.4	2.6	22.5	3.5
27	16.9	30.0	16.7	5.5	6.1	5.5	5.4	6.4	9.7	7.5	16.2	4.8
28	29.6	27.1	11.3	9.0	7.7	3.9	10.2	10.4	3.6	22.8	18.2	11.8
29	27.0		9.3	13.4	6.2	4.7	8.7	8.5	9.7	21.1	12.5	24.3
30	30.3		7.2	5.7	8.2	4.6	7.3	7.8	7.6	19.9	6.7	23.3
31	23.4		5.9		5.1		11.8	5.9		18.7		22.9
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	30.3	30.0	33.1	21.0	13.4	9.7	11.8	13.3	18.3	22.8	25.7	26.7
MEAN:	18.93	14.48	13.36	11.10	5.92	5.22	6.92	7.99	8.61	11.62	15.44	15.41
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	11.24	ANNUAL MAX:	33.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-007-1003 POC: 1
 COUNTY: (007) Carbon
 CITY: (62030) Price
 SITE ADDRESS: On Prperty of Resident at 351 W 2500 E. Price, Utah
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 39.59575
 LONGITUDE: -110.770111
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1737.6
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SPM
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	8.1	8.8	3.5	2.6	3.2	4.3	3.0	3.6	3.5	5.4	3.7	2.3
2	7.2	4.6	3.1	3.9	3.5	9.9	3.7	2.7	7.0	3.3	3.0	5.3
3	7.0	8.2	2.7	9.0	5.6	4.8	4.4	2.0	9.3	3.5	4.4	8.3
4	7.7	10.5	2.5	3.1	2.1	4.3	4.2	3.1	5.9	2.0	4.5	7.8
5	7.8	7.2	5.0	2.3	3.4	4.2	5.8	8.6		3.6	3.4	5.3
6	5.4	6.1	9.2	4.6	2.2	3.0	2.7	4.1	5.6	2.8	3.3	9.2
7	6.0	4.6	2.8	4.6	4.6	4.4	3.7	4.9	2.8	3.4	2.8	3.4
8	6.0	2.0	2.3	9.8	6.2	3.7	4.8	4.8	4.4	6.6	5.8	4.1
9		2.6	2.8	4.7	3.9	4.8	3.7	2.8	5.0	8.5	2.3	5.3
10	8.5	5.3	5.0	4.2	2.7	3.0	2.7	2.4	4.1	4.5	3.5	9.0
11	5.6	8.8	5.3	4.4	3.0	3.4	2.3	2.3	5.9	1.9	4.2	6.3
12	4.2	5.1	6.9	4.1	6.7	6.6	2.9	3.6	5.3	2.4	4.3	8.1
13	4.4	11.1	4.1	2.6	4.0	2.5	2.5	5.5	4.5	4.9	3.9	6.3
14	12.2	16.2	3.5	3.3	1.6	4.2	4.2	6.2	2.4	5.2	7.2	6.3
15	5.9	9.5	4.5	3.5	5.7	2.2	4.1	3.9	3.7	5.9	6.4	4.7
16	10.0	2.9	2.4	6.3	4.1	4.4	3.1	3.8	9.4	5.7	6.8	10.7
17	7.8	6.4	8.1	3.9	7.4	3.9	3.0	3.7	2.8	5.5	2.3	9.9
18	4.0	3.7	4.4	7.1	2.5	3.0	4.3	4.8	3.7	5.5	4.7	3.0
19	7.6	7.8	3.5	3.5	2.2	3.2	3.2	3.1	4.8	2.5	2.8	8.2
20	3.5	6.5	5.3	6.9	6.6	4.9	5.6	7.7	4.5	2.1	5.1	4.9
21	6.9	2.6	6.9	3.6	5.5	5.5	4.9	5.0	3.1	7.4	8.6	4.4
22	11.2	2.6	4.2	4.5	3.9	1.4	4.8	5.5	3.7	6.0	5.1	3.5
23	6.0	3.9	2.2	4.2	5.1	5.3	5.7	5.2	3.2	9.7	4.6	7.1
24	5.1	5.4	5.3	3.4	4.5	4.1	3.7	5.7	4.2	4.4	4.8	11.6
25	11.1	5.6	4.5	8.7	3.0	3.6		4.4	4.1	2.9	2.8	11.2
26	6.3	3.7	3.6	1.8	3.4	3.6	5.3	4.2	6.2	3.4	3.7	10.1
27	7.2	4.8	4.7	2.6	4.8	3.7	2.5	4.1	3.5	2.7	4.4	6.9
28	6.7	6.7	7.3	3.9	4.0	5.7	3.7	3.9	3.8	12.3	3.0	2.2
29	4.4		3.7	4.6	6.8	4.1	5.9	5.0	3.8	6.2	1.7	4.9
30	6.8		5.8	4.5	3.1	3.5	5.1	5.8	5.1	7.5	6.1	8.3
31	8.7		9.0		4.5		4.4	5.5		11.7		11.1
NO.:	30	28	31	30	31	29	30	31	29	31	30	31
MAX:	12.2	16.2	9.2	9.8	7.4	9.9	5.9	8.6	9.4	12.3	8.6	11.6
MEAN:	6.98	6.19	4.65	4.54	4.19	4.21	4.00	4.45	4.67	5.14	4.31	6.76
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:	5.00	ANNUAL MAX:	16.2						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-011-0004 POC: 1
 COUNTY: (011) Davis
 CITY: (07690) Bountiful
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH
 SITE COMMENTS: NEW SITE TO REPLACE 490110001
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.902967
 LONGITUDE: -111.884467
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1309
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	30.5	33.9	33.6	10.0	22.6	10.1	20.5	18.3	17.6	26.2	24.1	40.8
2	23.4	18.2	33.1	17.3	22.8	7.7	26.2	12.4	21.1	32.1	24.9	32.0
3	29.1	3.9	19.9	26.0	14.3	4.8	13.9	12.1		13.3	42.0	
4	13.0	4.1	12.3	21.2	7.8		12.5	30.9	29.5	6.5	26.7	27.6
5	28.0	22.8	31.3	6.8	14.4		13.0	20.0	24.2	6.5	44.6	30.4
6	30.6	33.5	8.6	21.9	8.2	6.1	8.7	33.8	14.7	42.7	27.1	18.3
7	17.0	24.1	15.8	35.6	4.8	9.5	16.7	25.3	10.2	27.4	28.6	31.9
8	40.3	30.0	29.5	17.7	20.3	9.4	20.1	14.4	19.1	30.3	25.0	38.3
9	34.1	30.2	25.4	27.6	20.9	20.6	28.9	16.1	18.3	39.1	27.3	42.1
10	32.5	36.0	29.3	28.0	12.7	21.6	14.6	12.9	22.3	19.2	39.4	40.8
11	19.2	32.2	34.5	21.1	4.2	21.9	22.5	31.1	22.8	6.0	57.4	42.1
12	23.9	23.7	4.0	21.9	4.1	20.9	8.7	44.0	21.1	9.2	41.1	69.2
13	28.0	40.7	5.7	4.2	7.7	13.8	14.6	30.8	15.8	45.1	39.4	32.8
14	27.5	30.3	15.3	22.9	6.4	18.2	34.9	24.7	13.2	14.1	19.8	31.8
15	36.9	8.4	10.9	29.6	13.2	14.5	32.5	22.5	17.9	21.5	21.2	46.0
16	40.2	29.6	9.5	36.3	24.2	18.1	27.0	7.4	16.1	21.6	18.5	
17	46.3	28.8	4.4	6.9	8.5	15.5	34.6	10.4	33.9	20.1	20.6	37.5
18	10.1	16.5	12.7	7.7	12.9	15.2	11.8	22.7	28.7	18.8	33.8	55.5
19	36.7	40.8	15.2	21.0	9.9	14.1	10.9	34.7	20.5	17.1	25.5	31.1
20	25.0	35.3	21.7	17.4	20.5	7.0	8.8	32.2	14.2	19.1	24.8	21.9
21	41.7	19.6	42.5	8.4	13.4	5.3	2.5	22.4	7.4	33.2	23.7	26.0
22	38.5	30.6	13.0	20.7	21.9	2.9	9.1	32.1	20.9	30.1	20.8	3.2
23	40.1	25.9	21.2	30.6	11.1	13.6	41.5	43.1	33.3	30.0	22.4	47.9
24	38.9	31.6	31.3	10.8	7.1	18.3	14.1	6.4	25.2	25.5	30.0	13.9
25	16.4	24.2	23.0	6.8	9.4	17.1	11.6	20.4	36.1	21.5	28.1	1.0
26	24.4	32.8	24.4	13.0	8.1	25.9	10.8	15.7	16.8	13.7	31.3	11.8
27	37.9	34.6	10.7	8.3	18.6	12.7	2.6	17.8	17.1	19.7	30.8	13.3
28	38.3	37.5	12.3	10.9	23.5	17.1	31.1	12.9	7.8	30.6	30.5	8.1
29	38.3		29.2	23.9	18.2	9.5	32.4	20.4	26.3	32.5	24.5	33.7
30	41.0		16.2	8.0	16.2	23.9	18.7	19.6	17.8	37.7	24.0	79.9
31	39.9		28.2		11.7		7.0	18.6		27.1		66.7
NO.:	31	28	31	30	31	28	31	31	29	31	30	29
MAX:	46.3	40.8	42.5	36.3	24.2	25.9	41.5	44.0	36.1	45.1	57.4	79.9
MEAN:	31.22	27.14	20.15	18.08	13.54	14.12	18.15	22.13	20.34	23.79	29.26	33.64
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:	22.61	ANNUAL MAX:	79.9						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-011-0004 POC: 2
 COUNTY: (011) Davis
 CITY: (07690) Bountiful
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH
 SITE COMMENTS: NEW SITE TO REPLACE 490110001
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.902967
 LONGITUDE: -111.884467
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1309
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (256) Instrumental - Teledyne API - Mode
 PQA0: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	28.5	35.6	31.5	9.1	22.5	9.0	18.4	16.7	15.7	22.1	23.7	33.3
2	24.4	19.7	29.6	16.0	22.0	7.4	23.5	11.3	19.3	31.6	24.2	32.6
3	30.0	5.5	18.8	25.4	13.0	5.4	12.3	10.6	30.8	13.1	37.9	24.5
4	15.7	6.2	11.1	20.0	7.4	19.3	10.8	30.2	23.6	5.9	25.2	
5	29.0	23.4	30.2	6.2	13.7	24.1	11.6	19.4	21.8	6.3	41.6	31.9
6	29.2		7.6	20.6	7.6	5.1	7.7	29.6	13.0	36.2	22.5	19.5
7	13.9		15.6	34.5	6.9	8.6	15.1	21.9	8.6	26.5	28.2	32.7
8	39.0	26.6	28.1	17.2	19.1	7.9	18.3	13.0	17.6	27.1	24.9	41.5
9	34.1	26.3	24.0	26.1	20.1	18.4	25.2	14.5	16.2	35.5	26.6	40.9
10	32.5	32.5	27.9	27.1	11.6	19.8	13.5	11.0	21.1	17.9	37.9	45.1
11	19.0	30.4	33.9	19.6	3.6	19.1	19.7	28.4	21.3	5.8	52.9	44.6
12	24.0	22.4	3.6	20.9	3.7	18.8	7.8	34.6	19.8	8.0	36.3	56.4
13	27.8	39.2	5.5	3.5	7.2	11.4	12.3	28.6	14.6	35.1	35.4	32.6
14	27.0	30.2	14.8	21.0	5.4	15.8	26.3	22.3	12.6	14.4	21.3	32.5
15	36.1	7.6	10.2	27.4	12.5	11.6	29.9	20.1	17.7	20.9	21.8	42.8
16	32.1	29.2	10.5	35.3	22.8	16.6	25.4	6.7	14.7	21.1	18.5	73.8
17	41.9	27.7	4.1	5.8	7.7	13.8	31.3	9.3	29.9	18.8	20.5	35.5
18	11.5	16.0	12.0	6.6	12.1		10.7	22.9	26.1	18.4	35.0	56.8
19	35.1	34.4	14.4	19.6	9.3	12.1	9.5	31.6	18.5	15.6	25.4	35.0
20	28.2	19.6	21.1	16.3	19.9	6.7	8.0	30.7	13.3	20.3	24.8	26.0
21	41.1	18.5	42.1	7.8	13.4	4.8	2.6	20.4	6.9	30.0	22.1	28.9
22	38.0	29.2	12.2	19.6	21.1	2.9	7.9	29.7	19.4	28.5	20.0	5.9
23	40.4	24.9	20.8	29.3	10.3	12.4	25.4	34.3	19.8	27.7	21.3	41.1
24	38.1	28.1	31.1	9.8	6.1	17.4	12.0	5.3	23.5	23.7	29.4	17.6
25	17.0	23.7	22.6	5.9	8.3	15.6	9.9	18.6	34.6	19.2	27.8	3.0
26	23.4	31.7	23.4	11.8	6.9	22.5	9.8	14.1	15.8	12.5	31.1	13.9
27	37.6	33.8	10.1	6.8	17.7	11.0	2.3	17.8	14.8	18.0	30.5	15.4
28	36.1	35.8	12.0	9.9	23.1	14.9	28.6	12.4	7.2		29.4	10.0
29	35.7		27.8	23.2	18.0	9.1	27.4	19.3	23.0	33.4	24.7	35.4
30	39.5		15.2	7.3	15.5	21.1	18.1	18.4	18.2	37.0	24.4	77.5
31	38.9		27.5		10.6		6.3	16.5		26.2		61.7
NO.:	31	26	31	30	31	29	31	31	30	30	30	30
MAX:	41.9	39.2	42.1	35.3	23.1	24.1	31.3	34.6	34.6	37.0	52.9	77.5
MEAN:	30.48	25.32	19.33	16.99	12.87	13.19	15.73	20.01	18.65	21.89	28.18	34.95
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:	21.42	ANNUAL MAX:	77.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-013-0002 POC: 1
 COUNTY: (013) Duchesne
 CITY: (64670) Roosevelt
 SITE ADDRESS: 290 S. 1000 W.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.2941780318
 LONGITUDE: -110.00973229
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1596
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	24.0	30.7	10.1	3.5	9.6	9.0	13.8	10.1	12.0	8.5	8.8	16.8
2	12.2	13.6	11.6	11.0	11.4	11.9	11.4	12.8	12.7	9.6	9.4	14.4
3	23.2	15.9	5.1	17.2	14.2	13.2	12.9	12.7	9.8	9.9	14.0	15.3
4	15.1	18.2	8.9	11.5	14.9	7.5	7.8	13.8	10.9	3.9	11.7	12.2
5	11.1	17.1	12.9	17.0	5.0	3.5	9.2	24.7	6.4	5.8	15.8	
6	19.6	13.1	17.4	7.8	2.7	9.4	13.8	26.7	5.7	11.6	11.4	16.1
7	7.6	12.9	9.2	17.0	9.5	12.0	12.5	18.5	7.4	8.1	12.4	5.8
8	21.2	7.0	12.6	10.1	13.8	9.2	10.1	7.3	10.6	7.7	9.1	13.7
9	16.8	8.7	16.5	16.5	14.7	10.7	9.6	5.2	12.1	9.5	10.6	9.8
10	29.1	14.8	10.8	12.3	12.2	15.6	12.7	12.7	7.0	8.5	13.7	15.1
11	9.1	9.2	13.5	12.1	5.9	12.0	9.1	10.7	9.2	4.7	15.7	13.7
12	10.8	21.4	10.2	9.1	7.2	11.4	10.0	10.8	9.6	4.7	22.5	15.1
13	14.7	11.2	22.2	9.1	11.7		10.0	12.6	9.8	12.6	13.6	12.1
14	21.0	17.8	4.7	16.8	5.4	16.0	11.1	9.1	4.9	7.6	15.6	22.1
15	15.4	11.1	6.8	13.3	6.5	15.5	15.8	16.0	9.3	7.5	14.4	16.1
16	18.4	8.2	6.9	14.9	8.0	13.4	6.2	8.2	9.8	5.2	9.2	19.4
17	20.4	21.3	19.1	10.7	6.4	19.1	9.4	7.0	10.5	6.0	19.8	15.8
18	7.8	11.8	12.4	4.8	8.3	13.0	12.5	10.6	10.0	7.3	11.4	9.4
19	14.8	16.0	10.2	12.7	7.4	11.6	11.3		10.2	6.3	8.5	16.9
20	11.5	18.9	9.3	11.3	6.8	15.1	12.7		9.7	5.0	9.5	9.6
21	22.9	9.8	9.7	15.5	12.5	15.8	13.1	10.3	6.3	10.2	10.6	11.3
22	25.1	8.6	7.4	13.9	11.7	6.5	13.1	9.4	6.2	12.5	8.4	14.7
23	20.3	11.8	4.6	11.1	10.3	16.9	7.6	6.2	6.8	15.8	10.3	21.2
24	17.5	13.9	7.2	17.1	11.5	12.2	10.9	8.3	8.0	9.4	11.3	24.8
25	20.0	10.3	15.3	8.6	9.7	9.4	7.6	7.7	9.0	6.6	18.5	7.5
26	13.4	9.5	15.5	11.2	7.6	10.4	10.3	12.7	11.3	8.5	13.3	9.9
27	24.2	22.3	10.5	10.2	9.6	10.0	9.5	5.6	9.1	7.0	13.9	11.7
28	35.5	12.9	10.8	8.2	15.0	12.8	12.8	9.2	11.5	16.3	8.9	7.5
29	35.5		15.5	10.6	13.1	11.4	10.9	13.1	8.6	11.8	9.5	18.6
30	32.0		6.9	12.1	12.8	12.9	10.9	8.5	10.8	15.0	14.4	20.9
31	30.1		11.4		11.1		8.5	10.9		13.4		23.2
NO.:	31	28	31	30	31	29	31	29	30	31	30	30
MAX:	35.5	30.7	22.2	17.2	15.0	19.1	15.8	26.7	12.7	16.3	22.5	24.8
MEAN:	19.36	14.21	11.14	11.91	9.89	11.98	10.87	11.43	9.17	8.92	12.54	14.69
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:	12.17	ANNUAL MAX:	35.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-013-7011 POC: 1
 COUNTY: (013) Duchesne
 CITY: (00000) Not in a city
 SITE ADDRESS: 6000 SOUTH AND 10000 WEST (MYTON)
 SITE COMMENTS: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: DESERT
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.2167789200
 LONGITUDE: -110.18274169
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1606
 PROBE HEIGHT: 4

SUPPORT AGENCY: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (599) Instrumental Chemiluminescence Tel
 PQAQ: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT

REPORT FOR: 2025

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .05

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10.6	27.8	11.2	5.3	5.2	7.7	5.7	8.0	11.3			
2	11.3	15.2	8.4	6.9	10.0	6.2	5.7	4.3	11.2			
3	13.0	17.8	3.9	8.4	7.6	3.4	5.7	6.6	6.6			
4	12.4	14.4	3.5	6.8	10.4	4.4	7.5	5.1	4.4			
5	5.3	14.3	5.1	8.3	6.8	6.3	9.5	13.9	5.3			
6	7.5	11.6	6.2	6.2	4.8	7.0	5.3	10.2	7.8			
7	6.0	10.3	5.1	9.9	4.2	8.9	5.3	7.9	7.7			
8	6.5	7.4	5.4	10.6	5.5	6.2	6.9	9.2	7.0			
9	6.9	6.5	7.8	9.9	4.6	5.6	6.3	8.2	8.6			
10	8.4	13.1	7.7	6.3	9.4	6.3	4.3	13.1	7.0			
11	7.8	6.4	14.6	9.1	13.1	6.3	4.7	12.3				
12	6.7	4.7	9.2	6.5	11.7	8.7	3.5	5.9	6.6			
13	11.8	9.1	8.6	20.3	5.0	6.0	3.5	7.1	7.0			
14	9.4	15.5	2.3	5.9	1.9	5.3	4.6	6.9	11.5			
15	13.4	9.6	3.4	7.5	3.2	6.7	2.9	6.9	17.1			
16	19.5	9.2	8.6	9.1	5.6	6.0	5.5	7.3	9.0			
17	18.2	10.3	9.9	6.8	5.4	4.6	6.6	6.8	6.5			
18	5.4	2.9	4.0	7.7	3.7	5.4	4.8	9.4	12.0			
19	7.8	8.5	10.3	4.7	2.3	9.0	7.3	7.4	7.4			
20	5.6	9.8	12.1	6.6	5.7	5.1	5.9		6.2			
21	13.1	21.2	3.9	6.5	10.2	4.5	6.0	7.0	9.8			
22	14.5	17.4	4.1	10.8	9.5	1.4	4.3	7.4	6.5			
23	12.4	8.5	4.5	7.0	7.6	7.8	2.9	8.2				
24	10.1	9.7	5.2	5.9	9.8	6.0	4.0	9.5	14.0			
25	9.7	9.9	9.0	8.3	8.1	5.3	5.0	4.8	9.5			
26	16.4	6.1	9.0	7.9	7.7	4.7	7.4	7.6	8.7			
27	14.8	9.0	9.0	13.7	6.9	4.7	9.3	7.9	4.7			
28	27.0	8.0	6.3	6.8	6.8	4.6	6.3	11.3	6.6			
29	29.7		8.8	5.9	9.9	7.0	8.6	10.4	6.9			
30	38.8		5.6	5.3	7.0	6.3	9.0	15.5	5.6			
31	35.7		12.1		7.7		9.7	10.2				
NO.:	31	28	31	30	31	30	31	30	28	0	0	0
MAX:	38.8	27.8	14.6	20.3	13.1	9.0	9.7	15.5	17.1			
MEAN:	13.41	11.22	7.25	8.03	7.01	5.91	5.94	8.54	8.30			
ANNUAL OBSERVATIONS:	270		ANNUAL MEAN:	8.38	ANNUAL MAX:	38.8						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-019-0007 POC: 1
 COUNTY: (019) Grand
 CITY: (50700) Moab
 SITE ADDRESS: 691 S Mill Creek Dr
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (014) FOUR CORNERS
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: COMMERCIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 38.566055
 LONGITUDE: -109.53716
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1222
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPM

REPORT FOR: 2025

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

UNITS: Parts per billion

PQAO: (1113) Utah Department Of Environmental Quality

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	17.4	15.3	17.8	3.8	10.8	6.7	4.4	6.0	12.1	13.6	12.8	14.4
2	31.8	8.7	7.8	8.2	15.2	5.6	5.6	9.1	11.9	7.3	13.9	16.9
3	16.6	3.2	26.4	7.5	4.0	4.9	8.1	10.4	12.0	4.5	22.3	15.0
4	14.8	3.4	19.7	11.7	3.9	3.6	11.0	13.7	7.1	8.0	16.8	13.9
5	13.7	4.1	9.4	6.1	5.6	4.9	8.3	6.8	6.3	12.5	19.6	20.9
6	20.7	12.4	3.9	11.3	6.5	12.9	4.5	13.8	7.6	19.8	16.1	14.8
7	13.5	1.7	4.3	13.1	4.3	13.5	9.1	7.5	7.4	17.4	22.2	14.3
8	23.8	11.1	15.4	14.8	9.7	8.8	8.4	10.5	9.8	7.3	17.3	18.7
9	16.3	9.7	9.3	15.3	12.0	4.8	11.8	4.9	8.1	8.1	16.5	21.6
10	18.8	20.0	12.8	23.0	5.3	8.1	11.7	8.6	32.1	7.8	16.7	22.1
11	14.2	15.3	21.2	13.9	3.2	8.8	7.5	10.7	4.0	3.5	17.0	14.7
12	16.9	26.7	4.1	8.3	2.4	3.5	9.8	9.1	8.8	13.8	25.6	18.5
13	18.2	28.1	1.3	10.0	1.8	7.7	10.2	9.9	8.8	10.7	18.8	13.4
14	24.7	16.4	1.9	17.6	4.6	10.4	9.0	14.6	15.7	10.2	22.0	11.5
15	24.8	10.9	4.6	16.8	5.5	6.0	3.3	12.1	13.8	7.5	16.6	16.6
16	23.5	13.8	11.3	10.5	9.4	9.4	4.7	6.2	12.5	14.9	11.5	22.5
17	21.8	16.4	8.1	7.2	4.5	8.4	10.8	6.4	14.0	12.7	8.3	23.5
18	19.0	19.3		3.6	4.2	10.8	5.6	11.8	18.0	13.9	10.4	25.4
19	18.2	15.7		21.3	13.5	8.0	4.3	12.8	19.8	5.7	17.8	22.8
20	21.4	13.6	16.2	7.8	5.4	2.0	8.2	7.5	15.5	8.0	13.5	20.0
21	27.6	19.2	15.5	5.5	15.5	1.4	8.7	14.2	5.6	16.5	15.8	12.0
22	17.2	11.6	12.7	14.7	5.1	1.7	9.9	7.9	12.2	19.7	18.3	7.8
23	27.0	11.8	6.5	8.5	5.4	6.9	9.3	7.3	13.1	16.4	9.8	22.3
24	22.0	22.3	14.0	10.9	5.4	7.0	9.8	11.6	18.8	15.4	14.4	12.1
25	14.0	18.8	18.5	10.2	13.7	10.8	11.0	8.9	13.5	16.5	16.1	5.2
26	13.0	22.1	12.2	2.7	7.5	8.0	6.1	12.3	12.9	7.3	23.4	2.6
27	29.6	15.5	10.1	2.5	10.7	7.9	8.9	15.3	7.8	3.9	14.1	4.0
28	23.7	17.0	2.1	5.0	4.5	10.2	5.2	14.0	7.3	17.9	20.3	11.1
29	17.8		3.1	9.0	9.8	8.7	8.3	10.6	13.0	18.8	13.5	19.7
30	26.6		9.6	8.3	11.6	8.0	5.6	12.3	5.4	11.8	9.1	19.4
31	15.8		12.1		7.5		5.5	14.6		14.4		21.1
NO.:	31	28	29	30	31	30	31	31	30	31	30	31
MAX:	31.8	28.1	26.4	23.0	15.5	13.5	11.8	15.5	32.1	19.8	25.6	25.4
MEAN:	20.14	14.43	10.76	10.30	7.37	7.31	7.89	10.63	11.58	11.98	16.55	16.09
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:	12.08	ANNUAL MAX:	32.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-021-0005 POC: 1
 COUNTY: (021) Iron
 CITY: (23200) Enoch
 SITE ADDRESS: 3840 North 325 East
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (014) FOUR CORNERS
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 37.74743
 LONGITUDE: -113.055525
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1692
 PROBE HEIGHT: 4

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	19.1	12.8	17.4	10.4	16.0	7.4	17.6	17.0	13.7	19.8	19.2	22.5
2	23.5	7.7	12.6	19.9	22.1	4.7	16.7		21.0	24.4	20.1	24.7
3	21.3	20.8	12.7	6.0	18.2	13.8	8.7	7.1	20.6	5.9	26.5	13.5
4	7.9	9.5	18.9	20.6	5.3	9.7	9.5	13.6	22.8	5.1	25.4	21.7
5	17.1	7.6	15.6	13.0	7.3	7.3	9.4	22.9	15.3	9.3	23.7	25.0
6	21.5	21.5	5.0	10.9	12.8	13.8	10.5	15.2	10.8	19.9	25.5	24.9
7	4.9	1.1	13.6	31.1	15.4	16.7	14.1	24.4	9.4	22.4	22.9	17.7
8	25.4	10.3	13.6	25.1	18.4	9.3	16.9	20.8	23.8	28.0	12.7	26.6
9	6.3	12.3	15.8	25.2	22.6	15.1	18.5	13.5	17.8	14.1	15.2	29.3
10	25.2	21.2	29.8	27.5	15.8	14.0	16.6	10.9	5.3	12.1	25.6	26.1
11	13.5	17.5	26.7	25.1	2.9	17.0	18.6	21.2	16.8	3.5	26.3	27.9
12	5.9	25.5	6.1	5.5	4.7	17.7	15.0	21.7	21.5	10.2	24.7	27.7
13	10.5	15.5	4.7	8.3	5.2	13.9	13.8	24.7	15.1	19.4	29.1	24.9
14	14.1	7.9	11.7	11.0	9.2	12.2	19.7	16.6	13.0	10.4	17.4	20.9
15	28.3	17.0	8.5	21.9	13.5	5.9	23.5	18.4	25.5	10.2	21.8	22.6
16	28.4	14.9	9.6	25.8	21.3	18.7	18.9	9.3	25.0	19.5	2.2	33.8
17	28.3	20.7	4.5	5.8	17.2	15.1	23.3	10.7	20.9	17.9	17.3	25.0
18	17.8	11.3	13.6	9.8	4.3	24.3	17.1	19.5	27.5	13.8	17.9	27.8
19	15.1	26.8	15.3	12.2	8.6	27.1	9.4	24.5	21.7	14.4	21.3	22.9
20	10.3	22.8	12.0	10.1	17.6	21.5	11.0	26.1	12.0	21.4	14.7	20.2
21	29.8	12.4	26.9	24.5	13.7	1.8	8.9	24.8	9.3	22.1	18.1	12.1
22	22.6	22.9	20.8	26.3	23.9	9.3	7.7	18.8	19.8	22.0	15.9	19.2
23	26.1	15.3	8.0	30.9	14.0	21.2	17.6	15.4	13.6	15.3	16.8	6.4
24	27.9	25.1	21.9	24.8	6.8	16.9	16.1	10.4	24.1	17.5	23.3	2.9
25	16.8	23.9	16.4	11.8	8.9	19.4	13.8	15.9	33.9	19.1	21.9	3.2
26	14.0	16.5	21.0	9.4	9.2	23.9	11.3	12.7	16.4	11.7	27.5	3.1
27	27.3	19.0	34.0	3.1	18.2	23.0	12.0	11.7	13.0	28.8	14.8	14.1
28	24.2	25.8	7.7	7.5	23.0	10.9	24.9	18.4	7.2	20.8	11.4	8.8
29	25.5		17.1	20.5	18.1	9.6	13.4	12.3	22.0	23.4	21.0	23.2
30	24.8		12.0	24.7	22.1	22.4	22.2	13.6	14.2	28.0	11.7	23.8
31	27.1		16.3		12.4		13.6	14.4		26.0		19.2
NO.:	31	28	31	30	31	30	31	30	30	31	30	31
MAX:	29.8	26.8	34.0	31.1	23.9	27.1	24.9	26.1	33.9	28.8	29.1	33.8
MEAN:	19.69	16.63	15.15	16.96	13.83	14.79	15.17	16.88	17.77	17.30	19.73	20.05
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	17.00	ANNUAL MAX:	34.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-2005 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (49710) Midvale
 SITE ADDRESS: 8449 S. Monroe St.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.598056
 LONGITUDE: -111.894167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	34.2	30.6	51.6	28.6	26.0	15.7	13.6	22.1	20.9	27.0	32.1	32.7
2	33.2	33.0	47.3	49.2	26.2	11.4	11.7	19.6	26.5	31.8	32.6	31.5
3	25.3	4.6	24.0	33.4	16.2	20.3	13.7	14.6	25.0	20.8	40.4	
4	33.8	13.5	33.6	30.9	16.8	20.8	21.5	16.3	18.2	15.8	35.1	34.2
5	33.7	20.2	36.7	32.2	10.1	21.0	20.9	20.1	15.6	18.6	13.8	17.2
6	28.9	39.1	8.0	39.0	13.6	16.1	14.8	14.7	21.2	19.3	32.1	33.3
7	27.6	10.7	16.7	27.7	16.5	16.6	18.3	21.0	18.2	28.7	35.7	27.7
8	38.1	31.9	35.4	29.5	20.7	20.4	17.5	17.9	18.1	31.3	34.8	34.1
9	36.9	39.8	39.5	34.2	24.0	19.9	13.2	24.3	18.5	17.9	37.5	35.0
10	39.7	41.6	38.5	38.2	16.8	18.0	14.7	22.3	17.6	12.3	42.0	32.8
11	26.5	30.1	30.1	23.1	6.0	11.0	18.9	22.3	25.1	3.8	46.1	34.5
12	34.8	48.9	11.6	18.6	4.5	18.5	20.7	22.2	32.1	16.0	37.7	32.1
13	34.5	46.2	14.8	13.9	9.3	19.2	15.1	19.7	17.3	23.3	33.4	30.7
14	37.1	16.6	21.0	41.3	17.6	15.6	24.6	22.3	20.5	19.1	15.3	33.3
15	39.0	32.0	22.5	42.9	20.8	17.1	20.5	18.8	17.8	17.9	28.5	35.6
16	41.0	35.1	21.7	23.2	25.2	20.4	13.8	8.0	22.6	18.4	24.3	35.4
17	44.3	38.0	5.2	10.8	13.1	16.8	13.7	14.5	32.2	22.0	9.9	30.7
18	29.8	38.7	10.9	15.5	14.6	18.6	12.1	23.5	25.4	23.3	31.5	38.5
19	36.9	41.3	45.3	36.0	15.6	13.6	18.2	23.5	24.1	14.9	29.0	28.8
20	33.3	23.0	36.9	28.7	20.5	10.0	14.5	22.2	16.0	27.8	26.4	31.7
21	46.4	41.5	49.1	32.6	18.4	5.4	3.9	25.9	15.0	32.8	31.0	22.6
22	48.1	45.0	21.1	33.1	23.3	8.5	16.0	23.2	20.9	32.9	27.3	11.7
23	44.0	43.6	31.3	38.1	20.7	17.8	16.0	10.9	21.6	30.1	27.3	21.8
24	45.1	42.6	32.8	15.5	15.5	19.6	19.4	10.1	20.5	32.8	34.6	7.2
25	39.3	34.3	33.1	34.9	12.2	20.7	19.8	16.0	26.9	19.7	37.4	2.9
26	40.2	46.9	36.7	17.5	24.0	19.4	17.3	21.7	25.7	8.9	37.1	9.0
27	45.1	49.6	21.8	6.6	28.0	22.0	11.0	16.5	17.5	27.7	34.0	10.0
28	44.1	48.6	35.5	12.5	21.7	13.5	15.3	17.6	6.7	34.7	35.3	32.1
29	46.6		36.2	27.6	24.2	14.3	21.7	24.0	15.0	34.9	29.4	36.7
30	43.7		28.0	18.8	22.8	18.2	16.0	22.5	19.0	34.0	29.8	37.3
31	43.0		24.7		20.6		18.7	16.5		32.6		35.7
NO.:	31	27	31	30	31	30	31	31	30	31	30	30
MAX:	48.1	49.6	51.6	49.2	28.0	22.0	24.6	25.9	32.2	34.9	46.1	38.5
MEAN:	37.88	34.70	29.08	27.80	18.24	16.68	16.36	19.19	20.72	23.58	31.38	27.89
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:	25.19	ANNUAL MAX:	51.6						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	35.3	37.6	42.8	17.8	23.3	12.2	13.1	15.4	16.8	23.2	37.3	30.6
2	30.7	33.1	39.6	33.2	14.3	8.6	17.6	18.8	29.2	31.5	32.0	30.7
3	33.5	5.2	25.1	25.9	12.3	10.6	8.6	9.9	22.3	14.1	41.8	30.0
4	35.7	7.4	24.1	29.3	6.8	11.6	12.2	22.7	21.2	12.9	38.0	
5	32.3	14.3	32.1	13.8	14.7	17.9	13.0	13.2	19.0	9.5	24.6	19.8
6	33.8	34.6	12.6	31.3	11.8	9.1	15.4	17.2	13.3	19.2	23.7	33.9
7	28.3	11.0	32.4	30.3	11.1	11.7	23.1	13.8	11.2	25.3	35.7	34.5
8	39.5	29.0	35.1	32.4	21.1	7.9	16.8	10.0	8.0	32.6	32.1	35.5
9	34.7	30.9	32.3	34.5	22.8	19.1	23.7	12.5	13.6	22.0	36.9	39.2
10	38.3	40.5	35.0	35.5	15.8	18.0	8.1	12.3	20.5	13.2	44.5	32.4
11	22.5	31.8	36.9	30.0	7.3	13.4	14.1	18.4	22.2	8.0	44.7	33.9
12	24.8	34.3	16.9	24.2	16.7	16.8	10.4	18.2	23.2	17.3	38.7	35.8
13	33.2	40.5	8.3	8.0	7.1	15.4	9.7	23.0	21.3	27.0	35.3	32.1
14	30.1	31.3	11.4	33.8	14.8	10.0	20.0	25.7	10.4	18.4	30.0	34.1
15	41.1	28.7	28.6	34.8	17.3	8.9	19.7	18.0	24.6	18.2	31.2	35.9
16	43.9	34.7	29.3	30.9	20.3	16.3	13.4	8.9	19.4	14.1	23.8	36.4
17	46.1	35.0	4.9	11.7	5.7	11.9	16.9	8.6	20.3	21.9	14.8	32.1
18	15.5	32.3	22.5	9.6	13.0	18.6	11.1	23.8	22.8	22.0	32.0	43.0
19	32.1	35.4	37.4	14.8	17.8	24.4	9.8	22.4	25.5	22.4	26.3	29.4
20	23.5	28.8	35.1	21.0	23.9	9.4	12.4	24.0	17.6		30.2	33.3
21	45.8	30.1	42.5	23.7	14.4	5.4	7.8	20.6	10.4	32.2	29.1	24.7
22	45.9	38.0	27.1	23.3	18.1	4.1	11.5	18.7	14.4	34.1	27.4	16.0
23	43.1	39.2	29.8	24.6	24.1	16.7		11.8	7.9	29.5	29.6	24.9
24	45.6	35.8	30.8	9.0	11.1	17.5	10.9	10.4	19.2	29.3	36.7	8.4
25	35.7	32.7	26.7	12.5	6.5	25.0	16.6		21.1	27.2	36.9	2.8
26	39.1	39.0	31.0	14.8	6.3	17.0	11.3		18.8	25.3	38.0	13.2
27	44.2	38.8	17.6	2.7	17.8	13.2	6.6		23.3	20.1	33.9	16.8
28	44.0	43.0	28.1	10.0	18.8	10.0	23.9	10.6	9.2	31.8	36.7	13.0
29	44.3		31.7	21.2	6.9	14.5	21.4	22.5	14.7	37.0	28.4	38.3
30	42.4		21.8	11.3	22.6	16.9	17.6	15.9	19.9	35.3	32.6	39.6
31	42.3		16.6		16.2		9.4	10.1		33.9		39.4
NO.:	31	28	31	30	31	30	30	28	30	30	30	30
MAX:	46.1	43.0	42.8	35.5	24.1	25.0	23.9	25.7	29.2	37.0	44.7	43.0
MEAN:	36.36	31.18	27.29	21.86	14.86	13.74	14.20	16.34	18.04	23.62	32.76	28.99
ANNUAL OBSERVATIONS:	359		ANNUAL MEAN:	23.29	ANNUAL MAX:	46.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3006 POC: 3
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (256) Instrumental - Teledyne API - Mode

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	35.5	37.8	40.3	11.5	22.6	10.7	12.6	16.6	15.6	22.8	35.4	29.2
2	31.6	32.8	37.2	31.6	13.3	8.2	16.7	19.0	26.5	29.8	32.9	28.5
3	34.4	6.1	25.6	24.6	12.4	9.8	9.1	10.8	21.6	14.4	38.9	28.7
4	36.2	8.3	25.0	28.6	6.8	11.5	11.4	22.4	20.2	13.0	36.8	
5	32.5	15.0	32.7	12.8	14.3	17.3	11.9		18.7	9.2	24.4	19.1
6	33.7	35.1	13.5	30.2	12.9	9.2	14.0	16.7	13.0	19.1	22.8	32.8
7	27.3	12.0	33.5	29.5	10.4	11.4	22.1	13.5	11.5	24.1	34.7	32.4
8	38.8	29.8	35.6	31.7	20.0	7.5	12.4	10.0	7.9	30.6	30.9	34.4
9	34.1	32.0	32.9	33.3	22.0	19.3	23.5	12.8	13.9	21.7	35.2	
10	38.9	39.8	36.3	34.1	15.5	16.7	7.7	11.4	20.2	13.4	41.2	31.6
11	22.4	31.5	35.2	29.4	6.7	12.6	14.6	18.2	21.8	8.2	41.6	32.3
12	25.4	34.0	17.4	23.3	16.3	16.0	9.9	17.0	22.6	17.1	35.8	33.6
13	33.7	40.9	9.2	7.9	6.8	15.4	9.3	22.4	21.0	26.1	33.9	30.1
14	28.5	32.6	12.7	32.6	14.9	9.6	19.2	25.2	9.8	18.4	28.8	31.5
15	37.6	30.3	27.9	30.9	16.6	8.1	17.4	18.0	24.3	18.5	29.6	31.1
16	37.8	35.7	27.6	29.7	19.9	15.6	13.3	8.8	18.9	13.4	21.9	32.4
17	41.4	35.7	5.2	10.9	5.6	12.8	16.6		19.9	21.8	14.4	29.2
18	15.1	33.4	21.8	9.2	12.5	17.9	10.0		22.2	21.7	30.8	40.8
19	32.5	35.5	36.5	14.3	17.3	23.8	8.1	21.2	25.0	22.1	25.4	27.4
20	23.2	29.3	33.9	20.4	23.2	9.4	10.5	23.2	17.2	19.5	28.6	32.1
21	46.5	29.3	41.2	22.9	13.7	4.9	6.5	19.8	10.1	31.3	27.1	23.5
22	47.0	37.1	27.1	15.8	17.6	4.1	7.3	17.8	14.4		24.7	15.6
23	43.8	38.9	29.5	24.6	23.9	16.4	10.8	11.1	7.8	28.0	26.6	24.0
24	45.4	34.8	30.1	8.8	10.8	15.9	10.2	9.5	18.8	27.9	34.6	8.5
25	35.7	33.4	23.6	12.5	6.2	24.1			20.5	25.6	35.0	2.7
26	38.9	39.3	30.2	13.9	6.0	16.4	12.7		18.5	26.8	36.3	12.6
27	42.8	39.0	17.7	2.9	15.5	12.7	7.6		22.8	19.8	31.6	16.3
28	42.7	42.6	26.7	9.5	17.9	10.0	24.6	10.9	8.8	31.1	34.2	13.0
29	40.2		30.0	17.1	6.5	13.6	21.4	21.9	14.3	34.1	27.4	35.9
30	40.1		20.6	11.0	21.8	16.5	18.6	15.7	17.9	32.6	30.5	36.0
31	41.0		16.1		14.8		10.6	10.0		32.0		34.9
NO.:	31	28	31	30	31	30	30	25	30	30	30	29
MAX:	47.0	42.6	41.2	34.1	23.9	24.1	24.6	25.2	26.5	34.1	41.6	40.8
MEAN:	35.64	31.50	26.86	20.52	14.35	13.25	13.35	16.16	17.52	22.47	31.07	26.90
ANNUAL OBSERVATIONS:	355		ANNUAL MEAN:	22.52	ANNUAL MAX:	47.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3010 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1250 NORTH 1400 WEST
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.78422
 LONGITUDE: -111.931
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	31.4	36.6	45.2	12.3	22.2	12.7	15.7	25.6	22.0	25.8	31.5	30.1
2	20.0	35.5	46.0	33.0	31.9	7.6	16.6	19.7	30.7	21.8	33.4	28.3
3	28.7	8.8	25.9	28.5	15.1	24.4	12.8	19.3	32.3	12.5	35.9	11.2
4	25.8	9.3	19.3	25.9	12.7	22.5	19.4	16.0	26.2	13.6	34.2	33.8
5	37.5	6.8	33.5	33.3	15.2	19.5	23.8	24.1	15.6	20.5	18.3	17.6
6	33.0	37.7	8.5	33.4	8.5	16.1	15.2	12.5	20.7	21.8	29.1	35.2
7	33.6	8.2	17.2	27.9	21.3	18.6	25.5	24.8	20.2	26.5	33.7	34.5
8	39.8	35.6	32.0	33.1	25.4	22.2	22.7	22.7	21.8	38.1	32.6	34.7
9	36.6	36.5	38.8	32.1	30.3	26.6	17.7	21.2	17.9	10.3	36.6	41.0
10	37.3	41.4	34.3	42.1	19.3	21.1	21.7	26.4	16.3	13.3	42.1	35.1
11	17.9	35.9	32.3	32.0	7.7	16.8	21.1	22.8	21.2	10.3	35.4	34.3
12	33.8	39.6	12.8	31.2	12.1	22.0	23.9	24.9	30.5	24.2	32.7	33.1
13	38.1	40.5	6.1	14.7	7.9	22.1	23.2	22.5	25.4	23.7	28.9	33.9
14	37.3	17.0	6.8	32.9	22.4	23.5	22.0	25.3	22.5	25.0	18.3	33.3
15	37.0	25.7	19.4	37.6	13.7	18.0	23.8	24.7	14.6	14.8	29.8	33.0
16	37.7	30.1	13.8	34.9	25.8	31.1	23.9	6.3	26.6	15.5	26.2	38.1
17	45.3	33.1	6.7	9.8	14.1	16.2	15.6	14.3	23.0	25.1	13.3	32.8
18	30.7	29.8	20.7	19.3	6.9	20.6	12.1	16.0	28.7	22.9	32.1	34.3
19	27.8	33.8	37.2	34.6	9.4	20.0	10.2	28.2	25.0	14.6	31.4	19.6
20	30.8	19.6	37.3	14.7	17.4	10.5	13.2	28.8	18.4	23.9	25.5	28.1
21	41.3	34.9	35.5	15.2	18.8	5.1	8.5	26.7	15.1	32.4	26.0	20.8
22	50.1	40.0	16.7	24.3	29.2	8.1	11.6	28.4	24.7	31.1	25.4	17.3
23	50.6	36.7	31.5	33.4	20.9	17.5	17.4	17.3	26.6	38.3	29.7	26.1
24	44.1	31.1	23.1	19.0	19.3	18.3	18.0	8.1	22.4	35.6	29.1	7.9
25	36.9	27.6	25.9	30.8	26.9	30.9	20.6	13.9	27.2	29.4	36.2	2.8
26	39.8	42.9	31.0	21.6	16.5	18.3	12.7	16.5	24.7	14.1	34.5	15.4
27	49.4	42.6	13.4	10.4	25.7	27.0	12.5	13.9	24.7	28.7	35.7	12.4
28	47.9	43.2	29.2	15.8	21.6	23.3	22.6	21.0	7.9	30.5	34.0	32.6
29	47.7		33.9	30.2	19.5	21.2	21.0	31.0	13.8	35.4	29.8	39.6
30	44.2		31.3	20.3	23.2	26.5	22.2	24.4	21.2	34.2	28.4	39.5
31	48.0		26.3		25.0		19.6	27.9		34.4		39.6
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	50.6	43.2	46.0	42.1	31.9	31.1	25.5	31.0	32.3	38.3	42.1	41.0
MEAN:	37.42	30.73	25.54	26.14	18.90	19.61	18.28	21.14	22.26	24.14	30.33	28.26
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	25.19	ANNUAL MAX:	50.6						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3013 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (34970) Herriman
 SITE ADDRESS: 14058 Mirabella Dr.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.496392
 LONGITUDE: -112.036298
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	6.0	18.5	20.7	7.3	12.8	5.8	2.7	9.9	7.8	5.5	9.8	9.4
2	8.2	2.1	10.3	18.3	8.4	4.4	6.1	5.1	8.4	2.0	6.4	10.3
3	4.3	7.0	6.6	13.7	4.3	5.5	8.5	8.0	16.6	8.7	14.4	12.2
4	5.5	2.3	12.9	4.8	4.8	6.2	24.1	2.7	14.6	8.8	5.5	20.9
5	8.4	5.8	17.3	12.0	8.2	11.4	11.9	6.2	6.8	8.3	3.1	12.2
6	13.3	20.0	3.3	12.6	5.0	4.3	13.1	1.6	4.8		5.5	6.2
7	13.4	3.8	4.6	11.6	5.3	3.7	13.1	8.3	3.0	14.4	11.4	7.0
8	18.5	9.3	8.3	6.7	8.0	4.7	4.8	9.1	4.5	14.9	5.4	
9	12.1	9.9	8.7	10.0	9.3	15.4	9.6	8.4	1.8	2.3	21.9	15.5
10	18.1	29.3	4.0	12.6	3.1	8.9	10.8	9.4	2.5	2.0	24.8	14.7
11	8.9	14.6	8.4	5.0	.9	6.0	11.1	9.3	2.8	2.4	16.1	15.0
12	8.8	14.4	1.3	3.4	2.4	9.5	10.1	11.0	17.4	3.8	14.0	17.7
13	10.7	4.2	2.0	6.0	5.5	2.3	8.6	7.3	10.2	2.9	8.6	10.0
14	18.2	9.8	5.5	14.3	7.9	3.4	11.3	7.0	2.9	9.3	3.7	16.1
15	24.8	4.9	8.0	17.0	6.1	7.4	22.1	9.3	7.0	8.7	13.2	32.6
16	22.3	7.7	2.5	10.6	7.7	20.1	5.2	.8	10.3	9.3	2.1	26.6
17	24.8	10.7	5.1	4.5	4.5	12.7	3.7	1.4	11.9	9.0	3.3	7.0
18	9.2	15.7	5.5	4.2	3.0	8.3	10.9	3.2	9.9	6.3	11.9	16.2
19	9.2	12.0	13.1	20.6	6.6	11.4	8.0	7.5	5.6	2.7	6.0	6.9
20	10.0	15.3	3.4	7.7	8.7	5.5	5.4	13.0	8.5	7.3	14.3	11.3
21	16.7	12.1	16.2	9.1	6.2	1.6	2.0	10.2	3.5	17.7	15.8	3.1
22	15.3	12.5	3.3	8.2	4.9	11.9	8.5	8.9	8.4	20.3	19.9	1.7
23	14.4	11.1	4.7	11.8	7.5	19.3	4.5	5.1	8.7	16.7	15.1	1.7
24	39.3	13.3	15.7	13.2	6.8	19.3	5.1	3.4	10.5	8.9	27.8	2.1
25	29.3	5.6	9.4	7.8	6.3	17.2	4.3	14.3	6.5	4.7	10.3	.6
26	15.1	14.9	9.8	3.0	9.3	13.5	3.7	10.0	8.3	4.5	11.4	4.8
27	22.9	18.6	.8	1.5	13.4	6.1	3.1	6.7	25.2	10.8	8.9	13.4
28	25.9	19.6	14.1	7.4	12.8	14.7	6.5	13.3	1.8	13.7	11.5	6.8
29	31.9		12.1	16.0	17.0	17.9	4.6	11.1	2.0	19.6	10.7	23.7
30	18.6		6.1	8.1	16.3	12.5	3.5	12.4	4.1	19.8	21.5	38.8
31	11.6		4.9		10.8		3.7	12.3		18.2		43.1
NO.:	31	28	31	30	31	30	31	31	30	30	30	30
MAX:	39.3	29.3	20.7	20.6	17.0	20.1	24.1	14.3	25.2	20.3	27.8	43.1
MEAN:	15.99	11.61	8.02	9.63	7.54	9.70	8.08	7.94	7.88	9.45	11.81	13.59
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:	10.09	ANNUAL MAX:	43.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3014 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (83470) West Valley City
 SITE ADDRESS: 2782 South Corporate Park Dr.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.709762
 LONGITUDE: -112.00876
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1297
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	30.0	21.9	43.8	16.3	23.2	17.1	11.4	21.0	18.4	26.0	34.4	31.6
2	27.3	34.6	40.3	23.8	24.1	8.4	10.8	14.9	24.8	27.9	33.1	29.5
3	14.7	4.3	14.2	31.0	23.2	17.8	7.3	14.8	28.8	14.3	36.3	31.7
4	34.5	4.7	33.1	28.3	8.8	15.1	31.0	20.2	27.9	16.4	32.4	31.0
5	34.8	9.3	34.2	31.8	8.9	23.2	19.6	21.4	11.5	12.3	7.8	15.5
6	23.6	34.5	4.7	32.6	7.5	26.0	15.0	17.3	29.9	18.8	30.6	31.6
7	13.4	11.2	11.5	16.2	15.7	20.1	20.9	16.7	30.3	28.7	33.7	29.3
8	36.3	28.0	35.4	18.7	18.9	22.7	21.4	13.6	25.4	31.4	31.4	33.5
9	37.8	37.5	29.0	30.6	22.9	15.7	14.3	28.4	21.1	18.4	33.7	35.0
10	36.5	43.4	34.4	32.1	17.2	17.7	19.7	24.5	12.5	7.9	38.1	30.1
11	22.8	12.7	33.3	23.3	2.8	12.9	22.5	22.6	7.8	5.3	43.2	30.9
12	25.9	40.5	4.7	18.1	2.9	15.7	20.8	22.1	22.6	15.4	32.3	29.7
13	33.7	38.0	4.6	18.6	10.1	19.5	18.1	15.6	17.1	19.7	28.0	29.3
14	37.8	12.6	7.4	34.3	10.5	21.0	20.6	18.3	25.9	17.5	7.2	30.6
15	36.1	38.1	13.8	37.0	13.1	19.2	18.3	11.9	19.2	13.7	27.8	32.8
16	38.6	28.2	13.3	19.4	24.6	28.8	15.0	3.4	29.0	20.7	18.1	32.8
17	37.1	31.2	4.9	6.1	26.3	17.2	7.1	18.5	25.9	24.0	7.2	29.7
18	27.9	32.4	10.6	10.3	5.6	20.9	14.5	20.0	28.6	32.4	28.9	35.0
19	34.5	34.2	36.9	28.5	14.1	21.6	14.6	20.7	22.0	17.2	28.6	20.0
20	33.1	28.9	34.7	19.7	8.4	5.8	9.1	21.1	23.5	26.3	23.5	30.3
21	41.3	35.0	35.9	18.1	18.9	5.9	2.9	31.5	12.3	30.0	26.0	28.4
22	42.4	37.5	10.4	23.5	22.9	6.0	22.2	25.0	16.7	33.2	25.2	8.3
23	43.5	38.1	24.3	19.2	18.2	14.3	11.4	10.7	18.2	33.1	26.3	8.9
24	38.8	30.6	25.6	11.7	12.0	14.2	27.3	8.3	24.0	33.5	31.4	3.7
25	35.3	28.5	27.9	15.9	10.4	22.3	24.2	13.2	26.7	26.7	32.8	1.8
26	38.0	38.8	28.3	16.7	14.4	21.9	17.2	14.7	24.1	11.5	32.1	9.0
27	45.9	38.3	6.2	4.1	20.3	26.9	23.1	19.8	15.6	22.2	30.7	8.1
28	46.4	40.0	29.6	12.9	17.7	22.9	14.5	19.7	4.0	30.5	28.6	30.1
29	44.9		22.7	27.3	22.2	15.7	20.4	27.9	12.4	30.8	26.4	33.2
30	45.0		23.1	19.1	22.5	23.1	17.5	24.3	8.4	32.2	26.0	34.0
31	41.0		11.5		26.7		10.3	21.2		29.7		35.5
NO.:	31	28	31	30	31	30	31	31	30	30	30	31
MAX:	46.4	43.4	43.8	37.0	26.7	28.8	31.0	31.5	30.3	33.5	43.2	35.5
MEAN:	34.80	29.04	22.27	21.51	15.97	17.99	16.87	18.82	20.49	22.78	28.06	25.84
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	22.83	ANNUAL MAX:	46.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3015 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 240 N 1950 W
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.777145
 LONGITUDE: -111.945849
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	32.1	32.3	49.7	19.3	32.6	8.0	22.0	34.4	16.8	25.6	39.0	33.8
2	33.9	33.6	47.3	38.9	36.7	19.5	9.2	28.7	37.5	42.2	42.8	29.7
3	35.4	9.2	29.1	27.0	32.2	29.0	15.0	24.9	32.6	20.4	44.2	24.3
4	40.3	8.0	18.7	31.3	16.9	28.6	14.3	19.8	28.3	18.1	38.3	
5	37.0	9.3	31.0	35.2	15.2	28.7	25.6	26.2	12.3	22.5	21.2	24.0
6	35.1	37.8	10.8	35.7	16.6	26.8	19.1	12.0	16.9	25.7	31.6	39.4
7	33.2	10.8	13.9	39.9	23.6	8.7	15.8	28.9	9.5		36.0	38.0
8	40.8	32.5	32.4	38.6	28.5	11.6	15.9	13.2	10.1	45.2	37.4	37.8
9	36.2	35.5	36.2	39.7	34.2	16.7	11.8	13.9	16.5	26.1	39.1	39.6
10	39.9	43.0	37.6	46.5	38.8	25.9	14.9	30.2	27.0	14.2	44.2	39.5
11	21.0	36.1	29.8	38.3	17.9	15.3	25.7	22.1	27.5	12.9	42.6	37.8
12	30.6	39.8	15.1	34.9	15.1	27.3	14.6	28.1	11.7	26.0	40.1	35.7
13	40.2	37.4	7.8	13.3	8.6	16.9	14.1	15.0	14.5	20.8	34.5	41.7
14	38.6	22.9	10.3	44.4	23.9	13.9	17.1	27.9	7.9	27.8	19.8	39.2
15	39.8	23.8	26.1	47.1	17.0	19.3	14.6	20.6	11.0	21.9	30.6	37.5
16	44.3	29.7	21.8	38.2	33.6	33.4	22.1	3.4	18.8	27.6	29.9	38.9
17	45.4	33.5	13.3	10.4	10.7	11.9	11.6	11.5	16.6	27.8	14.7	35.8
18	28.2	38.3	21.8	10.5	7.9	18.1	18.3	17.4	24.5	25.7	32.3	41.0
19	35.9	35.9	39.8	34.2	9.0	25.6	7.3	14.9	35.2	21.4	31.3	20.2
20	33.2	24.0	33.7	25.2	9.8	11.6	10.4	20.1	6.7	27.7	29.4	33.6
21	45.2	38.1	42.4	14.0	22.9	5.1	4.0	27.5	6.7	35.5	29.4	24.9
22	59.4	40.5	22.4	21.3	39.9	11.7	9.1	36.5	16.0	36.0	31.1	13.0
23	51.6	41.0	32.4	25.9	15.6	25.3	12.7	16.3	24.6	38.6	30.5	21.3
24	44.0	33.5	28.5	18.3	19.7	24.8	21.5	6.8	8.2	35.8	35.2	9.3
25	33.5	25.1	30.3	29.7	17.0	21.5	27.5	6.8	32.1	34.0	40.1	2.6
26	40.5	43.9	31.3	29.4	12.9	17.6	15.6	15.3	11.4	14.4	39.8	21.4
27	49.1	43.6	20.0	7.2	18.3	24.0	9.7	9.4	15.3	32.2	38.9	14.0
28	49.6	44.5	37.6	15.8	22.1	31.3	20.2	23.5	4.0	36.7	36.2	34.5
29	50.6		31.0	36.8	18.2	28.2	18.0	27.4	5.6	38.3	31.1	41.2
30	46.2		27.0	18.4	32.3	33.4	21.4	22.0	8.7	38.8	28.2	44.6
31	49.8		23.5		25.8		22.3	28.3		38.7		45.5
NO.:	31	28	31	30	31	30	31	31	30	30	30	30
MAX:	59.4	44.5	49.7	47.1	39.9	33.4	27.5	36.5	37.5	45.2	44.2	45.5
MEAN:	40.02	31.56	27.50	28.85	21.73	20.66	16.17	20.42	17.15	28.62	33.98	31.33
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:	26.45	ANNUAL MAX:	59.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3016 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1480 North 8000 West
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: INDUSTRIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.807897
 LONGITUDE: -112.087717
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	16.8	15.7	44.6	14.3	27.9	16.2	12.6	25.9	18.6	24.7	28.0	22.4
2	30.6	17.8	28.5		21.4	1.6	13.6	14.2	24.6	30.9	28.3	26.5
3	18.2	6.1	5.8	3.6	18.0	4.8	12.9	16.8	26.2	9.2	33.2	11.8
4	3.6	4.1	14.0	10.5	10.2	10.5	17.8	17.4	26.8	9.4	17.2	17.5
5	37.0	1.4	34.9	27.8	6.6	15.1	16.1	13.4	13.9	9.7	9.0	11.8
6	19.4	14.2	5.0	34.3	3.7	16.8	9.8	7.3	20.2	9.0	28.0	9.7
7	12.2	5.9	1.5	17.9	14.6	17.1	14.9	2.5	21.2	25.2	23.2	28.7
8	33.9	30.2	31.6	7.6	17.5	19.3	15.7	1.8	17.2	33.6	13.1	34.5
9	6.0	35.2	32.0	32.7	21.2	15.9	16.8	9.2	22.4	18.0	32.7	29.5
10	34.4	34.8	17.3	35.7	14.8	20.3	9.2	18.4	8.3	7.1	34.1	32.9
11	11.3	1.1	38.5	20.2	2.9	15.4	8.3	25.7	8.7	4.4	34.9	28.6
12	1.2	32.4	6.9	2.6	4.0	14.3	19.5	27.8	2.7	14.2	25.5	29.8
13	32.9	37.9	4.6	1.2	4.1		13.8		10.9	10.5	17.5	28.2
14	37.5	8.7	4.7	11.1	6.8	12.2	24.4		16.0	15.2	6.1	26.1
15	35.4	30.1	8.5	29.1	15.6	17.4	20.4		7.8	12.4	13.1	28.5
16	36.8	33.0	15.8	21.7	14.8	11.8	12.0	3.6	4.5	14.8	20.1	25.0
17	38.3	32.6	4.4	6.4	20.5	16.1	14.0	25.3	27.8	24.4	6.9	22.1
18	26.2	18.0	5.6	3.1	3.1	17.6	13.1	16.6	30.6	20.8	28.5	32.9
19	31.7	35.9	35.1	13.9	11.7	21.1	13.4	27.9	20.5	13.3	24.2	9.1
20	35.0	6.9	11.7	15.7	19.1	3.2	10.7	27.5	19.0	20.9	7.5	26.5
21	29.4	22.0	36.8	12.0	16.1	.7	4.1	19.7	17.5	25.8	25.6	9.8
22	30.0	35.3	9.2	14.6	21.6	6.3	13.2	13.7	16.0	27.4	26.8	6.8
23	45.3	27.0	22.3	23.8	2.4	10.0	7.1	17.9	6.7	28.8	24.1	10.3
24	20.4	20.3	21.8	10.3	8.6	18.0	21.5	8.5	25.3	32.0	22.4	2.7
25	7.2	5.2	27.3	21.6	7.9	22.6	18.9	14.9	35.7	28.1	32.2	1.6
26	13.0	30.4	31.5	4.1	7.9	22.8	18.9	7.7	19.6	3.3	32.0	2.0
27	35.5	39.9	12.2	4.9	9.7	19.5	16.5	13.4	5.3	5.1	29.3	5.9
28	38.3	31.0	8.2	8.2	23.9	11.0	17.0	17.4	5.4	25.3	22.1	11.7
29	37.5		5.7	20.6	21.4	3.7	20.5	25.5	12.8	28.0	20.1	31.3
30	45.0		21.5	9.1	24.3	11.2	18.4	27.5	10.1	33.1	12.1	32.8
31	36.0		13.5		10.4		20.5	21.8		29.0		35.5
NO.:	31	28	31	29	31	29	31	28	30	31	30	31
MAX:	45.3	39.9	44.6	35.7	27.9	22.8	24.4	27.9	35.7	33.6	34.9	35.5
MEAN:	26.97	21.90	18.10	15.12	13.31	13.53	15.02	16.76	16.74	19.15	22.59	20.40
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:	18.32	ANNUAL MAX:	45.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3018 POC: 2
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: Red Butte Canyon Rd.
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: INDUSTRIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.766528
 LONGITUDE: -111.82835
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1286
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (256) Instrumental - Teledyne API - Mode

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	14.2	17.8	20.7	10.0	9.0	4.6	4.1	9.9	5.0	6.3	8.8	8.2
2	15.5	3.7	6.2	16.0	5.8	10.0	11.3	8.3	13.1	7.4	8.9	18.8
3	12.9	5.4	5.9	4.1	5.4	9.6	2.1	8.5	17.0	5.4	23.7	16.2
4	11.1	4.4	13.4	5.2	3.4	9.4	3.1	3.7	7.6	3.3	6.7	15.1
5	10.7	4.2	12.2	3.8	16.9	5.3	4.6	6.6	13.7	3.7	6.8	5.7
6	18.4	30.8	6.0	4.7	9.7	5.3	7.9	5.7	6.9	8.7	13.2	14.1
7	6.2	4.3	9.3	10.8	3.4	11.7	10.3	9.1	3.7	20.5	18.9	12.2
8	14.1	8.7	11.8	14.9	8.6	7.4	7.1	8.9	3.4	16.4	14.9	20.4
9	10.5	3.9	5.5	16.3	16.7	9.9	4.0	7.4	2.5	8.1	9.9	21.2
10	9.1	16.0	9.7	15.3	11.8	5.5	6.3	6.1	5.2	7.6	19.8	10.7
11	11.0	17.4	6.3	13.5	3.4	12.3	7.5	13.0	10.5	4.6	24.0	16.4
12	12.2	6.7	2.6	8.7	5.9	8.8	5.2	9.8	13.5	4.4	32.7	30.9
13	9.6	22.1	5.6	4.9	6.2	4.9	4.7	13.1	17.3	7.5	6.4	20.5
14	17.0	7.2	6.2	16.5	3.9	4.4	8.2	12.1	3.9	6.1	7.1	24.7
15	21.2	8.5	7.0	11.5	9.1	2.8	3.8	6.4	6.7	9.8	12.3	26.2
16	24.9	11.9	4.4	17.5	11.5	9.1	5.9	2.7	8.0	6.4	7.7	28.4
17	42.5	25.8	4.4	5.5	2.7	11.9	3.9	2.9	7.4	5.0	5.1	11.8
18	5.8	8.2	8.2	10.3	5.7	10.5	7.3	4.4	11.8	5.1	16.8	12.9
19	17.8	18.3	3.5	7.0	6.6	4.7	5.7	15.9	11.9	6.7	6.2	8.5
20	5.0	14.4	10.4	5.6	8.2	3.8	2.5	9.4	6.4	7.7	22.1	20.2
21	20.5	10.7	6.4	7.3	6.6	4.8	3.6	12.6	4.1	14.6	17.4	6.8
22	35.5	8.6	6.3	9.0	13.6	2.5	6.5	15.2	9.1	19.8	14.8	6.2
23	9.1	12.3	6.3	10.5	7.6	12.0	9.0	7.0	4.2	17.9	15.2	8.4
24	43.7	16.7	3.0	9.3	3.9	3.9	2.9	4.1	4.6	11.1	20.4	5.6
25	35.2	5.3	7.1	2.6	4.5	8.6	7.4	9.8	11.4	8.4	23.6	3.5
26	11.1	18.8	9.5	2.6	5.0	13.1	2.6	9.7	10.1	10.9	15.0	9.7
27	19.4	13.4	6.8	4.9	11.0	6.9	4.2	8.1	13.6	9.2	10.6	11.4
28	18.3	21.5	17.3	6.8	11.5	5.8	13.9	5.2	3.0	12.8	15.0	4.1
29	28.4		17.2	8.1	22.3	7.2	10.0	15.8	6.7	22.4	14.5	13.0
30	15.8		8.6	7.9	10.1	10.6	2.4	4.3	8.4	15.4	20.4	26.5
31	34.1		13.0		4.6		3.2	12.1		17.0		27.1
NO.:	31	28	30	30	31	30	31	31	30	31	30	31
MAX:	43.7	30.8	20.7	17.5	22.3	13.1	13.9	15.9	17.3	22.4	32.7	30.9
MEAN:	18.09	12.39	8.59	8.83	8.39	7.58	5.85	8.64	8.36	10.01	14.63	15.01
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	10.53	ANNUAL MAX:	43.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-4002 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (53230) Murray
 SITE ADDRESS: 4951 South Galleria Dr
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: MOBILE
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.6629611
 LONGITUDE: -111.9018514
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1295
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	32.2	29.3	44.3	24.8	31.7	24.8	28.6	30.2	26.1	28.5	38.0	34.4
2	36.1	32.2	43.7	39.1	35.2	15.6	23.6	29.6	35.2	35.0	35.1	31.4
3	26.7	16.0	24.1	24.3	32.6	25.3	17.9	20.3	35.0	27.5	42.7	29.9
4	36.4	17.5	29.8	31.0	18.1	21.2	23.9	29.4	33.1	20.1	39.7	33.3
5	36.7	14.2	32.6	31.4	14.8	28.4	18.7	27.7	32.1	15.2	28.9	22.1
6	36.3	36.5	13.7	33.4	11.7	23.9	14.2	21.6	30.0	23.7	31.4	34.7
7	22.2	15.2	28.2	38.3	21.9	21.5	29.9	33.7	24.7	29.7	37.4	32.7
8	39.2	35.5	34.3	27.5	29.6	18.6	26.9	18.6	29.4	40.3	34.6	37.4
9	37.8	36.0	37.4	33.5	33.1	23.2	26.8	18.9	28.5	31.3	36.5	36.9
10	39.0	41.1	42.2	39.3	28.3		22.7	22.3	23.1	18.0	41.1	34.8
11	24.5	30.2	35.2	26.9	11.4	23.4	29.7	31.5	18.6	11.7	46.3	35.7
12	27.0	42.5		31.6	16.6	27.5	20.0	28.6	28.3	19.9	38.0	32.5
13	38.2	40.7	16.1	14.3	17.1	29.9	22.5	31.8	25.0	31.3	34.2	32.0
14	40.0	20.7	20.6	36.5	22.0	27.3	29.4	29.6	26.3	23.9	23.0	32.2
15	39.2	26.4	20.3	40.0	20.1	15.9	26.7	30.7	25.2	20.9	30.6	35.9
16	40.7	28.5	22.8	34.2	29.4	27.5	27.2	8.8	29.5	23.8	28.8	35.5
17	44.9	30.2	16.7	19.6	18.3	26.5	29.1	21.6	32.5	29.0	16.5	33.7
18	29.5	35.8	19.8	14.6	8.2	33.2	22.1	26.6	33.9	29.8	31.1	
19	35.1		39.8	27.7	23.6	25.3	27.9	34.9	35.8	24.0	29.1	34.3
20	39.5	29.9	35.6	18.9	25.4	13.4	17.6	34.1	22.9	28.3	28.1	37.2
21	43.1	37.7	39.7	26.1	27.1	7.0	13.9	31.4	19.8	35.7	30.6	28.6
22	44.3	39.2	19.2	30.7	30.3	8.9	24.9	36.8	25.5	37.4	27.0	18.8
23	46.3	39.5	33.7	31.4	28.1	20.9	26.8	23.0	27.1	36.2	28.3	26.2
24	45.3	37.8	30.5	23.6	19.4	21.5	32.2	12.1	28.3	36.2	37.1	12.1
25	36.3	36.5	30.8	33.0	16.5	33.2	29.9	25.7	34.6	28.3	36.3	8.1
26	38.6	41.4	37.0	20.8	15.9	33.2	23.0	24.5	28.9	10.5	37.8	10.5
27	42.8	41.5	14.7	10.4	25.0	29.0	19.2	21.0	25.5	25.9	35.1	16.9
28	44.8	42.7	27.9	15.1	32.8	24.3	26.1	23.7	12.3	33.6	32.5	33.2
29	45.4		30.9	29.8	27.7	21.5	26.0	32.1	22.8	36.1	29.7	39.7
30	45.9		24.4	15.1	29.7	28.4	29.2	24.7	23.8	35.4	29.4	38.0
31	44.4		30.7		25.0		25.0	33.0		32.1		39.4
NO.:	31	27	30	30	31	29	31	31	30	31	30	30
MAX:	46.3	42.7	44.3	40.0	35.2	33.2	32.2	36.8	35.8	40.3	46.3	39.7
MEAN:	38.01	32.40	29.22	27.43	23.44	23.46	24.57	26.40	27.46	27.72	33.16	30.27
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:	28.60	ANNUAL MAX:	46.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-045-0004 POC: 1
 COUNTY: (045) Tooele
 CITY: (23640) Erda
 SITE ADDRESS: 2163 W. Erda Way
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: COMMERCIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.60055
 LONGITUDE: -112.35578
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1321.7
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	6.7	6.2	13.4	1.0	7.9	1.9	1.7	9.9	5.6	9.0	6.6	10.8
2	6.4	6.5	6.7	5.1	5.6	4.3	3.0	6.5	6.4	4.7	6.4	5.4
3	8.6	1.3	2.2	2.8	3.5	2.2	2.5	5.8	9.0	2.7	10.2	14.3
4	5.6	1.0	3.3	5.2	3.4	9.0	16.6	2.0	6.1	4.2	6.7	10.7
5	7.5	4.6	4.1	4.1	2.5	4.0	8.4	5.8	6.2	3.5	7.5	7.4
6	7.6	5.8	.7	3.5	3.7	2.7	3.7	2.4	5.2	11.7	5.4	3.6
7	3.8	1.9	3.3	1.6	5.7	4.2	6.1	6.1	2.5	10.8	5.9	6.8
8	5.6	4.1	4.0	7.0	4.9	2.2	4.1	2.9	3.3	8.8	6.2	10.0
9	7.5	5.2	4.2	5.3	3.4	5.1	1.9	3.1	4.5	5.6	8.3	13.3
10	7.1	11.4	8.8	5.8	5.1	6.2	3.5	6.2	3.8	1.8	13.8	5.4
11	2.7	4.8	2.7	1.4	3.7	2.7	5.6	8.5	2.6	1.2	15.8	6.8
12	5.6	9.9	.2	3.1	1.3	5.3	3.1	6.5	8.4	3.5	17.9	8.8
13	10.1	8.4	1.0	2.1	1.6	6.9	3.2	5.2	3.6	6.5	12.0	7.9
14	10.6	5.8	8.4	7.1	4.8	3.2	2.5	3.7	3.4	3.1	1.6	14.6
15	11.3	3.4	2.5	4.8	2.7	4.1	3.6	3.0	3.9	3.7	9.3	15.4
16	19.6	4.8	.8	3.7	8.2	4.2	5.3	1.3	12.9	2.8	2.4	14.9
17	10.5	4.6	.5	3.6	1.8	2.6	4.1	1.7	5.5	4.3	5.0	7.6
18	3.3	5.5	1.3	3.0	2.9	2.8	3.7	3.0	8.5	4.7	7.2	7.3
19	3.8	3.8	7.9	4.4	3.5	3.1	2.8	4.3	6.5	1.9	7.1	4.9
20	4.0	7.1	2.7	4.0	4.7	3.3	3.3	4.4	3.4	5.7	7.8	7.5
21	11.2	8.2	3.0	4.6	4.5	2.3	1.6	3.2	2.5	8.4	9.1	8.2
22	8.4	11.1	2.7	7.9	6.5	2.8	5.9	3.4	7.4	11.8	8.3	1.3
23	10.1	8.4	2.8	4.9	8.7	5.9	4.2	4.0	7.2	10.8	7.0	1.0
24	9.5	12.5	2.5	4.4	3.4	3.6	4.6	2.7	4.3	11.8	10.0	2.0
25	3.9	2.5	4.2	5.6	2.9	6.1	3.3	27.2	6.1	3.5	8.5	.5
26	6.2	7.1	7.2	2.8	3.8	3.5	2.1	10.2	5.7	2.3	17.3	1.8
27	20.4	10.7	1.3	2.1	3.3	4.4	1.4	13.8	5.8	5.9	10.1	2.3
28	15.9	13.8	6.0	3.0	6.9	6.9	3.2	20.0	3.1	13.2	6.1	3.7
29	11.5		2.9	8.8	6.2	2.2	3.5	14.4	4.1	13.7	9.0	8.3
30	15.4		3.1	3.4	10.3	3.5	5.2	6.2	3.4	18.0	3.8	17.8
31	11.9		9.4		5.1		3.6	4.2		6.3		18.6
NO.:	31	28	31	29	31	30	31	31	30	31	30	31
MAX:	20.4	13.8	13.4	8.8	10.3	9.0	16.6	27.2	12.9	18.0	17.9	18.6
MEAN:	8.78	6.44	3.99	4.30	4.52	4.07	4.11	6.50	5.36	6.64	8.41	8.03
ANNUAL OBSERVATIONS:		364		ANNUAL MEAN:	5.94		ANNUAL MAX:	27.2				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-045-0004 POC: 2
 COUNTY: (045) Tooele
 CITY: (23640) Erda
 SITE ADDRESS: 2163 W. Erda Way
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: COMMERCIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.60055
 LONGITUDE: -112.35578
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1321.7
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (256) Instrumental - Teledyne API - Mode

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	8.4	7.5	13.3	5.4	7.6	1.7	1.6	9.6	5.3	8.4	5.8	10.2
2	8.6	8.1	5.7	7.3	5.0	4.0	2.6	5.6	6.2	4.5	4.7	5.6
3	11.3	3.5	4.1	4.9	3.3	1.8	2.0	5.4	8.2	2.6	9.8	14.0
4	7.9	3.2	5.5	7.1	3.1	3.2	15.8	2.0	5.7	3.8	6.0	10.3
5	9.6	7.7	6.2	5.8	2.0	3.8	7.5	5.7	5.4	3.1	7.4	6.2
6	9.9	7.7	2.5	5.9	3.0	2.4	3.4	2.4	4.4	11.3	5.5	3.7
7	6.0	4.2	5.6	3.8	5.3	3.1	5.6	5.9	2.4	10.0	5.9	7.0
8	7.6	5.8	6.8	9.2	4.3	2.0	3.4	2.6	3.2	6.2	6.3	9.7
9	9.1	7.7	5.3	7.6	3.2	4.4	1.8	2.7	3.1	3.8	7.6	13.3
10	8.6	14.0	11.0	7.8	10.4	5.7	3.1	5.9	3.5	1.1	12.4	5.5
11	4.6	7.0	4.7	6.6	1.2	3.2	5.4	7.9	2.4	.9	13.6	6.9
12	7.8	12.0	2.4	4.1	1.0	4.4	3.0	6.0	8.3	3.1	17.1	8.8
13	11.6	9.9	2.7	3.0	1.2	6.3	3.4	4.8	3.4	5.8	10.9	7.4
14	12.5	8.1	10.6	8.0	4.4	3.2	2.6	3.2	3.3	2.8	1.7	12.7
15	12.0	5.5	4.9	6.1	2.4	2.7	3.5	2.4	3.8	3.4	9.1	13.1
16	18.8	7.1	3.0		7.9	3.9	5.3	1.1	12.9	2.7	2.4	12.8
17	10.2	6.9	2.6	3.6	5.8	2.4	3.7	1.0	5.0	3.5	5.1	6.5
18	5.6	9.1	3.9	2.6	2.2	2.8	3.3	3.0	7.9	4.3	7.0	7.6
19	6.0	6.4	9.9	4.1	2.9	2.6	2.2	3.8	5.9	1.6	7.0	4.6
20	6.8	8.8	4.8	3.7	4.7	3.2	3.2	4.4	2.8	5.2	7.9	7.0
21	13.3	10.4	5.0	4.3	3.9	2.0	1.5	2.6	1.9	8.0	8.1	7.6
22	10.2	12.2	4.8	7.8	6.3	2.1	5.6	2.9	6.4		6.9	1.6
23	12.3	8.8	4.6	4.3	7.8	4.5	4.0	3.4	6.5		4.7	1.3
24	11.6	12.6	16.2	4.0	3.1	3.2	4.3	1.9	3.6		8.4	1.8
25	5.1	4.9		5.1	3.2	6.2	3.2	26.4	5.3		8.3	.9
26	7.6	9.8	9.1	2.7	3.5	3.3	2.0	9.4	5.0		16.7	2.4
27	22.0	11.9	3.5	2.3	2.8	4.0	1.5	12.6	5.1		9.1	2.1
28	16.9	14.8	8.0	4.3	6.2	6.4	3.2	18.1	2.6		5.6	4.0
29	13.5		5.0	3.1	5.9	2.0	3.5	13.8	3.6	11.4	8.5	7.9
30	17.3		5.1	3.1	10.0	3.3	4.3	5.3	3.1	17.3	3.5	15.6
31	12.6				4.8		3.6	3.8		5.7		14.8
NO.:	31	28	29	29	31	30	31	31	30	24	30	31
MAX:	22.0	14.8	16.2	9.2	10.4	6.4	15.8	26.4	12.9	17.3	17.1	15.6
MEAN:	10.49	8.41	6.10	5.09	4.46	3.46	3.84	5.99	4.87	5.44	7.77	7.51
ANNUAL OBSERVATIONS:	355		ANNUAL MEAN:	6.13	ANNUAL MAX:	26.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-1004 POC: 1
 COUNTY: (047) Uintah
 CITY: (80090) Vernal
 SITE ADDRESS: 628 North 1700 West
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 40.4647097224
 LONGITUDE: -109.56147150
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	13.4	16.3	7.4	4.7	5.9	3.0	3.9	5.3	5.9	5.6	9.2	8.5
2	7.4	7.6	6.7	6.2	4.1	5.1	3.8	2.7	9.4	5.7	8.2	14.3
3	19.6	10.5	8.7	5.3	5.8	3.6	5.9	3.8	8.6	6.0	19.4	11.4
4	8.8	14.8	7.9	6.3	3.0	2.3	5.7	4.5	5.9	2.2	9.3	12.0
5	7.1	15.3	6.8	6.4	5.5	3.2	4.8	10.1	2.9	4.7	20.7	13.5
6	7.7	9.3	10.7	6.0	1.3	3.8	4.5	5.0	5.5	4.4	7.5	5.8
7	8.8	6.1	6.3	10.0	3.5	3.5	3.0	3.7	3.1	13.0	18.6	7.1
8	10.1	6.9	6.4	9.0	5.2	5.0	4.6	5.3	7.0	8.7	6.4	15.2
9	6.8	5.5	7.5	6.8	6.7	4.3	5.2	2.1	7.4	8.4	7.6	6.8
10	18.6	12.4	6.4	6.6	7.3	3.4	4.6	1.8	4.2	11.5	19.6	7.3
11	7.8	2.7	6.3	8.0	4.0	7.5	2.4	7.7	4.3	5.5	12.7	5.4
12	6.8	8.2	6.6	4.7	1.9		3.7	5.3	3.9	5.8	17.7	12.8
13	11.1	10.8	14.5	4.5	4.6	4.0	3.6	6.3	6.1	9.4	16.0	9.2
14	16.5	12.2	5.9	6.7	4.3	5.6	4.9	7.6	5.8	9.9	17.3	10.2
15	19.3	7.6	3.2	8.7	5.7	3.3	10.4	9.4	10.5	4.7	7.2	16.0
16	22.1	8.0	7.6	5.7	4.5	4.5	5.5	3.1	7.9	5.6	6.5	15.2
17	17.3	15.5	11.1	3.4	2.3	4.0	2.7	4.4	5.5	8.9	16.9	13.7
18	11.0	8.9	5.7	1.3	2.8	3.9	4.6	6.4	6.7	4.8	15.1	17.7
19	8.6	13.3	7.4	6.1	4.7	6.5	3.0	4.8	7.9	3.9	6.8	12.7
20	10.8	10.1	7.5	5.6	7.3	5.1	3.0	8.2	6.4	8.3	9.7	5.2
21	17.2	6.9	4.5	6.0	4.6	4.6	4.7	3.5	5.5	9.3	12.7	6.7
22	11.5	7.6	3.7	6.7	7.3	2.2	4.3	6.9	4.0	8.1	12.5	16.5
23	16.9	7.3	3.6	3.3	4.1	3.4	3.0	3.1	6.9	9.6	8.4	15.7
24	12.9	10.0	6.5	7.4	5.6	4.1	4.0	2.8	6.9		13.8	12.5
25	6.8	7.7	4.0	9.6	2.6	3.4	6.6	3.4	7.5	5.4	13.3	4.4
26	8.2	9.8	7.1	5.0	3.9	3.3	4.0	5.9	5.0	6.9	7.2	10.4
27	12.6	10.0	5.2	2.3	5.4	4.1	5.3	11.5	4.3	9.8	7.1	5.7
28	17.0	11.7	10.3	9.0	5.1	4.0	8.1	6.1	3.4	10.2	7.6	8.8
29	20.9		3.8	3.4	2.6	2.5	5.5	9.2	12.1	12.0	7.5	15.0
30	21.8		3.4	4.0	5.2	2.7	4.8	7.2	3.7		7.3	15.4
31	19.6		3.7		2.4		4.0	6.1		15.4		16.9
NO.:	31	28	31	30	31	29	31	31	30	29	30	31
MAX:	22.1	16.3	14.5	10.0	7.3	7.5	10.4	11.5	12.1	15.4	20.7	17.7
MEAN:	13.06	9.75	6.66	5.96	4.49	4.00	4.65	5.59	6.14	7.71	11.66	11.23
ANNUAL OBSERVATIONS:	362		ANNUAL MEAN:	7.57	ANNUAL MAX:	22.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-2002 POC: 1
 COUNTY: (047) Uintah
 CITY: (00000) Not in a city
 SITE ADDRESS: 2 Miles west of Redwash atop Deadman's Bench
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: DESERT
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.2062906011
 LONGITUDE: -109.35393186
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1701.8
 PROBE HEIGHT: 2

SUPPORT AGENCY: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE
 PQAQ: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT

REPORT FOR: 2025

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	4.8	10.1	4.1	2.2	3.6	5.6	3.3	3.3	7.3			
2	5.0	9.3	3.3	3.6	2.3	4.0	3.7	1.9	5.5			
3	10.0	9.9	3.9	4.9	6.8	3.1	5.2	2.8	4.4			
4	9.0	8.7	5.2	2.6	4.0	7.3	5.5	3.6	5.8			
5	5.6	10.6	10.9	3.3	2.6	6.0	4.3	5.0	3.6			
6	5.6	6.0	5.0	4.7	1.0	5.5	3.2	9.5	9.7			
7	1.8	7.9	3.1	5.0	4.0	11.4	5.2	9.0	5.6			
8	3.8	7.1	2.9	8.9	6.4	5.0	14.9	5.3	6.2			
9	3.5	2.4	5.3	12.3	7.6	5.8	13.8	1.9	5.5			
10	6.6	3.8	6.1	7.7	1.9	9.6	4.5	6.2	7.3			
11	4.6	2.9	13.0	4.6	3.2	4.7	5.4	5.9	5.6			
12	6.9	2.9	5.4	7.3	6.9	8.5	2.2	5.6				
13	6.5	6.3	1.4	5.1	1.2	9.1	3.2	7.0	9.5			
14	7.8	6.1	2.8	3.3	3.2	5.7	7.6	6.7	5.5			
15	6.9	5.1	4.2	9.2	4.0	10.4	7.8	5.0	5.6			
16	9.2	2.8	7.1	5.9	2.7	6.7	2.7	3.0	1.6			
17	8.9	4.9	9.0	4.2	2.5	2.4	4.7	4.6	3.6			
18	1.3	7.2	3.0	1.1	2.5	7.3	7.5	7.5	3.8			
19	2.9	11.7	4.3	2.8	3.6	4.6	2.9	7.1	4.0			
20	2.0	6.8	4.5	3.1	6.2	8.0	3.7	5.2	5.8			
21	12.1	4.4	4.8	16.5	5.6	2.4	5.4	3.8	1.9			
22	10.7	4.1	4.3	6.8	11.3	2.6	7.8	4.6	4.9			
23		3.4	8.3	7.7	8.1	8.6	4.8	3.0	1.6			
24	9.6	3.5	3.7	4.2	1.4	16.5	5.3	3.6	7.2			
25	5.1	3.9	5.1	10.7	1.9	8.1	7.2	4.4	7.6			
26	6.2	4.2	9.1	5.6	7.4	12.0	4.1	7.0	9.4			
27	13.5	5.3	10.5	10.6	2.2	5.8	1.7	12.3	5.5			
28	11.7	2.6	9.7	6.8	4.9	7.0	4.1		6.3			
29	21.3		2.2	4.1	4.1	19.0	7.5	6.7	8.9			
30	12.8		5.7	6.1	10.8	4.7	4.6	5.0	3.8			
31	14.4		3.9		7.1		2.5	3.5				
NO.:	30	28	31	30	31	30	31	30	29	0	0	0
MAX:	21.3	11.7	13.0	16.5	11.3	19.0	14.9	12.3	9.7			
MEAN:	7.67	5.85	5.54	6.03	4.55	7.25	5.36	5.33	5.62			
ANNUAL OBSERVATIONS:	270		ANNUAL MEAN:	5.91	ANNUAL MAX:	21.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-2003 POC: 1
 COUNTY: (047) Uintah
 CITY: (00000) Not in a city
 SITE ADDRESS: 2 miles south of Ouray and south of the White and Green River confluence
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: DESERT
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.0567100920
 LONGITUDE: -109.68810764
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1466.8
 PROBE HEIGHT: 2

SUPPORT AGENCY: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE
 PQAQ: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT

REPORT FOR: 2025

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	5.5	16.8	7.0	1.7	4.9	4.8	4.5	6.2	7.0			
2	7.4	15.4	6.1	3.6	4.8	3.5	4.4	5.3	6.1			
3	8.0	10.2	2.9	5.2	4.6	3.8	5.2	3.4	6.6			
4	8.1	9.8	4.0	5.2	7.7	2.9	3.4	5.8	7.1			
5	6.0		4.2	1.5	3.6	4.5	5.3	5.3	3.5			
6	11.4	5.4	4.1	4.3	1.5	5.7	6.4	7.4	5.9			
7	5.8	5.3	6.3	5.0	1.9	4.5	5.1	5.3	4.7			
8		2.7	3.7	9.9	7.2	4.5	5.7	5.4	7.0			
9	8.9	4.3	5.9	5.8	4.2	4.6	4.2	4.4	5.4			
10	5.4	5.8		6.5	4.5	6.1	6.8	5.4	4.8			
11	4.8	9.8	3.7	7.0	3.0	4.8	2.7	3.9	4.1			
12	4.9	6.5		6.5	8.3	5.9	3.7	5.2	4.5			
13	5.6	4.2		3.1	1.9	4.9	2.7	7.3	6.2			
14	8.8	7.4	3.4	3.0	1.5	7.9	3.5	5.2	7.4			
15	7.1	9.4	2.1	8.3	3.2	4.6	2.3	3.6	7.1			
16	9.0	5.8	2.2		4.1	5.5	3.5	3.8	4.0			
17	11.1	6.0	6.8		3.3	5.4	7.0	6.7	8.6			
18	2.3	5.3	1.5		2.1	3.1	4.8	5.2	5.1			
19	6.4	4.7	2.0	5.1	3.0	4.7	4.5	4.4	7.4			
20	5.0	7.1	6.4	3.8	3.2	4.8	7.8	5.4	8.1			
21	3.9	7.4	5.2	6.8	6.3	4.4	5.1	5.4	9.0			
22	9.3	7.5	2.5	6.9	7.0	1.4	2.5	4.2				
23	6.1	8.8	3.2	4.7	6.2	1.6	4.1	6.3	2.4			
24	12.9	6.0	5.0	4.0	5.8	5.6	4.4	6.0	3.8			
25	9.9	6.9		2.7	4.5	3.4	5.8	2.8	4.9			
26	7.3	5.3	5.1	5.2	6.0	5.6	5.6		6.9			
27	14.7	6.3	6.1	9.8	3.2	6.0	6.5	5.2	4.1			
28	17.0	6.0	4.7	3.7	3.7	4.3	6.1	6.3	1.6			
29	25.8		3.8	5.3	4.2	8.3	3.5	8.0	3.9			
30	25.7		4.1	3.0	4.2	8.3	6.8	6.0	8.8			
31	15.7		4.9		3.1		2.7	6.6				
NO.:	30	27	27	27	31	30	31	30	29	0	0	0
MAX:	25.8	16.8	7.0	9.9	8.3	8.3	7.8	8.0	9.0			
MEAN:	9.33	7.26	4.33	5.10	4.28	4.85	4.73	5.38	5.72			
ANNUAL OBSERVATIONS:	262		ANNUAL MEAN:		5.66	ANNUAL MAX:		25.8				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-7022 POC: 1
 COUNTY: (047) Uintah
 CITY: (00000) Not in a city
 SITE ADDRESS: WHITEROCKS & COUNTY ROAD
 SITE COMMENTS: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: DESERT
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 40.4835983220
 LONGITUDE: -109.90679622
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1893
 PROBE HEIGHT: 4

SUPPORT AGENCY: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT
 MONITOR TYPE: TRIBAL
 COLLECTION AND ANALYSIS METHOD: (599) Instrumental Chemiluminescence Tel
 PQAQ: (687) Ute Indian Tribe of Uintah & Ouray Reservation, UT

REPORT FOR: 2025

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .05

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	2.4	7.0	2.0	.8	1.1	1.2	2.0	.9	2.0			
2	2.5	4.4	2.5	1.7	1.5	1.6	2.5	.8	2.3			
3	2.7	3.5	1.0	1.2	1.4	.9	10.4	1.0	2.3			
4	5.1	1.4	1.1	.7	1.2	1.0	7.8	1.6	1.6			
5	1.0	1.2	2.2	1.8	1.0	1.5	2.8	1.8	1.6			
6	4.8	4.2	1.6	1.5	1.8	1.5	1.4	1.7	2.0			
7	1.0	1.8	2.5	1.8	1.4	1.1	1.2	.9	2.1			
8	2.2	.7	1.6	1.4	1.5	.8	4.5	1.5	1.9			
9	1.3	.8	1.7	2.4	1.0	.9	3.2	.6	1.2			
10	2.1	2.3	2.9	2.7	1.8	1.2	1.1	.6	1.7			
11	1.1	1.7	2.9	2.4	1.2	.9	.8	1.5	2.4			
12	1.6	1.4	2.1	1.3	1.4	.8	1.0	1.0	2.8			
13	3.8	8.8	2.7	1.7	1.9	.7	1.6	1.3	4.8			
14	2.8	8.2	2.1	1.4	1.9	1.1	1.9	1.0	2.4			
15	4.0	3.8	1.2	1.1	.7	1.2	2.1	2.0	1.7			
16	6.5	2.7	1.2	1.1	1.0	.9	7.0	7.9	1.1			
17	4.5	2.5	1.5	1.9	.8	.6	4.3	1.2	1.9			
18	1.9	1.2	1.8	.8	2.6	.9	1.7	1.0	1.4			
19	1.4	1.8	.7	1.6	1.1	1.1	3.7	1.2	1.9			
20	3.7	1.7	1.4	.9	1.9	1.6	1.5	1.0	1.1			
21	2.1	1.7	1.1	.7	2.0	1.2	1.2	1.3	2.6			
22	1.2	3.6	1.9	1.0	.9	1.1	1.5	1.5	1.9			
23	2.3	4.3	.9	.8	1.0	1.3	.8	1.3	2.9			
24	1.9	1.2	.9	.8	1.4	1.1	1.0	1.7	3.2			
25	2.8	.7	1.0	1.5	.7	.8	1.0	4.5	2.6			
26	5.2	.9	1.9	1.6	1.2	1.2	1.1	9.2	2.2			
27	6.7	1.9	1.3	2.0	1.4	1.8	1.6	1.6	3.2			
28	11.2	2.7	1.5	2.8	1.5	1.8	1.1	6.3	1.7			
29	13.3		3.0	1.0	2.4	1.0	1.2	7.8	1.1			
30	10.7		1.4	1.4	1.8	2.0	1.7	7.1	3.0			
31	10.0		1.2		1.3		1.0	3.1				
NO.:	31	28	31	30	30	30	31	30		0	0	0
MAX:	13.3	8.8	3.0	2.8	2.6	2.0	10.4	9.2	4.8			
MEAN:	3.99	2.79	1.70	1.46	1.39	1.22	2.44	2.48	2.15			
ANNUAL OBSERVATIONS:		271		ANNUAL MEAN:	2.18		ANNUAL MAX:	13.3				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-049-4001 POC: 2
 COUNTY: (049) Utah
 CITY: (45090) Lindon
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.341389
 LONGITUDE: -111.713611
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1442
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	25.6	23.6	34.8	7.8	17.0	6.3	21.9	11.9	10.3	18.8	18.1	24.3
2	33.1	19.9	19.3	23.4	14.4	10.4	16.1	5.6	13.8	13.3	19.7	21.4
3	37.0	17.0	9.4	12.4	7.2	8.6	8.1	7.4	14.9	11.8	22.6	20.6
4	22.4	7.8	16.6	18.0	5.3	7.8	24.4	8.9	15.7	4.7	23.5	22.0
5	22.6	17.4	42.6	16.4	6.8	7.6	7.7	13.2	19.2	9.2	24.9	18.3
6	27.3	38.7	4.9	18.2	7.6	15.4	6.8	19.8	10.8	15.2	17.2	23.2
7	31.3	5.4	9.2	20.4	10.2	8.1	10.0	6.5	7.9	19.4	23.6	31.0
8	27.7	15.1	21.9	15.2	15.3	6.7	13.2	8.5	9.0	16.6	28.0	28.7
9	28.8	23.5	28.2	18.8	15.4	10.4	16.0	6.7	15.2	17.7	24.6	34.7
10	26.9	35.3	28.9	18.5	9.5	9.3	5.4	4.7	18.0	14.4	41.4	35.3
11	13.2	22.3	33.1	21.9	4.8	9.1	7.4	9.8	14.7	7.2	38.3	28.9
12	13.6	31.4	6.0	4.5	6.4	6.0	7.0	10.9	12.3	6.7	34.4	31.1
13	23.9	43.2	11.7	5.6	7.7	6.5	6.9	9.5	6.0	17.1	35.4	26.0
14	23.4	13.4	12.8	14.6	11.1	10.0	9.8	18.5	7.4	10.9	9.6	27.3
15	38.0	18.1	10.3	19.5	8.5	5.1	10.0	19.6	27.9	11.6	25.8	31.7
16	38.7	20.7	12.8	13.5	10.9		6.8	8.2	10.8	8.7	15.8	33.9
17	34.7	26.1	3.2	6.2	6.8		16.2	6.3	12.6	15.3	8.8	27.7
18	21.4	23.4	6.4	7.8	6.5	9.3	12.5	10.8	13.1	13.9	25.9	39.0
19	29.5	31.8	22.6	17.1	8.5	8.1	12.2	9.2	23.6	10.4	21.7	26.5
20	21.0	26.0	17.2	13.6	15.3	4.1	8.8	17.4	10.5	14.7	22.1	24.9
21	44.5	30.6	29.4	17.5	9.5	3.3	5.3	14.0	6.1	23.2	19.5	22.8
22	35.5	28.3	11.1	13.0	10.7	3.7	6.0	14.7	9.8	32.8	23.2	9.5
23	38.6	26.5	14.7	15.0	9.5	9.9	8.2	7.6	11.7	17.3	20.1	32.6
24	43.9	28.4	22.9		10.0	6.5	14.3	9.0	14.8	20.2	27.3	7.3
25	40.6		18.3	14.2	5.6	8.8	9.3	13.6	15.7	15.5	27.7	3.2
26	30.9		19.2	11.7	9.5	12.6	6.0	13.4	23.2	11.7	33.7	4.5
27	43.3	27.0	17.7	2.7	9.2	8.2	6.0	11.3	8.2	13.3	23.4	6.8
28	47.4	30.9	11.1	8.4	10.7	8.6	9.9	11.5	7.3	26.4	22.6	22.3
29	41.8		8.6	14.2	8.7	7.6	16.1	20.9	15.5	27.6	23.1	29.6
30	40.1		11.5	11.8	8.3	6.8	9.0	8.9	10.5	32.6	16.2	32.5
31	46.4		5.8		9.4		8.7	11.2		24.0		31.2
NO.:	31	26	31	29	31	28	31	31	30	31	30	31
MAX:	47.4	43.2	42.6	23.4	17.0	15.4	24.4	20.9	27.9	32.8	41.4	39.0
MEAN:	32.04	24.30	16.85	13.86	9.56	8.03	10.52	11.27	13.22	16.20	23.94	24.48
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:	17.00	ANNUAL MAX:	47.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-049-5010 POC: 1
 COUNTY: (049) Utah
 CITY: (71290) Spanish Fork
 SITE ADDRESS: 312 W. 2050 NORTH, SPANISH FORK, UTAH
 SITE COMMENTS: SITE IS LOCATED AT SPANISH FORK AIRPORT
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.136378
 LONGITUDE: -111.657936
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1380
 PROBE HEIGHT: 5

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	13.0	18.5	23.3	9.5	11.6	10.5	8.2	8.9	11.6	12.3	34.2	24.8
2	29.1	14.4	30.8	12.5	13.7	15.7	13.6	13.9	17.1	21.4	27.5	
3	8.3	26.4	8.3	18.2	10.2	27.2	9.6	9.2	15.1	20.2	31.3	18.4
4	25.1	24.0	16.8	23.3	10.0	10.7	8.6	11.0	16.7	7.7	26.8	27.5
5	25.8	7.8	18.4	13.6	21.3	11.2	9.8	15.4	13.6	8.5	37.8	17.5
6	15.1	26.0	18.1	15.0	9.1	9.7	6.0	15.4	13.0	11.5	21.5	27.2
7	11.7	3.9	6.0	10.5	10.8	7.8	11.8	16.4	10.2	29.0	31.4	23.2
8	18.9	15.2	17.3	16.2	11.2	10.2	13.8	24.3	11.7	19.5	21.4	28.2
9	27.5	17.0	13.9	13.0	15.0	8.6	9.1	11.4	14.0	10.1	25.0	30.1
10	19.5	14.4	14.7	10.5	10.9	10.1	19.9	9.8	10.4	11.9	42.9	30.9
11	10.2	20.0	29.3	19.8	5.1	8.7	12.6	13.8	30.5	5.1	35.3	29.4
12	14.2	36.0	29.1	7.6	10.3	15.1	9.6	19.7	17.1	7.1	31.0	32.0
13	22.8	8.4	20.7	7.5	6.8	11.3	9.6	15.2	8.7	6.1	32.2	27.3
14	19.6	26.5	6.5	15.9	14.2	6.9	13.4	13.8	11.2	23.0	36.4	30.5
15	36.6	24.3	18.6	22.1	12.1	10.9	12.0	11.9	9.1	21.6	27.6	35.8
16	40.4	10.4	12.7	9.3	13.4	10.2	13.5	7.5	31.3	15.4	10.2	26.1
17	28.5	30.3	32.0	12.3	5.9	16.3	10.1	9.7	15.3	16.9	11.5	27.7
18	17.5	27.1	3.1	12.1	5.5	11.0	12.8	13.0	11.6	18.1	8.4	34.0
19	8.4	13.9	22.1	11.8	7.6	9.9	8.1	11.4	12.1	6.6	14.0	32.5
20	14.0	25.6	17.2	12.3	12.0	15.1	7.7	16.8	8.3	10.2	18.7	29.7
21	34.5	17.9	16.7	15.7	7.1	2.9	12.1	15.5	5.2	20.0	27.9	20.2
22	39.6	26.8	10.6	21.2	9.8	5.7	10.8	15.5	13.3	28.0	25.6	18.8
23	26.6	24.4	18.5	14.6	15.2	10.4	14.1	6.7	13.4	27.8	21.6	5.9
24	36.6	29.1	20.8	15.0	7.5	14.5	15.1	14.7	14.2	12.3	23.3	13.2
25	26.7	26.9	14.2	15.3	4.7	11.0	10.7	16.0	20.3	19.6	25.2	9.4
26	37.3	31.8	11.4	9.1	7.4	8.7	7.2	10.1	13.4	8.9	36.6	12.9
27	43.4	29.9	10.2	8.4	10.2	9.8	6.3	14.9	9.3	27.3	28.5	6.6
28	43.5	30.1	30.6	11.8	11.7	6.6	9.9	16.8	3.8	16.6	16.4	11.1
29	36.8		14.1	16.5	7.1	7.8	12.3	22.1	8.0	36.4	19.7	27.5
30	40.6		12.6	25.3	9.3	9.8	11.5	14.6	10.7	23.0	17.7	30.6
31	33.0		17.3		10.0		11.8	14.0		25.0		32.1
NO.:	31	28	31	30	31	30	31	31	30	31	30	30
MAX:	43.5	36.0	32.0	25.3	21.3	27.2	19.9	24.3	31.3	36.4	42.9	35.8
MEAN:	25.96	21.68	17.29	14.20	10.22	10.81	11.02	13.85	13.34	17.00	25.59	24.04
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	17.04	ANNUAL MAX:	43.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-051-0001 POC: 1
 COUNTY: (051) Wasatch
 CITY: (34200) Heber (corporate name for Heber
 SITE ADDRESS: Heber City Site #1 Water Conservatio District lot, 626 E 1200 S Heber City UT 840
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: COMMERCIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 40.497962
 LONGITUDE: -111.39763
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1306
 PROBE HEIGHT:

SUPPORT AGENCY: () Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	13.5	11.4	12.3	5.2	6.6	3.3	9.6	11.5	5.1	9.2	10.7	14.9
2	21.0	6.5	10.5	6.4	10.3	7.0	8.2	6.5	10.4	13.3	9.7	15.7
3	20.5	10.5	7.4	3.4	7.5	8.4	8.6	3.7	10.7	12.4	15.4	18.9
4	7.8	6.1	9.4	5.1	4.0	4.6	8.9	10.1	12.5	6.1	17.1	14.6
5	12.0	12.4	17.2	3.7	9.2	6.4	3.9	13.5	11.5	6.2	22.7	13.5
6	25.4	14.7	11.8	6.4	4.3	6.7	2.4	8.9	8.1	7.7	5.4	7.0
7	4.5	4.0	6.1	14.0	10.8	5.7	8.9	14.6	3.6	10.0	13.0	12.5
8	14.4	5.5	7.6	10.7	9.8	3.4	7.5	7.6	13.8	16.9	11.8	16.5
9	13.4	7.3	12.8	16.0	6.4	5.3	10.4	4.5	11.6	15.0	9.8	21.5
10	15.0	10.0	25.9	11.8	6.2	7.8	5.7	3.1	14.7	6.4	16.2	18.0
11	11.4	10.9	24.4	13.3	5.9	9.5	6.6	7.8	10.7	1.9	17.8	14.2
12	11.8	9.3	9.4	9.1	1.9	6.0	4.6	8.4	10.9	7.2	27.4	14.9
13	9.8	18.5	3.4	3.8	8.0	12.2	3.0	9.8	4.7	15.1	18.6	19.3
14	18.5	15.5	6.5	10.6	5.5	5.5	7.3	11.3	5.3	12.9	7.4	15.1
15	18.9	9.0	6.2	15.5	5.7	4.6	6.3	8.8	19.1	13.4	10.2	19.4
16	20.5	20.5	9.7	10.2	10.2	8.1	9.1	6.1	10.5	10.6	14.8	20.8
17	25.8	26.4	10.9	6.5	5.6	7.0	7.5	4.5	8.9	12.1	6.8	21.9
18	7.3	14.9	6.9	6.8	3.0	5.3	7.3	9.1	10.4	9.0	10.4	33.2
19	11.8	23.7	8.7	5.7	3.3	8.9	9.1	11.6	14.0	7.5	19.8	15.5
20	7.5	25.3	18.0	8.0	9.6	3.8	5.4	13.3	8.1	10.0	14.0	13.7
21	26.5	14.6	15.9	6.0	8.7	2.4	9.9	16.7	5.2	16.1	7.6	12.6
22	12.5	10.2	5.2	8.0	9.3	1.8	15.5	7.7	10.7	17.0	8.8	9.8
23	13.4	25.8	6.9	13.5	5.3	3.7	10.4	11.5	7.2	19.8	9.5	7.2
24	27.1	25.4	11.9	6.9	5.3	6.5	7.6	11.1	7.9	15.6	16.7	14.5
25	14.3	18.5	8.8	7.8	2.6	8.5	7.2	9.7	9.9	11.0	16.9	1.8
26	9.3	16.2	12.1	5.8	5.0	6.6	5.1	10.2	19.6	5.5	14.1	6.0
27	23.0	13.7	19.3	3.8	8.4	12.1	4.5	9.1	5.0	13.0	11.4	6.6
28	24.3	16.8	5.3	5.8	9.1	5.2	11.2	10.8	4.4	14.0	12.4	5.2
29	20.9		6.3	7.8	8.4	3.7	10.8	11.0	9.1	16.6	10.5	11.1
30	23.6		5.1	11.7	8.5	7.4	9.9	5.6	8.6	15.4	15.8	16.8
31	26.8		26.4		4.6		8.3	6.5		14.2		20.0
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	27.1	26.4	26.4	16.0	10.8	12.2	15.5	16.7	19.6	19.8	27.4	33.2
MEAN:	16.53	14.41	11.24	8.31	6.74	6.25	7.76	9.18	9.74	11.65	13.42	14.60
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	10.81	ANNUAL MAX:	33.2						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-053-0007 POC: 1
 COUNTY: (053) Washington
 CITY: (37170) Hurricane
 SITE ADDRESS: 147 N 870 W, Hurricane, Utah
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (014) FOUR CORNERS
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 37.179125
 LONGITUDE: -113.305096
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 846
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	15.8	22.2	14.9	6.0	12.8	2.0	6.9	3.9	10.0	12.0	19.7	12.9
2	25.2	21.2	9.2	6.2	10.0	5.7	8.0	7.0	6.0	11.4	17.3	20.4
3	26.9	30.9	12.6	7.5	4.3	6.2	4.3	6.5	12.2	7.8	23.9	10.6
4	19.5	23.2	17.1	5.1	2.7	3.4	2.8	10.5	20.5	5.7	24.3	29.0
5	12.3	20.4	13.0	1.4	4.2	3.6	7.0	7.5	6.9	4.4	21.5	17.2
6	26.1	12.6	11.8	8.3	7.9	5.7	5.8	4.3	7.9	20.2	34.6	9.8
7	7.6	10.9	15.7	11.4	8.2	4.7	9.3	4.5	5.7	23.6	25.4	13.6
8	9.5	10.1	7.5	6.9	6.0	3.4	7.4	11.4	4.8	14.3	9.0	20.8
9	7.0	16.3	14.2	7.8	4.6	6.7	5.8	8.8	5.6	3.2	8.0	27.7
10	19.1	16.7	23.7		8.2	3.6	6.3	3.1	8.3	7.4	23.8	25.3
11	15.1	26.1	13.9	9.6	3.9	2.8	4.9	9.2		2.2	22.4	24.9
12	6.9	13.0	13.8	2.8	11.4	2.9	6.5	8.2	8.5	9.8	24.5	24.8
13	18.1	9.9		2.1	4.5	5.5	3.9	4.3	7.8	6.5	19.9	13.6
14	13.9	13.3	6.5	5.7	6.1	6.4	7.9	7.1	4.5	5.7	26.0	15.9
15	23.6	14.0	5.1	13.6	5.5	6.7	5.5	4.8	3.9	7.8	11.3	26.7
16	30.0	17.8	5.8	6.4	5.9	4.3	10.7	6.7	8.3	10.6	4.8	23.1
17	19.8	14.6	5.7	12.6	3.2	7.9	7.8	5.5	15.3	18.9	6.3	23.2
18	12.3	9.4	3.6	3.3	2.9	7.7	5.1	5.1	5.1	20.3	2.4	28.9
19	13.4	23.1	9.6	7.0	2.5	3.9	6.9	5.1	12.7	7.3	8.2	24.4
20	7.2	20.7	8.3	4.8	6.8	11.4	2.8	4.8	8.7	8.1	15.5	16.8
21	26.6	10.7	7.2	5.1	8.0	2.0	4.4	6.5	6.8	23.0	21.3	18.5
22	17.4	15.8	4.8	6.8	3.2	3.8	6.4	11.2	14.7	20.6	7.7	20.6
23	22.6	13.7	1.5	3.7	7.5	4.8	5.8	4.7	4.1	5.1	11.2	23.1
24	25.5	16.8	6.7	5.3	3.7	7.1	7.1	5.2	14.8	21.5	25.2	5.6
25	24.2	17.3	10.3	13.1	2.2	6.9	5.5	9.2	6.7	14.9	12.9	4.8
26	8.1	8.1	10.5	5.7	5.6	5.8	5.1	10.7	6.9	12.5	14.8	18.6
27	14.9	29.4	3.2	2.3	4.7	6.3	5.7	11.3	5.9	6.5	12.2	8.6
28	19.6	15.9	28.5	5.5	4.4	4.9	8.4	8.8	4.6	17.6	12.2	4.6
29	21.5		4.0	7.7	4.1	6.6	6.8	11.7	13.1	25.4	15.7	26.0
30	32.5		6.2	3.5	5.2	9.2	6.3	5.3	6.0	31.3	9.4	19.1
31	22.6		8.6		3.0		4.1	13.2		21.9		15.4
NO.:	31	28	30	29	31	30	31	31	29	31	30	31
MAX:	32.5	30.9	28.5	13.6	12.8	11.4	10.7	13.2	20.5	31.3	34.6	29.0
MEAN:	18.22	16.93	10.12	6.46	5.59	5.40	6.17	7.29	8.49	13.15	16.38	18.53
ANNUAL OBSERVATIONS:	362		ANNUAL MEAN:	11.05	ANNUAL MAX:	34.6						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-057-1003 POC: 1
 COUNTY: (057) Weber
 CITY: (33540) Harrisville
 SITE ADDRESS: 425 W 2550 NORTH, OGDEN, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 41.3036139529
 LONGITUDE: -111.98787086
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 1331
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	21.0	16.4	33.2	8.7	18.7	7.6	21.8	18.3	11.8	20.1	25.9	29.7
2	21.0	10.2	33.4	12.3	7.9	5.6	7.6	9.3	20.0	20.7	26.7	24.5
3	31.3	15.2	21.6	27.4	8.8	7.8	12.5	7.1	20.5	12.9	28.5	23.3
4	21.0	12.2	16.0	24.0	10.5	14.1	6.9	12.9	21.7	5.6	26.3	24.4
5	21.5	18.6	23.8	6.8	13.0	12.2	9.1	16.4	15.6	8.5	29.3	18.1
6	27.1	33.0	8.5	24.6	4.9	8.0	4.6	25.1	9.8	14.0	23.7	33.7
7	13.1	30.0	13.7	29.0	5.5	8.0	12.4	14.5	9.1	19.4	24.7	24.0
8	24.9	26.0	20.8	18.7	14.7	7.0	15.9	8.5	7.1	23.2	20.1	27.5
9	28.3	29.9	28.1	23.8	23.3	12.2	9.0	13.8	12.7	23.8	28.4	29.5
10	33.1	29.7	34.0	23.3	13.1	13.5	9.0	8.4	14.8	7.0	37.4	29.9
11	14.1	24.2	34.9	29.5	3.9	14.3	18.6	17.3	22.3	5.0	36.7	26.7
12	22.1	22.1	23.7	12.6	5.6	16.7	9.3	20.2	23.3	10.0	31.0	28.7
13	30.0	34.9	4.7	5.0	4.5	10.4	28.1	15.1	16.0	21.0	39.4	29.5
14	30.2	25.9	24.9	24.4	9.8	9.1	23.4	9.6	8.7	12.0	21.6	27.3
15	33.4	23.4	14.0	27.5	8.2	9.4	7.0	16.8	14.0	14.6	23.3	29.7
16	36.1	25.9	15.0	26.7	18.3	19.5	19.8	5.9	16.5	10.4	17.8	31.3
17	33.4	25.4	14.5	3.9	12.0	13.9	15.1	8.1	21.6	21.0	11.6	26.7
18	30.6	29.5	6.7	7.3	5.0	12.4	10.0	12.3	17.6	16.3	26.3	29.1
19	26.0	34.4	25.0	11.2	14.1	14.1	5.3	16.7	26.7	14.8	24.0	21.8
20	20.5	25.3	21.6	8.4	8.4	6.5	8.6	24.7	12.3	19.4	26.0	27.8
21	39.7	32.8	34.2	10.4	6.8	7.3	7.3	18.0	6.0	24.3	20.4	22.6
22	36.2	35.3	10.5	23.2	2.8	8.3	8.3	23.7	17.0	27.1	20.7	26.1
23	35.7	34.2	20.7	14.9	4.6	16.7	16.7	11.4	7.9	23.7	19.3	30.7
24	34.5	29.9	25.4	13.2	7.4	7.7	7.7	9.2	10.6	22.8	23.4	8.2
25	32.7	23.8	21.5	4.2	5.7	14.5	9.3	13.2	18.7	19.9	29.8	4.7
26	21.4	32.8	10.8	7.3	7.3	12.7	8.0	10.4	15.9	9.6	31.7	8.3
27	35.3	30.7	18.4	5.5	9.9	11.2	6.5	9.8	10.3	14.5	28.3	11.6
28	35.9	37.2	16.2	6.7	10.1	11.5	16.2	14.0	7.6	27.7	26.8	22.0
29	37.2	16.2	19.2	9.6	6.6	20.4	15.5	16.1	31.6	23.8	29.6	30.1
30	36.7	8.7	7.2	17.8	9.3	14.2	9.4	9.7	31.2	23.6	30.1	30.1
31	35.3	23.4	10.2	6.3	10.9	6.3	10.9	10.9	26.0	26.0	29.9	29.9
NO.:	31	28	30	24	31	30	31	31	30	31	30	31
MAX:	39.7	37.2	34.9	29.5	23.3	19.5	28.1	25.1	26.7	31.6	39.4	33.7
MEAN:	29.01	26.75	20.44	16.21	10.95	10.32	12.09	13.76	14.73	18.00	25.88	24.74
ANNUAL OBSERVATIONS:	358		ANNUAL MEAN:	18.56	ANNUAL MAX:	39.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.