

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 2375788

Report Code: AMP350MX

Apr. 22, 2026

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			81102							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA			

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2025 01 01	2025 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 Annual 2024
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-003-0005 POC: 1  
 COUNTY: (003) Box Elder  
 CITY: (08460) Brigham City  
 SITE ADDRESS: 340 Paxton Pl, BRIGHAM CITY, UT  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 41.485007  
 LONGITUDE: -112.021476  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1334  
 PROBE HEIGHT:

SUPPORT AGENCY: ( ) Not Found

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		6	16	3	11	22	34	47	18		10	
2		35	32	6	17	21	26	39	25	19	9	
3		65	30	6	16	13	22	21	31	14	18	
4		109	5	5	21	18	20	39	32	2	21	
5		46	8	6	15	18	19	37	25		44	
6		10	1	7	4	21	15	47	16		9	
7		17	4	18	8	22	13	32	17	12	8	
8		4	6	26	16	18	36	18	25	18	4	
9		5	8	28	18	23	30	21	19	24	5	
10		7	12	37	24	25	26	17	23	9	14	
11		5	14	31	39	38	22	22	23	8	22	
12		9	29	23	60	32	20	29	24	2	22	
13		10		11	16	30	15	71	15	10	21	
14		5	2	16	4	27	33	45	13	9		
15		3	2	22	6	19	33	45	15			
16		4	9	27	9	27	39	33	14			
17		8	17	14	11	19	39	20	17			
18		3	4	5	7	22	37	30	23	7		
19		11	9	7	6	46	20	30	28	8		
20		3	8	8	8		21	34	14	6		
21		11	6	9	8	41	29	33	14	10		
22		18	3	15	19	4	19	32	11	18		
23		15	3	18	19	7	24	26	19	11	12	
24		23	7	11	12	15	21	24	14	19		
25		9	10	20	12	22	22	21	24	19		
26		9	15	21	13	24	11	14	19	16		
27		14	31	20	20	29	12	9	23	3		
28		19	108	7	27	21	20	16	9	7		
29			44	11	25	11	45	23	16	11		
30			8	5	25		38	18		13		
31			10		26		50	15		11		
NO.:	0	28	30	30	31	28	31	30	29	25	13	0
MAX:		109.	108.	37.	60.	46.	50.	71.	32.	24.	44.	
MEAN:		17.3	15.4	14.8	16.8	22.7	26.2	29.5	19.2	11.5	15.9	
ANNUAL OBSERVATIONS:		275		ANNUAL MEAN:	19.2		ANNUAL MAX:	109.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-011-0004 POC: 3  
 COUNTY: (011) Davis  
 CITY: (07690) Bountiful  
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH  
 SITE COMMENTS: NEW SITE TO REPLACE 490110001  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.902967  
 LONGITUDE: -111.884467  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1309  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		48	23	3	12	19	30	37	20	12	15	
2		8	50	3	19	24	33	37	21	17	13	
3		24	31	5	18	14	18	23	28	14	23	
4		54	5	5	14		30	34	27	2	21	
5		42	8	4	10	21	31	41	26	5	32	
6		14	1	7	6	25	17	23	21	12	16	
7		27	5	17	6	23	21	31	15	14	14	
8		5	8	28	12	19	28	32	19	25	8	
9		6	7	30	18	24	29	24	14	18	12	
10		9	12	33	16	21	34	21	28	6	23	
11		9	18	30	36	40	29	24	26	5	31	
12		7	25	24	115	35	23	25	26	3	31	
13	10	13	5	13	23	32	19	69	16	8	27	
14		5	3	17	3	32	19	47	17	9	16	
15		3	2	23	6	24	36	29	21	6		
16		5	8	24	11	26	46	26	19	4		
17		5	21	11	14	27	39	18	20	7		
18		3	3	4	7	29	28	20	26	8		
19		12		9	6	36	25	27	30	9		
20		4	8	9	9	98	23	30	16	7		
21		9	11		10	75	24	44	17	14		
22		16	4	16	22	7	25	24	10	16		
23		11	3	26	25	13	31	24	11	18		
24		20	7		19	20	32	16	14	19		
25	11	12	11	17	13	22	25	18	24	13		
26		8	15	19	15	27	18	18	24	20		
27		11	36	22	16	36	12	13	18	3		
28		20	91	9	20	29	29	14	10	5		
29			57	12	20	22	36	26	15	14		
30			8	6	23	22	26	20	10	17		
31			12		20		25	21		14		
NO.:	2	28	30	28	31	29	31	31	30	31	14	0
MAX:	11.	54.	91.	33.	115.	98.	46.	69.	30.	25.	32.	
MEAN:	10.5	14.6	16.6	15.2	18.2	29.0	27.1	27.6	19.6	11.1	20.1	
ANNUAL OBSERVATIONS:		285		ANNUAL MEAN:	19.9	ANNUAL MAX:	115.					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-011-0004 POC: 5  
 COUNTY: (011) Davis  
 CITY: (07690) Bountiful  
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH  
 SITE COMMENTS: NEW SITE TO REPLACE 490110001  
 MONITOR COMMENTS: SAMPLING FOR METALS ANALYSIS ONLY.

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.902967  
 LONGITUDE: -111.884467  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1309  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (216) Tisch Model TE-Wilbur10 Low-Volume

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	9			3	12							
2			45									
3											22	7
4									29	1		
5								41				
6		14				25	20					
7	4			18	5							
8			8								12	20
9												
10									24	6		
11								26				
12		7				33	22					
13				13	24							
14			3									
15											18	29
16	43								21	5		
17								18				
18		3				27	28					
19	5			10	6							
20			7									
21											10	6
22									11	17		
23								25				
24		21				23	33					
25	9			18	13							
26			13									
27											14	4
28									10	6		
29								27				
30						23	26					
31	25				23							
NO.:	6	4	5	5	6	5	5	5	5	5	5	5
MAX:	43.	21.	45.	18.	24.	33.	33.	41.	29.	17.	22.	29.
MEAN:	15.8	11.3	15.2	12.4	13.8	26.2	25.8	27.4	19.0	7.0	15.2	13.2
ANNUAL OBSERVATIONS:	61		ANNUAL MEAN:		16.9	ANNUAL MAX:		45.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-013-0002 POC: 1  
 COUNTY: (013) Duchesne  
 CITY: (64670) Roosevelt  
 SITE ADDRESS: 290 S. 1000 W.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.2941780318  
 LONGITUDE: -110.00973229  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1596  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10	32	12	7	12	18	32	22	15	9	15	10
2	7	12	16	5	15	18		29	16	11	14	11
3	10	11	24	8	22	25	18	23	21	16	19	4
4	11	11	15	6	24	15	16	28	25	20	17	6
5	3	21	8	6	12	15	15	36	22	5	21	7
6	8	13	3	9	5	13	17	40	15	11	38	23
7	5	33	3	17	6	20	21	40	9	14	13	4
8	9	3	6	43	11	14	18	52	12	16	9	9
9	9	4	8	33	12	19	20	18	9		10	9
10	10	8	9	32	15	29	23	17	11	7	22	9
11	6	8	13	30	31	23	23	23	18	4	25	10
12	5	7	13	29	29	27	15	24	20	2	27	12
13	7	8	11	21	83	28	17	26	6	6	24	13
14	10	13	10	19	29	33	24	50	7	5	31	16
15	16	10	9	19	21	21	36	23	18	5	21	22
16	22	5	6	34	13	21	29	13	11	3	11	28
17	24	6	11	9	14	40	26	23	10	4	4	86
18	5	11	53	6	12	23	26	17	13	6	5	14
19	7	6	6	6	10	26	10	19	16	8	5	23
20	7	7	13	9	15	53	14	20	11	11	4	16
21	13	4	6	17	17	61	17	25	8	10	6	10
22	11	5	25	18	18	118	11	17	11	16	6	14
23	10	7	10	13	25	20	12	20	5	11	7	21
24	15	8	8	18	30	31	20	13	8	8	8	23
25	8	49	9	10	17	31	21	10	13	12	9	5
26	7	6	13	11	11	23	24	10	13	10	10	7
27	20	11	17	16	18	30	20	9	16	44	11	3
28	33	13	21	6	17	28	36	12	6	7	18	4
29	39		21	13	17	31	50	11	7	16	9	7
30	42		13	24	20	29	35	12	13	16	9	15
31	38		36		26		30	13		18		20
NO.:	31	28	31	30	31	30	30	31	30	30	30	31
MAX:	42.	49.	53.	43.	83.	118.	50.	52.	25.	44.	38.	86.
MEAN:	13.8	11.9	13.8	16.5	19.6	29.4	22.5	22.4	12.8	11.0	14.3	14.9
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:		16.9	ANNUAL MAX:		118.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-013-0002 POC: 2  
 COUNTY: (013) Duchesne  
 CITY: (64670) Roosevelt  
 SITE ADDRESS: 290 S. 1000 W.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.2941780318  
 LONGITUDE: -110.00973229  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1596  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10			6	11		30					
2			19									
3											20	4
4									26	12		6
5								37				
6		12				13						
7	5			19	6							
8			5									
9											10	
10									12	8		12
11								27				
12		7				29	17					
13	6			23	69							
14			10									
15											19	
16									12	3		28
17								26				
18		12				21						
19	7			7	11						6	
20			18									
21												
22									11	15		17
23								20				
24		8				29	26					
25	7			11	15							
26			13									
27											10	
28									6	9		5
29								11				
30						32	33					
31	38				26							
NO.:	6	4	5	5	6	5	4	5	5	5	5	6
MAX:	38.	12.	19.	23.	69.	32.	33.	37.	26.	15.	20.	28.
MEAN:	12.2	9.8	13.0	13.2	23.0	24.8	26.5	24.2	13.4	9.4	13.0	12.0
ANNUAL OBSERVATIONS:		61		ANNUAL MEAN:	16.1	ANNUAL MAX:	69.					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-013-0002 POC: 3  
 COUNTY: (013) Duchesne  
 CITY: (64670) Roosevelt  
 SITE ADDRESS: 290 S. 1000 W.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.2941780318  
 LONGITUDE: -110.00973229  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1596  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	71	60	45	44	31	37	84	49	30	28	31	27
2	34	49	40	17	39	46	53	70	36	37	41	50
3	26	48	102	23	46	75	121	40	43	43	47	16
4	36	59	71	24	59	27	25	56	58	102	59	16
5	19	58	30	15	27	126	26	96	63	20	58	15
6	22	47	24	25	73	25	36	312	32	34	269	212
7	18	207	17	40	22	36	44	91	21	28	28	11
8	21		13	191	37	31	39	358	33	36	20	22
9	27		30	66	40	68	42	36	28	43	18	23
10	26		50	69	34	162	35	28	38	15	43	24
11	18		45	73	211	35	53	67	42	19	49	27
12	12	20	51	87	68	87	38	58	157	12	54	29
13	21	22	36	66	347	74	41	48	18	23	59	30
14	17	44	70	54	71	90	52	332	20	23	64	33
15	26	45	49	47	50	46	171	70	32	27	39	34
16	33	14	45	134	28	85	64	36	22	17	30	38
17	117	26	45	23	30	127	65	121	27	17	17	652
18	11	76	587	23	22	82	145	42	41	26	19	35
19	20	22	18	16	22	45	19	33	36	28	19	108
20	21	12	39	39	68	90	30	45	24	34	20	114
21	39	29	27	70	43	114	42	55	21	29	20	26
22	31	22	124	52	38	297	35	60	25	35	19	40
23	20	32	37	46	57	34	47	43	39	28	23	51
24	32	50	36	78	52	57	50	30	23	29	20	42
25	23	570	41	31	41	59	54	21	31	28	21	22
26	28	19	43	42	31	46	47	20	40	29	22	24
27	41	32	48	63	83	50	45	18	66	198	24	14
28	52	39	48	26	41	43	66	33	16	21	58	34
29	60		64	36	50	270	124	28	25	35	21	22
30	69		28	121	47	168	56	32	60	43	20	29
31	63		189		51		56	28		39		30
NO.:	31	24	31	30	31	30	31	31	30	31	30	31
MAX:	117.	570.	587.	191.	347.	297.	171.	358.	157.	198.	269.	652.
MEAN:	34.0	66.8	67.5	54.7	60.0	84.4	58.2	76.0	38.2	36.3	41.1	59.7
ANNUAL OBSERVATIONS:		361		ANNUAL MEAN:	56.2		ANNUAL MAX:	652.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-013-0002 POC: 3  
 COUNTY: (013) Duchesne  
 CITY: (64670) Roosevelt  
 SITE ADDRESS: 290 S. 1000 W.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.2941780318  
 LONGITUDE: -110.00973229  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1596  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24-HR BLK AVG  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10	32	10	2	8	14	29	16	10	8	13	10
2	6	11	15	4	11	12	23	21	11	8	13	10
3	10	10	23	6	20	19	15	15	15	14	17	3
4	11	9	14	3	23	11	14	22	20	18	17	7
5	1	19	6	2	10	12	11	27	15	2	19	6
6	8	12	1	6	6	10	12	36	9	7	38	26
7	3	33	2	17	4	15	17	28	6	9	11	3
8	8		4	45	9	11	13	41	8	11	6	9
9	8		5	28	9	12	15	9	6	17	8	8
10	9		8	29	13	22	19	10	9	5	22	8
11	4		10	28	25	17	21	17	14	2	24	9
12	2	5	12	25	25	21	13	18	16	0	26	10
13	4	7	8	17	61	21	15	18	5	6	22	11
14	7	14	8	15	21	20	21	48	5	4	32	15
15	14	9	6	16	15	15	29	18	11	4	19	20
16	21	3	4	29	10	23	26	8	7	2	9	27
17	23	5	9	5	10	40	23	13	7	3	4	86
18	2	9	61	4	6	19	22	10	10	6	6	10
19	6	4	3	3	7	24	5	12	12	8	3	25
20	4	6	11	8	18	48	11	17	9	7	3	15
21	12	3	4	17	15	57	15	22	5	7	5	9
22	10	3	21	16	15	113	13	14	6	16	4	14
23	7	7	8	20	20	16	14	17	4	11	7	21
24	14	6	6	17	22	27	21	11	5	5	7	23
25	6	54	6	12	12	25	21	7	10	11	8	3
26	5	3	11	16	8	19	22	7	10	8	8	6
27	19	8	14	18	15	24	19	7	13	42	10	1
28	34	11	17	9	12	22	29	12	3	4	17	3
29	39		16	10	14	29	41	9	5	15	7	5
30	42		11	21	16	28	28	12	10	15	8	13
31	38		32		20		22	9		17		18
NO.:	31	24	31	30	31	30	31	31	30	31	30	31
MAX:	42.	54.	61.	45.	61.	113.	41.	48.	20.	42.	38.	86.
MEAN:	12.5	11.8	11.8	14.9	15.5	24.9	19.3	17.1	9.2	9.4	13.1	14.0
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:	14.5	ANNUAL MAX:	113.						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3006 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS: PARTISOL USED TO COLLECT PM-10 DATA.

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10	14	31	4	11	23	34	28	15	15	17	14
2	9	58	58	8	15	21	29	36	20	16	18	12
3	15	28	34	6	16	12	19	22	24	18	30	8
4	7	59	7	6	15	14	27	32	27	4	22	17
5	6	42	10	6	12	18	20	34	23	5	33	4
6	7	17	3	10	4	15	17	25	15	11	22	11
7	8	22	6	20	8	15	20	26	13	16	20	8
8	15	7	12	30	13	14	21	23	14	26	12	12
9	14	9	13	35	17	19	25	12	13	18	14	20
10	17	15	21	36	21	24	28	12	25	7	36	19
11	5	10	22	31	33	44	14	20	23	7	38	18
12	6	15	27	28	134	31	11	27	27	4	46	23
13	18	18	6	12	53		12	63	19	9	30	20
14	17	5	4	20	5	23	18	46	14	9	21	21
15	35	6	4	27	8	15	35	28	20	6	23	39
16	45	7	9	26	11	20	31	28	19	5	10	43
17	39	10	24	13	16	16	34	16	14	15	4	22
18	10	8	3	5	7	24	26	22	21	11	17	17
19	8	14	11	5	8	34	15	26	25	11	9	21
20	37	6	12	8	11	73	16		14	10	20	12
21	45	11	13	15	14	94	18	30	14	17	14	8
22	29	21	6	20	22	5	22	19	10	31	16	12
23	22	18	6	29	23	12	23	18	11	21	21	13
24	39	22	11	13	15	17	21	14	12	21	25	62
25	19	16	17	16	13	16	16	15	23	16	17	72
26	14	13	26	20	11	22	16	14	16	21	22	48
27	30	21	44	28	16	27	11	12	21	4	17	3
28	42	30	87	9	20	18	27	16	7	11	17	3
29	40		57	12	17	15	26	23	10	24	10	11
30	44		10	8	23	17	24	17	12	22	9	28
31	39		14		17		25	15		22		39
NO.:	31	28	31	30	31	29	31	30	30	31	30	31
MAX:	45.	59.	87.	36.	134.	94.	35.	63.	27.	31.	46.	72.
MEAN:	22.3	18.6	19.6	16.9	19.6	24.1	22.0	24.0	17.4	14.0	20.3	21.3
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:		20.0	ANNUAL MAX:		134.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3006 POC: 4  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	25	35	42	14	16	80	113	40	26	31	41	39
2	27	150	288	20	17	45	103	167	34	26	45	21
3	26	112	50	17	25	34	37	31	45	27	72	18
4	19	249	14	18	21	37	100	58	69	17	43	37
5	20	109	22	10	24	36	49	56	47	18	73	14
6	16	35	15	17	9	28	28	43	31	24	75	37
7	18	62	21	34	15	26	39	49	24	31	39	25
8	36	18	23	50	23	24	41	78	26	43	24	34
9	28	24	20	61	30	48	52	23	23	48	35	50
10	42	25	41	56	32	63	57	20	42	14	71	32
11	17	17	34	48	60	147	34	51	41	69	61	49
12	22	41	79	44	621	55	23	53	68	16	76	48
13	69	47	13	27	626	61	23	205	95	24	50	49
14	35	15	12	29	16	82	44	88	22	26	37	50
15	69	30	13	35	17	32	128	55	37	28	43	64
16	71	16	19	55	18	41	63	134	32	18	26	73
17	86	19	84	23	77	33	59	28	28	84	16	110
18	39	26	12	13	36	37	94	54	31	31	71	36
19	13	34	20	14	22	68	25	58	39	42	18	57
20	205	16	25	14	20	496	23	61	28	23	54	36
21	82	24	37	36	30	485	28	63	71	31	25	35
22	91	37	24	28	48	20	54	32	22	76	36	36
23	71	30	13	54	34	27	43	37	60	48	40	30
24	84	56	32	29	23	32	47	39	26	36	160	483
25	102	49	39	27	23	35	31	30	45	29	48	320
26	26	27	42	22	22	39	26	24	37	75	43	428
27		39	105	41	39	54	23	53	33	19	35	13
28		42	160	16	37	31	71	31	27	21	33	14
29	58		107	22	28	23	59	43	20	37	21	27
30	57		20	20	42	36	52	27	36	48	23	49
31	65		32		33		62	24		42		83
NO.:	29	28	31	30	31	30	31	31	30	31	30	31
MAX:	205.	249.	288.	61.	626.	496.	128.	205.	95.	84.	160.	483.
MEAN:	52.4	49.4	47.0	29.8	67.2	75.2	52.6	56.6	38.8	35.5	47.8	77.3
ANNUAL OBSERVATIONS:		363		ANNUAL MEAN:	52.6	ANNUAL MAX:	626.					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3006 POC: 4  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24-HR BLK AVG  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10	13	25	3	7	23	35	28	15	15	16	14
2	10	51	48	8	9	21	29	35	21	16	17	11
3	14	28	28	5	10	13	20	22	23	17	28	8
4	7	55	6	5	7	15	28	34	25	4	20	17
5	6	37	9	4	8	18	21	34	23	6	31	4
6	6	14	2	7	2	16	17	26	16	11	23	10
7	7	19	5	17	5	15	20	26	12	15	18	8
8	13	5	9	27	8	14	22	24	15	25	12	12
9	13	7	9	29	13	20	26	12	13	18	14	19
10	15	13	16	30	16	25	28	13	24	7	34	19
11	4	8	16	26	28	43	15	20	22	8	34	17
12	4	12	21	23	105	31	11	27	26	4	43	21
13	18	10	3	10	49	25	12	62	18	9	29	19
14	15	3	3	16	4	25	19	45	13	10	20	19
15	34	4	2	22	6	16	35	28	20	6	23	36
16	43	7	7	22	10	21	32	29	18	5	9	40
17	36	9	17	9	15	16	33	16	14	16	3	21
18	9	7	2	4	7	24	27	22	20	11	16	15
19	7	12	7	4	8	35	16	26	24	11	8	20
20	40	6	9	5	11	84	17	29	14	9	20	11
21	42	9	11	11	13	94	18	31	14	16	13	8
22	27	16	6	14	21	5	22	20	10	28	15	13
23	22	14	5	23	24	12	22	20	11	21	21	14
24	39	18	9	8	15	17	20	14	12	20	24	54
25	21	12	16	12	13	17	16	15	23	16	16	67
26	13	10	23	12	11	23	17	15	17	21	21	46
27		15	41	19	17	28	11	15	20	5	16	2
28		23	82	6	20	19	26	16	8	10	15	3
29	33		52	8	17	15	27	23	11	22	10	10
30	37		10	4	23	18	24	17	11	20	9	25
31	34		12		17		25	15		21		37
NO.:	29	28	31	30	31	30	31	31	30	31	30	31
MAX:	43.	55.	82.	30.	105.	94.	35.	62.	26.	28.	43.	67.
MEAN:	20.0	15.6	16.5	13.1	16.7	24.9	22.3	24.5	17.1	13.6	19.3	20.0
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:		18.7	ANNUAL MAX:		105.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3013 POC: 2  
 COUNTY: (035) Salt Lake  
 CITY: (34970) Herriman  
 SITE ADDRESS: 14058 Mirabella Dr.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.496392  
 LONGITUDE: -112.036298  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 10

Day	MONTH												
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1	15	21	49	14	28	210	79	79	34	22	38	17	
2	20	208	450	16	57	172	122	193	56	18	53	14	
3	14	280	55	17	37	62	39	69	89	48	35	15	
4	22	381	16	16	53	90	127	45	73	13	59	17	
5	8	213	26	21	35	103	46	110	47	18	67	13	
6	19	46	10	30	18	54	38	71	30	22	39	12	
7	17	167	12	60	31	31	55	264	33	41	38	11	
8	25	14	20	80	38	43	44	99	50	37	30	19	
9	21	15	17	184	130	58	81	52	24	27	41	35	
10	20	24	25	261	38	136	151	62	39	12	131	31	
11	15	17	31	73	105	116	44	121	45	45	80	24	
12	10	21	135	149	314	256	37	120	392	16	87	28	
13	19	23	14	44	525	39	59	304	30	15	38	22	
14	26	7	10	103	77	56	99	159	26	20	24	28	
15	54	10	10	325	34	35	362	45	69	21	53	55	
16	66	11	54	93	43	67	61	220	49	10	16	76	
17	64	13	111	25	55	58	78	25	66	24	7	202	
18	27	15	18	20	21	94	62	88	61	22	27	18	
19	16	13	16	18	27	117	32	131	49	28	12	48	
20	159	10	17	19	45	337	36	120	23	24	15	18	
21	57	21	22	58	40	587	69	77	72	40	18	21	
22	61	24	16	136	39	23	66	64	26	61	29	36	
23	102	23	20	171	49	56	44	46	23	38	31	15	
24	70	31	16	27	52	180	83	27	46	47	29	274	
25	34	44	65	32	36	208	50	24	68	27	33	537	
26	27	30	43	38	46	85	30	21	47	82	75	518	
27	47	52	128	46	130	57	32	26	35	15	12	14	
28	48	117	203	21	74	51	75	27	13	35	22	11	
29	41	136	45	177	138	75	37	25	50	20	25	25	
30	47	21	28	137	84	43	29	21	82	11	40	40	
31	20	40	176	63	28	29	29	29	29	29	48	48	
NO.:	31	28	31	30	31	30	31	31	30	31	30	31	
MAX:	159.	381.	450.	325.	525.	587.	362.	304.	392.	82.	131.	537.	
MEAN:	38.4	66.1	58.3	72.3	86.0	120.1	73.6	89.8	55.4	31.9	39.0	72.3	
ANNUAL OBSERVATIONS:	365	ANNUAL MEAN:	66.9	ANNUAL MAX:	587.								

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3013 POC: 2  
 COUNTY: (035) Salt Lake  
 CITY: (34970) Herriman  
 SITE ADDRESS: 14058 Mirabella Dr.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.496392  
 LONGITUDE: -112.036298  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24-HR BLK AVG  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	2	7	26	3	14	37	34	41	18	9	11	6
2	4	87	62	6	22	37	28	45	27	10	12	5
3	4	58	31	8	16	23	20	32	40	15	14	6
4	5	94	6	7	17	32	35	30	30	3	15	7
5	1	58	6	7	15	30	23	49	28	7	21	3
6	5	15	0	9	5	23	23	24	14	9	21	2
7	7	28	3	17	11	21	32	38	12	18	15	2
8	13	3	6	38	15	23	24	27	18	15	8	7
9	9	4	6	46	26	28	32	24	13	11	16	8
10	10	11	8	55	17	43	49	22	22	4	34	8
11	5	6	14	31	36	38	25	36	21	6	28	9
12	3	6	29	32	103	57	22	38	47	3	18	9
13	6	3	4	16	66	26	22	52	19	5	19	7
14	10	1	3	29	11	28	36	52	15	7	14	9
15	26	2	3	48	11	19	70	25	26	5	16	24
16	33	2	12	27	16	35	40	28	23	4	5	23
17	26	5	31	12	15	34	35	14	23	9	1	17
18	9	5	5	6	6	38	25	23	28	8	6	6
19	4	4	6	8	8	36	16	35	24	7	2	19
20	43	3	6	8	13	72	15	40	9	7	7	5
21	20	8	7	19	17	100	26	44	13	18	8	8
22	18	12	3	32	24	8	23	35	10	30	16	15
23	28	7	4	40	26	19	26	23	14	20	17	5
24	32	10	7	13	21	39	26	14	16	18	11	39
25	12	12	19	17	18	41	19	12	21	12	11	97
26	11	10	20	18	16	35	18	11	19	21	15	56
27	20	19	39	21	38	33	12	10	38	5	6	2
28	25	31	107	9	34	29	31	17	4	13	8	2
29	21		55	15	50	31	33	25	9	25	7	10
30	25		8	9	48	37	24	18	6	26	5	23
31	11		14		38		25	19		15		29
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	43.	94.	107.	55.	103.	100.	70.	52.	47.	30.	34.	97.
MEAN:	14.5	18.3	17.7	20.2	24.9	35.1	28.0	29.1	19.5	11.8	12.9	15.1
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	20.6		ANNUAL MAX:	107.					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3014 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (83470) West Valley City  
 SITE ADDRESS: 2782 South Corporate Park Dr.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 40.709762  
 LONGITUDE: -112.00876  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1297  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	7	12	35	4	11	28	44	43	20	18	22	
2		71	63	7	21	31	31	52	24	15	21	
3		39	35	7	19	20	25	28	28	16	32	
4		88	7	11	18	23	78	39	24	3	22	
5		54	8	9	16	25	42	44		7	35	
6		16	2	12	5	21	19	27	17	11	24	
7		23	3	17	9	22	27	33	15	20	23	
8		6	9	33	13	21	27	20		29	10	
9		9	12	38	19	20	32	20	22	16	18	
10		15	21	39	23	26	47	16	28	6	42	
11		6	17	35	43	44	18	25	26	17	53	
12		12	30	30	P 221	37	19	27	29	5	51	
13	12	10	7	14	91	35	18	60	18	9	35	
14		3	3	14	7	31	29	53	17	8		
15		6	3	25	10	20	45	38	20	5		
16		7	12	19	15	32	41	38	26	5		
17		9	30	10	23	25	42	19	21	12		
18		5	4	3	9	30	28	20	29	12		
19		9	10	6		40	18	27	29	9		
20		4	10	6		116	20	33	16	10		
21		12	11	13		100	26	45	17	20		
22		22	5	22		5	22	33	13	37		
23		15	6	37		13	28	25	15	29		
24		18	10	14		20	41	14	18	29		
25	21	16	17	22		22	28	15	25	19		
26		14	32	21		30	21	16	22	19		
27		21	55	26		37	16	12	23	5		
28		37	110	9	24	26	31	19	7	12		
29			45	13	27	17	39	26	15	27		
30			11	7	34	25	31	19	10	30		
31			16		22		31	19		33		
NO.:	3	28	31	30	22	30	31	31	28	31	13	0
MAX:	21.	88.	110.	39.	221.	116.	78.	60.	29.	37.	53.	
MEAN:	13.3	20.0	20.6	17.4	30.9	31.4	31.1	29.2	20.5	15.9	29.8	
ANNUAL OBSERVATIONS:		278		ANNUAL MEAN:	24.1	ANNUAL MAX:	221.					

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 155

1 Values marked with 'S' exceed the SECONDARY STANDARD of: 155

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3015 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 240 N 1950 W  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 40.777145  
 LONGITUDE: -111.945849  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT:

SUPPORT AGENCY: ( ) Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	11	16	37	5	15	26	39	35	19	19	23	18
2	11	67	75	9	22	24	45	48	28	23	26	18
3	17	47	35	7	20	19	25	26	37	24	37	8
4	8	81		9	18	22	54	49	30	4	27	20
5	11	62		13	13	23	32	42	28	8	48	6
6	9	16	3	12	5	20	19	34	21	17	20	10
7	14	31	5	26	10	18	26	34	18	23	22	10
8	23	7	13	34	16	18	26	21	23	33	8	19
9	14	11	14	38	21	27	34	15	23	24	17	22
10	22	17	21	43	27	27	37	16	36	9	36	26
11	7	11	25	38	47	48	48	22	35	9	54	25
12	8	6	41	30	P 206	38	17	31	27	6	48	28
13	21	17	9	12	65	33	17	76	21	11	46	25
14	21	6	5	24	6	30	32	62	17	12	30	28
15	37	5	5	34	9	20	41	38	17	7	21	38
16	50	9	13	37	17	32	40	42	20	6	12	54
17	47	11	34	14	19	19	48	19	22	15	6	56
18	14	9	4	6	7	30	33	27	29	12	15	21
19	8	17	15	9	8	58	20	32	37	13	18	29
20	91	6	13	11	11	119	22	37	18	11	16	9
21	46	15	17	11	13	102	36	39	19	21	18	12
22	39	24	5	19	30	6	25	32	15	33	20	21
23	36	20	8	33	23	13	31	24	17	35	20	19
24	41	27	12	17	15	22	32	18	16	27	24	76
25	22	13	20	25	19	24	24	18	28	25	11	102
26	19	19	30	22	14	31	21	18	24	20	28	46
27	33	27	62	30	21	34	15	14	23	9	19	4
28	49	35	94	9	28	26	36	20	9	16	20	4
29	46		49	15	23	18	34	29	17	31	12	14
30	51		12	8	28	28	31	19	15	29	8	30
31	44		18		21		32	19		31		41
NO.:	31	27	29	30	31	30	30	31	29	31	30	31
MAX:	91.	81.	94.	43.	206.	119.	54.	76.	37.	35.	54.	102.
MEAN:	28.1	23.2	23.9	20.0	25.7	31.8	30.8	30.8	23.2	18.2	23.7	27.1

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 155

1 Values marked with 'S' exceed the SECONDARY STANDARD of: 155

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3015 POC: 3  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 240 N 1950 W  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 40.777145  
 LONGITUDE: -111.945849  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT:

SUPPORT AGENCY: ( ) Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24-HR BLK AVG

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	13	17	37	5	15	26	41	35	19	22	23	19
2	11	69	82	9	24	24	29	50	25	26	29	18
3	19	49	34	7	22	20	25	26	34	27	42	8
4	7	90	8	10	18	21	32	51	31	4	29	20
5	11	67	12	13	13	24	32	41	28	12	59	7
6	10	15	2	13	6	21	21	34	21	16	22	10
7	13	31	3	29	10	19	27	32	19	26	23	11
8	23	7	14	36	17	18	29	20	22	36	7	20
9	14	11	16	40	24	26	35	16	23	26	19	24
10	22	17	22	45	29	28	37	18	37	9	38	28
11	6	11	27	39	59	48	18	24	36	8	55	26
12	7	16	43	30	P 177	38	17	30	27	8	48	29
13	19	17	6	12	66	32	17	70	22	12	52	25
14	20	5	4	25	8	30	33	78	18	12	32	30
15	36	5	4	36	10	20	48	35	28	7	22	40
16	51	10	14	39	17	30	38	40	22	5	12	58
17	47	11	35	13	19	18	47	19	23	17	31	69
18	12	8	3	6	7	32	33	26	33	13	16	22
19	7	17	17	10	7	59	18	32	38	14	18	31
20	90	6	14	12	13	116	23	34	18	10	16	8
21	46	15	18	11	13	104	39	34	20	23	19	13
22	39	24	5	21	32	5	23	29	16	34	22	23
23	36	22	9	35	25	14	30	22	21	39	22	19
24	42	30	12	20	17	24	31	16	17	28	26	75
25	21	12	21	30	21	23	24	17	30	28	11	106
26	17	18	33	26	15	31	22	18	24	19	30	46
27	33	27	67	33	22	34	15	15	24	8	21	3
28	50	34	96	9	29	25	33	22	8	17	22	4
29	46		49	15	23	19	31	30	17	31	11	15
30	51		13	7	29	28	31	21	16	31	7	33
31	46		17		21		33	21		34		44
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	90.	90.	96.	45.	177.	116.	48.	78.	38.	39.	59.	106.
MEAN:	27.9	23.6	23.8	21.2	26.1	31.9	29.4	30.8	23.9	19.4	26.1	28.5

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 155

1 Values marked with 'S' exceed the SECONDARY STANDARD of: 155

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3015 POC: 3  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 240 N 1950 W  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 40.777145  
 LONGITUDE: -111.945849  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT:

SUPPORT AGENCY: ( ) Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	29	76	71	18	43	54	99	68	45	57	47	32
2	24	195	286	31	49	80	82	391	74	79	51	68
3	42	141	59	22	54	68	40	40	80	91	102	17
4	25	311	17	30	38	67	161	117	70	19	50	58
5	28	211	47	33	44	55	97	76	62	63	133	15
6	28	36	15	29	16	58	43	76	35	48	61	38
7	51	94	13	55	27	48	65	71	34	62	43	22
8	59	26	28	66	48	43	64	69	48	78	18	53
9	21	29	31	84	117	65	71	39	39	78	35	44
10	48	55	59	102	60	75	144	36	72	30	74	66
11	15	26	53	107	164	140	53	67	93	58	103	50
12	20	52	108	53	739	68	35	74	53	17	114	53
13	46	85	24	27	851	58	36	344	46	31	84	80
14	46	21	15	114	18	42	120	530	36	35	59	57
15	56	29	13	74	18	36	131	75	68	15	44	70
16	81	20	29	191	39	66	71	306	60	20	31	88
17	76	23	129	27	62	35	100	51	70	53	609	714
18	41	29	15	15	53	59	101	60	69	30	35	47
19	21	40	32	28	19	123	27	77	103	40	43	84
20	364	18	36	28	29	492	47	77	36	28	42	28
21	71	38	69	23	26	577	89	66	89	44	42	25
22	78	51	20	41	84	14	40	64	54	58	44	39
23	67	45	25	59	57	33	90	62	55	93	41	37
24	108	72	49	31	26	56	62	70	34	49	43	532
25	86	35	68	68	83	63	44	51	74	60	36	493
26	44	69	75	55	41	75	47	35	64	85	56	425
27	72	51	161	89	57	68	30	30	56	25	34	33
28	124	60	192	25	73	60	75	49	25	55	50	15
29	74		139	45	57	42	81	67	38	71	32	36
30	81		23	15	71	129	71	50	57	60	21	75
31	72		60		49		55	41		103		88
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	364.	311.	286.	191.	851.	577.	161.	530.	103.	103.	609.	714.
MEAN:	64.5	69.2	63.3	52.8	100.4	95.0	73.3	104.2	58.0	52.7	72.6	112.3
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		76.6	ANNUAL MAX:		851.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3016 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1480 North 8000 West  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: INDUSTRIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 40.807897  
 LONGITUDE: -112.087717  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	7	28	24	3	10	23	49	48	18	10	17	
2		90	71	2	18	21	34	44	23	19	18	
3		50	30	3	19	12	23	23	30	21	16	
4		118	4	4	15	13	35	41	30	3	18	
5		121	10	5	14	22	32	36	28	5	53	
6		5	2	11	3	20	14	39	18	6	17	
7		26	2	22	8	19	17	29	17	14	20	
8		3		25	13	17	29	13	17	22	5	
9		5		28	17	14	38	16	25	37	14	
10		8		42	22	23	53	12	37	6	21	
11		4		29	52	51	11	20	26		39	
12		9	58	29	P 303	31	19	31	14		28	
13	6	35	8	10	68	28	13	59	14		25	
14		3	2	10	3	26	46	66	13		29	
15		3	2	29	7	19	79	44	11			
16		18	13	32	9	22	37	68	12	5		
17		5	19	12	16	15		15	17	10		
18		2	3	5	9	33	33	22	29	9		
19		10	8	6	6	113	18	40	31	9		
20		2	4	10	9	145	20	30	16	4		
21		7	9	8	7	57	36	24	20			
22		17	2	12	25	4	19	25	9	20		
23		14	2	29	15	5	19	22	9	18		
24		20	8	15	12	12	27	18	18	20		
25	10	4	12	20	15	19	22	13	27	23		
26		4	23	19	13	29	19	15	16	15		
27		15	44	40	15	28	14	11	17	3		
28		21	87	5	24	17	32	16	7	7		
29			28	10	28	12	39	20	15	19		
30			8	5	26		36	17	8	21		
31			10		15		36	15		14		
NO.:	3	28	27	30	31	29	30	31	30	25	14	0
MAX:	10.	121.	87.	42.	303.	145.	79.	68.	37.	37.	53.	
MEAN:	7.7	23.1	18.3	16.0	26.3	29.3	30.0	28.8	19.1	13.6	22.9	
ANNUAL OBSERVATIONS:		278		ANNUAL MEAN:	22.8	ANNUAL MAX:	303.					

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 155

1 Values marked with 'S' exceed the SECONDARY STANDARD of: 155

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-049-4001 POC: 3  
 COUNTY: (049) Utah  
 CITY: (45090) Lindon  
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH  
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.341389  
 LONGITUDE: -111.713611  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1442  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	30	21	52	12	44	59	273	54	34	24	36	24
2	44	50	360	22	39	72	110	268	65	56	24	21
3	47	67	70	17	39	56	42	83	72	55	101	24
4	26	184	19	19	49	47	47	52	75	17	61	21
5	15	98	26	21	25	40		115	62	17	56	15
6	25	77	12	21	24	57		71	66	21	56	16
7	26	147	13	43	27	53		149	115	55	54	21
8	24	18	26	56	31	48	65	56	45	38	49	27
9	33	14	20	66	46	46	99	47	95	48	31	64
10	20	37	59	78	34	49	108	39	91	25	124	74
11	16	30	92	83	78	103	50	89	43	41	106	46
12	17	20	76	120	133	55	33	74	71	16	164	54
13	19	21	20	39		56	38	247	67	26	107	28
14	24	11	13	55	24	41	71	184	39	19	43	25
15	60	15	10	49	18	39	80	162	74	24	62	64
16	63	18	12	119	31	69	75	192	76	14	27	90
17	55	27	63	49	57	107	93	37	72	25	16	33
18	20	17	13	13	36	90	68	69	71	24	33	44
19	19	43	29	18	42	58	38	84	102	26	24	131
20	245	13	26	16	38	238	37	113	64	23	34	34
21	86	30	39	39	31	1166	35	76	81	35	29	24
22	47	29	12	43	40		26	66	35	60	41	21
23	55	30	20	73	53		31	38	39	45	34	90
24	66	58	39	65	50	43	231	25	32	43	50	545
25	48	27	45	52	60	51	53	36	59	28	28	207
26	30	29	49	39	39	75	33	50	89	72	70	82
27	58	53	106	49	45	39	39	44	43	27	23	8
28	71	56	152	35	68	57	65	35	24	31	36	16
29	73		94	40	56	67	68	41	141	65	52	33
30	91		19	33	63	73	96	32	46	73	12	39
31	90		118		72		79	31		49		65
NO.:	31	28	31	30	30	28	28	31	30	31	30	31
MAX:	245.	184.	360.	120.	133.	1166.	273.	268.	141.	73.	164.	545.
MEAN:	49.8	44.3	55.0	46.1	46.4	105.5	74.4	85.8	66.3	36.2	52.8	64.1
ANNUAL OBSERVATIONS:		359		ANNUAL MEAN:	60.3	ANNUAL MAX:	1166.					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-049-4001 POC: 3  
 COUNTY: (049) Utah  
 CITY: (45090) Lindon  
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH  
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.341389  
 LONGITUDE: -111.713611  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1442  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24-HR BLK AVG  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	8	8	33	4	17	25	62	23	20	11	19	12
2	18	22	56	7	20	36	48	44	29	18	13	11
3	17	20	26	8	19	24	25	34	37	21	21	12
4	5	45	6	10	14	26	23	29	27	4	18	11
5	5	30	10	8	10	22		33	27	8	25	3
6	12	22	1	9	6	25		27	22	14	28	4
7	13	24	4	14	10	27		31	20	25	24	8
8	11	6	12	29	17	26	23	36	17	19	17	17
9	17	5	11	37	22	27	32	26	22	16	14	32
10	10	15	11	33	17	32	43	20	37	9	41	32
11	4	11	21	28	31	37	24	31	25	10	43	22
12	6	8	19	31	47	31	18	37	28	3	55	25
13	10	7	4	15		24	21	59	23	9	30	16
14	15	2	2	22	7	22	28	70	17	8	20	13
15	31	3	3	22	8	18	42	44	34	6	25	30
16	36	6	4	26	15	33	37	30	30	3	10	43
17	25	10	16	11	17	33	42	19	30	9	4	12
18	8	7	3	5	8	30	26	23	31	9	12	14
19	6	13	6	6	13	38	17	37	34	11	10	24
20	90	3	7	8	13	58	17	39	23	9	12	20
21	36	15	8	15	19	P 172	17	47	23	17	18	8
22	22	15	4	20	24		17	29	14	28	20	8
23	21	14	5	32	29		20	26	16	25	24	19
24	36	19	11	26	25	27	39	13	15	22	29	59
25	19	13	17	25	23	30	24	18	28	13	18	40
26	20	11	16	21	19	32	19	15	25	30	27	13
27	34	19	34	24	26	27	19	13	20	11	13	1
28	46	30	78	13	33	28	31	20	11	14	12	3
29	45		45	17	28	28	30	27	22	25	11	15
30	45		11	10	32	34	41	21	13	31	4	23
31	41		21		27		29	18		24		32
NO.:	31	28	31	30	30	28	28	31	30	31	30	31
MAX:	90.	45.	78.	37.	47.	172.	62.	70.	37.	31.	55.	59.
MEAN:	23.0	14.4	16.3	17.9	19.9	34.7	29.1	30.3	24.1	14.9	20.6	18.8
ANNUAL OBSERVATIONS:	359		ANNUAL MEAN:	21.9	ANNUAL MAX:	172.	1 Values marked with 'P' exceed the PRIMARY STANDARD of: 155					
							1 Values marked with 'S' exceed the SECONDARY STANDARD of: 155					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-057-1003 POC: 2  
 COUNTY: (057) Weber  
 CITY: (33540) Harrisville  
 SITE ADDRESS: 425 W 2550 NORTH, OGDEN, UTAH  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 41.3036139529  
 LONGITUDE: -111.98787086  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1331  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10	15	36	10	39	103	99	63	41	30	34	21
2	13	141	159	22	33	52	89	304	57	29	118	26
3	33	127	61	24	53	34	71	38	84	23	43	15
4	15	238	14	30	42	40	82	82	60	15	39	18
5	9	157	22	17	42	155	89	54	43	20	87	14
6	17	29	5	34	19	38	31	84	43	46	33	23
7	9	56	10	36	37	36	41	106	37	30	36	22
8	18	18	15	55	33	38	71	61	40	34	20	22
9	21	15	19	53	44	44	40	53	28	75	36	20
10	23	17	20	76	39	61	595	139	53	18	68	33
11	10	14	19	40	184	162	58	48	40	63	81	53
12	14	14	56	66	200	52	42	59	56	19	58	36
13	17	42	16	32	186	49	43		28	39	95	33
14	23	12	12	32	15	50	119	145	42	21	49	45
15	35	12	19	45	13	41	238	63	48	25	36	44
16	58	16	19	107	30	69	66	234	60	14	29	59
17	52	20	33	38	50	46	73	52	47	25	20	49
18	16	20	10	26	25	42	108	45	49	48	35	34
19	13	36	14	30	17	107	45	61	61	20	34	35
20	14	15	13	16	59	701	43	71	34	28	42	22
21	41	23	27	27	20	312	132	62	101	31	36	16
22	39	28	21	40	38	27	39	79	31	45	41	31
23	23	29	14	52	34	39	59	48	30	34	28	45
24	49	21	21	40	29	32	57	40	33	33	57	257
25	36	25	39	118	26	52	55	47	63	34	29	307
26	15	14	42	50	23	54	43	37	70	78	26	62
27	33	30	70	46	66	48	71		44	14	27	14
28	37	36	197	22	59	41	773		31	18	26	18
29	39		139	45	37	23	143	47	44	37	23	21
30	48		19	24	59	40	106	21	33	40	20	27
31	68		46		42		161	21		35		41
NO.:	31	28	31	30	31	30	31	28	30	31	30	31
MAX:	68.	238.	197.	118.	200.	701.	773.	304.	101.	78.	118.	307.
MEAN:	27.4	43.6	38.9	41.8	51.4	86.3	118.8	77.3	47.7	32.9	43.5	47.2
ANNUAL OBSERVATIONS:		362		ANNUAL MEAN:	54.6		ANNUAL MAX:	773.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(81102) PM10 Total 0-10um STP

SITE ID: 49-057-1003 POC: 2  
 COUNTY: (057) Weber  
 CITY: (33540) Harrisville  
 SITE ADDRESS: 425 W 2550 NORTH, OGDEN, UTAH  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 41.3036139529  
 LONGITUDE: -111.98787086  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1331  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (226) Met One E-BAM PLUS Beta Attenuatio  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 24-HR BLK AVG  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 10

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	3	5	13	1	12	27	34	40	17	12	10	8
2	1	45	30	5	17	25	25	43	26	14	16	8
3	12	38	28	5	18	14	24	21	28	10	17	7
4	1	65	4	6	18	18	25	35	24	2	19	5
5	2	46	5	3	14	21	22	33	22	5	36	1
6	6	11	0	5	3	16	17	28	16	8	9	4
7	1	19	0	13	8	17	22	31	14	11	8	4
8	7	4	4	29	11	16	21	23	17	17	5	7
9	8	2	5	30	15	18	23	20	13	23	10	8
10	12	4	7	36	18	22	57	21	23	7	24	12
11	4	4	8	23	42	37	18	21	19	7	31	10
12	2	2	26	27	83	30	17	26	21	3	32	10
13	7	7	4	11	36	27	16		15	10	29	13
14	10	2	0	15	3	26	25	35	14	7	28	12
15	22	0	1	18	5	18	36	30	19	4	18	22
16	31	1	5	28	10	28	34	33	23	4	9	31
17	27	2	11	12	14	23	34	21	20	7	3	13
18	4	2	2	4	6	19	33	20	21	9	12	8
19	3	6	5	5	6	38	19	23	27	7	11	15
20	3	3	4	6	10	124	19	28	17	6	11	3
21	18	10	5	9	8	78	44	35	15	11	10	6
22	15	16	2	15	20	5	18	31	11	18	11	18
23	13	11	2	23	19	11	25	20	11	16	11	17
24	23	9	3	17	13	17	23	18	14	14	13	30
25	18	5	8	28	11	21	21	22	23	16	5	70
26	5	4	13	21	11	21	16	13	18	17	13	6
27	14	10	26	21	22	27	19		21	3	10	2
28	20	16	99	9	20	22	69		9	6	7	1
29	20		54	14	20	14	41	22	12	15	6	7
30	26		6	6	25	19	34	16	8	15	3	14
31	27		10		22		46	14		12		22
NO.:	31	28	31	30	31	30	31	28	30	31	30	31
MAX:	31.	65.	99.	36.	83.	124.	69.	43.	28.	23.	36.	70.
MEAN:	11.8	12.5	12.6	14.8	17.4	26.6	28.3	25.8	17.9	10.2	14.2	12.7
ANNUAL OBSERVATIONS:	362		ANNUAL MEAN:	17.0	ANNUAL MAX:	124.						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.