

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 2375790

Report Code: AMP350MX

Apr. 22, 2026

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			42401							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2025 01 01	2025 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 Annual 2024
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42401) Sulfur dioxide

SITE ID: 49-035-2005 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (49710) Midvale  
 SITE ADDRESS: 8449 S. Monroe St.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5  
 LATITUDE: 40.598056  
 LONGITUDE: -111.894167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.7	.6	.9	.1	.3	.5	.5	.8	.7	.9	.5	.9
2	.5	.4	.6	1.0	.5	.4	.4	1.4	.9	.9	.6	.6
3	1.0	.4	.4	.3	.3	.5	.4	.7	1.3	1.0	1.2	
4	.6	.7	.1	.2	.5	.4	1.5	.7	1.2	.8	.4	1.2
5	.8	.4	.5	.1	.3	.5	.9	1.5	.8	.8	.4	.5
6	.4	1.0	.3	.2	.3	.4	.8	.6	.6	1.2	.4	.8
7	.3	.5	.2	.3	.3	.4	1.5	.8	.6	1.1	.6	.6
8	1.2	.4	.2	.8	.2	.6	.6	.7	.8	1.7	.5	.6
9	.8	.7	.1	.7	.4	.5	.5	.8	.7	.8	1.3	.7
10	1.6	1.4	.3	.6	.2	.7	.9	.7	.7	.7	.9	.8
11	.4	.5	.6	.4	.2	.4	.7	1.3	.8	.8	1.3	1.4
12	.5	.9	.1	.6	.3	.6	.7	.9	1.1	.8	1.4	1.1
13	1.0	.7	.6	.1	.2	.7	.6	.9	1.1	.9	1.2	1.2
14	.6	.3	.2	.3	.3	.5	.8	1.0	.7	.9	.5	1.2
15	1.5	.0	.2	.5	.3	.5	.7	1.0	.9	.8	.9	1.6
16	2.1	.1	.1	.8	.4	.8	.8	.6	.8	.8	.5	1.7
17	2.3	.4	.2	.2	.2	.4	.5	.6	1.3	1.3	.5	1.3
18	.5	.0	.1	.1	.2	.4	.5	.7	.8	.9	.7	1.6
19	.7	.6	.3	.3	.2	.4	.5	.8	.9	.8	.8	.7
20	.2	.0	.4	.1	.2	.5	1.9	.8	.6	1.2	.7	.7
21	1.6	.6	.5	.2	.2	.4	.5	1.3	.7	1.4	1.1	.5
22	2.0	.3	.2	.4	.4	.4	.9	1.5	.9	1.1	1.1	.4
23	1.0	3.8	.2	.4	.7	.4	.7	.9	.9	1.1	.9	.6
24	1.0	.9	.1	.3	1.4	.5	4.5	.7	.8	.7	1.0	.6
25	.9	.2	.7	1.1	.4	.7	1.2	.6	.9	.3	1.0	.4
26	.5	.9	1.0	.3	.3	.4	.8	.7	1.1	.4	1.1	.6
27	2.4	1.1	.9	.3	.6	.5	.9	.5	1.4	.2	.7	.4
28	2.2	.8	.2	.2	.4	.7	.9	.7	.7	1.2	1.0	.4
29	2.4		.3	.4	.3	1.0	1.1	.9	.7	1.2	.9	1.2
30	2.0		.2	.5	.9	.7	.6	.9	.7	1.0	.9	1.7
31	1.0		.3		.4		.6	1.2		1.0		2.1
NO.:	31	28	31	30	31	30	31	31	30	31	30	30
MAX:	2.4	3.8	1.0	1.1	1.4	1.0	4.5	1.5	1.4	1.7	1.4	2.1
MEAN:	1.12	.66	.35	.39	.38	.53	.92	.88	.87	.93	.83	.94
ANNUAL OBSERVATIONS:		364		ANNUAL MEAN:	.73		ANNUAL MAX:	4.5				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42401) Sulfur dioxide

SITE ID: 49-035-2005 POC: 2  
 COUNTY: (035) Salt Lake  
 CITY: (49710) Midvale  
 SITE ADDRESS: 8449 S. Monroe St.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5  
 LATITUDE: 40.598056  
 LONGITUDE: -111.894167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 5 MINUTE

UNITS: Parts per billion

MIN DETECTABLE: .4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.9	.7	1.3	.2	.8	.7	.8	.9	.8	1.0	.7	1.2
2	.7	.5	.7	1.3	1.2	.9	.6	1.7	1.1	1.3	.7	.9
3	2.3	.6	.6	.3	.4	.6	.6	.9	1.9	1.1	1.6	
4	.7	1.4	.4	.3	1.8	.8	1.9	.9	1.4	.9	.5	1.6
5	1.0	.5	.7	.5	.4	.6	1.0	3.3	.9	1.0	.4	.6
6	.5	1.3	.4	.4	.3	.8	1.1	.7	.7	1.4	.5	.9
7	.5	.6	.3	.5	.4	.4	2.3	1.0	.8	1.3	1.0	.8
8	1.5	.6	.3	9.5	.3	.7	.9	.8	1.2	2.2	.7	.8
9	1.0	.8	.2	.9	.8	.6	.6	.9	.8	.9	1.5	.9
10	10.8	1.8	.7	2.3	.3	.8	1.0	1.0	.8	.7	1.4	1.0
11	.6	.5	1.0	1.3	.3	1.0	1.0	1.4	.8	.9	1.5	3.9
12	.7	1.3	.2	.7	.6	.7	.8	1.1	1.2	.9	1.6	1.4
13	1.1		2.0	.3	.4	.8	.7	1.0	1.3	1.1	1.5	1.3
14	.9	.4	.3	.5	.5	.7	1.2	1.1	.8	1.1	.5	1.6
15	2.0	.1	.5	1.0	.4	.6	1.0	2.9	1.0	.9	1.1	1.8
16	2.5	.2	.1	1.4	.6	1.1	.9	.7	1.0	.9	.6	1.9
17	2.9	.6	.3	.5	.3	.5	.6	.7	1.5	1.5	.6	1.3
18	.6	.1	.2	.2	.5	.6	.6	.8	1.0	1.4	.8	2.2
19	1.0	1.0	.7	.5	.4	.4	.7	.8	1.3	.9	.9	1.1
20	.3	.1	.7	.3	.4	.5	50.7	.9	.8	1.7	.9	1.0
21	1.8	.8	.9	.4	.3	.5	.6	1.5	.8	1.6	1.5	.6
22	2.3	.5	.3	.5	.7	.5	2.1	1.7	1.5	1.3	1.4	.5
23	1.3	10.3	.5	1.0	.8	.5	.9	1.1	1.1	2.0	1.3	.7
24	1.3	1.2	.4	.4	2.1	.6	31.3	.8	.9	.8	1.5	.7
25	1.0	.5	1.0	1.4	.6	1.0	2.6	.7	.9	.4	1.4	.5
26	.6	1.2	1.5	.4	.5	.5	2.2	.7	1.7	.5	1.3	.7
27	2.9	1.5	2.3	.7	.8	.6	2.2	.6	1.6	.4	.9	.5
28	2.5	1.2	.3	.3	.6	.8	1.1	.8	.8	1.6	1.4	.5
29	2.7		.4	.5	.4	1.1	1.4	1.1	.8	1.8	1.0	1.4
30	2.4		.4	.6	1.0	1.8	.9	1.0	1.0	1.2	1.0	1.8
31	1.6		.5		.5		.9	1.3		1.3		2.3
NO.:	31	27	31	30	31	30	31	31	30	31	30	30
MAX:	10.8	10.3	2.3	9.5	2.1	1.8	50.7	3.3	1.9	2.2	1.6	3.9
MEAN:	1.71	1.12	.65	.97	.63	.72	3.72	1.12	1.07	1.16	1.06	1.21
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:	1.27	ANNUAL MAX:	50.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42401) Sulfur dioxide

SITE ID: 49-035-3006 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (600) Instrumental Ultraviolet Fluoresce  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: .2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.7	.7	2.7	.4	.6	1.0	1.0	.5	.4	.7	.7	1.2
2	.7	.9	1.6	.6	.8	1.3	.8	.8	.9	.6	1.3	.6
3	1.4	.6	1.0	.7	.5	1.2	.8	.4	1.3	.8	1.9	.6
4	.8	.6	.6	.4	.6	.9	2.5	.4	.7	.5	.7	
5	.7	.7	.9	.4	.8	1.1	1.8	.7	.7	.8	.5	.3
6	1.2	1.7	.7	.4	.5	.7	1.5	.4	.4	.8	.3	1.0
7	.5	.6	.6	.4	.5	.8	7.9	.7	.3	5.1	.7	.7
8	.8	.6	1.5	1.2	.5	1.0	1.0	.8	.6	1.3	2.6	.8
9	.9	.6	.8	1.0	.7	1.6	1.1	.7	.3	.5	.7	1.4
10	1.2	1.8		.6	.5	1.2	.9	.6	.5	.4	1.2	.8
11	.4	.8		.6	.5	1.0	1.0	.4	.5	.5	1.5	1.7
12	.7	.8		2.2	.6	1.2	1.0	.5	1.4	.4	1.7	1.9
13	1.1	1.0		.8	.6	.9	1.2	.5	2.7	1.0	1.4	1.4
14	.9	1.0		.7	.5	.9	.9	.9	.4	.7	.4	1.5
15	1.4	.4	.9	.8	.5	1.1	.8	.3	.8	.7	.8	2.3
16	2.7	.9	.9	.8	.7	1.6	1.1	.3	.7	.4	.6	2.4
17	3.1	3.6	1.0	.5	.6	1.1	.8	.3	.4	1.1	.3	1.2
18	.6	.5	.8	.4	.6	.9	.9	.4	.7	.8	.8	.9
19	.7	1.0	1.3	.4	.4	.9	.8	.7	.5	.7	1.0	.6
20	.8	.5	.9	.5	.6	.8	.8	.6	.5	.6	1.9	.8
21	2.4	.5	.8	.6	.8	1.0		1.2	.5	1.1	1.2	.5
22	3.7	.8	.3	.6	1.0	.6	.4	.7	.4	1.6	1.2	.4
23	1.1	1.1	.6	1.0	1.1	1.6	.5	.6	.5	1.2	1.2	.5
24	2.1	2.0	.7	.4	1.3	1.0	1.0	.5	.5	.6	1.4	.5
25	1.4	.7	.9	.5	1.2	1.2	.2		.6	.6	.9	.4
26	.9	1.2	1.2	.7	.6	.7	.1		.5	1.0	1.1	.5
27	2.7	1.2	.4	.8	1.9	.9	.1		1.4	.2	1.3	.5
28	2.8	1.5	1.2	.5	1.0	1.9	.5	.5	.4	1.3	2.3	.4
29	2.6		.6	.6	1.0	1.9	.3	.5	.3	1.6	.8	.7
30	1.8		.5	.7	1.4	1.2	.2	.6	.7	1.5	1.2	2.1
31	1.6		.5		1.0		.2	1.1		1.4		4.0
NO.:	31	28	26	30	31	30	30	28	30	31	30	30
MAX:	3.7	3.6	2.7	2.2	1.9	1.9	7.9	1.2	2.7	5.1	2.6	4.0
MEAN:	1.43	1.01	.92	.67	.77	1.11	1.07	.59	.68	.98	1.12	1.09
ANNUAL OBSERVATIONS:	355		ANNUAL MEAN:	.96	ANNUAL MAX:	7.9						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42401) Sulfur dioxide

SITE ID: 49-035-3006 POC: 2  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (600) Instrumental Ultraviolet Fluoresce  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 5 MINUTE  
 UNITS: Parts per billion  
 MIN DETECTABLE: .2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.8	.9	3.2	.4	.7	1.1	1.1	.6	.5	1.2	.8	1.6
2	.8	.9	1.7	.8	.9	1.5	.8	1.1	1.1	1.0	1.7	.6
3	1.5	.7	1.6	.7	.6	1.4	.9	.4	1.5	1.1	2.3	.9
4	1.3	.7	.6	.6	.9	1.1	6.5	.6	.8	.7	.9	
5	.8	.8	1.0	.6	.9	1.3	2.1	.8	.8	1.0	.7	.4
6	1.3	2.6	.7	.5	.6	.8	1.7	.4	.5	.9	.4	1.1
7	.6	.6	.8	.4	.6	.8	16.1	1.0	.5	12.1	.8	.9
8	.9	.7	1.9	1.4	.6	1.2	1.0	.9	.8	1.6	3.9	1.0
9	1.1	.9	.9	1.3	.8	1.9	1.1	.8	.4	.6	1.2	1.6
10	1.4	2.1		.7	.8	1.5	.9	.7	.5	.4	1.4	.9
11	.6	1.0		.8	.5	1.3	1.1	.5	.5	.5	1.7	2.4
12	.8	1.3		2.9	.7	1.4	1.1	.6	1.7	.5	2.2	2.1
13	1.3	1.1		1.0	.7	1.0	1.3	.7	3.0	1.2	1.7	1.5
14	1.0	1.2		.8	.6	1.0	1.2	1.9	.5	.9	.5	1.6
15	1.6	.4	1.0	1.0	.6	1.2	1.1	.4	1.0	.9	.9	2.5
16	2.9	1.0	.9	1.0	.8	1.9	1.3	.4	.8	.6	.6	2.5
17	3.4	8.3	1.2	.6	.6	1.3	.9	.4	.5	1.5	.4	1.2
18	.7	.6	.8	.5	.6	1.0	1.0	.5	.8	1.1	.9	1.0
19	.8	1.1	1.5	.5	.5	1.0	.8	.8	.6	1.5	1.0	.8
20	1.1	.6	1.0	.5	.8	.9	.8		.6		2.1	1.0
21	2.5	.6	1.0	.7	.9	1.2		1.4	.5		1.3	.6
22	3.9	1.0	.4	.7	1.1		.5	.7	.5		1.3	.5
23	1.5	1.4	.8	1.3	1.3	1.9	.5	.7	.6		1.3	.6
24	2.5	2.3	.7	.5	1.8	1.2	2.2	.5	.7		1.7	.5
25	1.7	.8	1.5	.6	1.2	1.3	.3		.7		1.1	.4
26	1.0	1.4	1.3	1.0	.7	.8	.2		.5		1.4	.6
27	3.0	1.5	.5	1.1	2.2	1.0	.1		1.5		1.4	.6
28	3.2	1.9	1.6	.7	1.2	2.0	.7	.5	.4		2.4	.5
29	2.9		.6	.9	1.3	2.0	.4	.6	.4		1.0	.8
30	2.0		.6	.8	1.6	1.4	.3	.7	1.0		1.8	2.7
31	2.2		.7		1.2		.2	1.1				7.6
NO.:	31	28	26	30	31	29	30	27	30	19	30	30
MAX:	3.9	8.3	3.2	2.9	2.2	2.0	16.1	1.9	3.0	12.1	3.9	7.6
MEAN:	1.65	1.37	1.10	.84	.91	1.29	1.61	.73	.81	1.54	1.36	1.37
ANNUAL OBSERVATIONS:	341		ANNUAL MEAN:	1.21	ANNUAL MAX:	16.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42401) Sulfur dioxide

SITE ID: 49-035-3010 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1250 NORTH 1400 WEST  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5  
 LATITUDE: 40.78422  
 LONGITUDE: -111.931  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (600) Instrumental Ultraviolet Fluoresce  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: .2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.6	1.5	7.4	1.2	1.2	1.7	1.1	1.6	1.2	1.6	1.2	1.8
2	1.1	.7	1.9	1.4	1.5	1.5	1.2	1.3	1.5	1.1	2.6	1.4
3	.5	.5	1.1	.9	.8	1.6	.7	1.2	1.4	1.9	3.3	1.1
4	.7	.5	.6	1.7	.9	1.6	1.2	1.0	3.1	1.2	1.9	2.2
5	.3	1.0	.8	1.2	.9	1.4	2.1	1.0	.9	1.9	1.0	1.2
6	.4	2.7	1.0	.7	.6	1.1	2.3	.9	.7	1.4	1.8	1.8
7	.8	.8	.6	.9	.8	1.2	2.4	1.2	1.1	2.5	1.4	1.4
8	1.0	.7	1.4	1.3	.5	4.3	.7	.8	1.2	2.6	2.3	1.4
9	.4	.7	.7	2.2	1.5	1.9	.9	1.2	.9	.9	3.3	1.5
10	.7	1.9	.7	3.8	.6	1.5	1.8	.9	.8	.9	1.7	1.6
11	.3	.7	.6	1.1	.6	1.3	.9	2.0	1.2	1.1	2.2	1.9
12	.5	.8	.6	2.0	1.2	1.7	1.7	2.5	1.4	1.1	1.8	1.5
13	.8	.8	.9	.6	1.2	1.6	.9	1.6	1.6	1.2	2.9	3.9
14	.8	.6	.8	1.5	1.3	1.4	1.2	4.4	.8	1.4	1.1	3.1
15	1.0	.4	.5	.9	1.3	2.0	1.1	1.0	1.7	1.2	1.9	3.6
16	1.1	.7	.5	.8	1.4	4.8	1.3	1.0	1.2	1.0	1.5	3.3
17	2.8	.8	1.0	.6	1.4	2.2	1.0	1.2	.8	1.2	1.4	2.4
18	.2	.4	.6	.5	1.4	1.5	.7	1.2	.9	2.0	1.8	1.9
19	.7	.8	.9	1.3	1.2	1.2	.6	4.3	1.3	1.3	1.8	2.1
20	.1	.5	.7	.9	1.1	1.5	.6	1.2	.8	1.2	2.1	2.2
21	.9	.7	.8	.5	1.2	2.1	.5	2.3	.9	2.1	2.2	1.3
22	3.1	.8	.7	.9	1.5	1.1	.8	2.6	.9	3.8	2.4	1.3
23	2.4	.9	1.1	1.4	1.6	1.4	1.1	1.0	1.5	2.6	1.6	1.3
24	1.4	1.5	1.0	.8	1.5	1.6	3.5	1.0	1.7	1.5	1.4	1.3
25	.5	1.6	4.7	1.1	2.3	1.7	1.0	.8	1.5	1.2	1.5	1.3
26	.7	2.0	3.8	2.7	1.3	1.1	.6	.9	1.5	1.4	2.0	1.6
27	3.6	2.7	1.0	.6	2.5	1.5	.5	.6	1.9	1.2	1.7	1.4
28	3.6	2.6	.8	.7	2.5	2.6	1.8	.7	.8	3.7	3.0	1.1
29	2.6	.9	.8	.8	2.6	2.1	.8	2.6	.8	3.8	1.9	2.1
30	1.4	.6	1.1	1.1	4.3	1.7	.8	.9	1.0	1.9	1.8	3.2
31	.8	1.1	2.0	2.0	2.0	1.1	.9	4.1	2.3	2.3	3.8	3.8
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	3.6	2.7	7.4	3.8	4.3	4.8	3.5	4.4	3.1	3.8	3.3	3.9
MEAN:	1.15	1.08	1.28	1.20	1.44	1.80	1.18	1.58	1.23	1.75	1.95	1.97
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	1.47	ANNUAL MAX:	7.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42401) Sulfur dioxide

SITE ID: 49-035-3010 POC: 2  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1250 NORTH 1400 WEST  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5  
 LATITUDE: 40.78422  
 LONGITUDE: -111.931  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (600) Instrumental Ultraviolet Fluoresce  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 5 MINUTE  
 UNITS: Parts per billion  
 MIN DETECTABLE: .2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.0	3.2	10.5	1.4	1.8	3.2	1.5	2.1	1.6	1.9	1.4	2.1
2	2.6	.8	2.1	2.4	2.0	2.3	1.3	2.2	2.1	1.6	5.2	1.7
3	.8	.6	1.5	1.3	1.0	1.8	1.2	1.9	2.1	3.7	4.3	1.3
4	1.0	.7	1.5	3.5	1.4	1.8	1.9	2.4	4.0	1.7	2.8	2.4
5	.5	2.0	1.0	1.6	1.2	1.6	2.8	1.4	1.0	2.1	1.4	1.4
6	.5	3.4	1.3	1.0	1.1	1.7	3.0	1.8	1.0	4.0	2.2	2.2
7	1.3	1.4	.7	1.5	.9	1.4	4.7	2.1	3.1	4.1	2.0	4.8
8	1.3	1.2	1.9	1.9	.6	6.2	1.0	1.0	2.3	3.1	3.1	1.6
9	.6	1.0	1.0	3.4	3.0	2.2	1.3	2.3	1.7	1.1	6.5	1.8
10	1.0	2.5	1.2	5.6	.7	2.0	7.7	1.1	.9	1.1	2.2	1.8
11	.9	1.1	1.0	2.1	.8	1.6	1.1	2.4	2.2	4.4	3.2	2.1
12	.7	1.0	.8	2.6	5.8	2.0	2.4	4.0	1.7	1.4	2.1	2.0
13	1.1	1.1	1.5	1.2	1.4	2.4	1.3	3.3	2.4	1.5	3.5	4.8
14	1.2	.9	1.1	2.5	1.6	1.7	2.9	8.1	1.0	2.1	1.3	3.4
15	1.4	.6	.8	1.2	1.4	2.7	3.6	1.2	2.7	1.4	2.7	7.4
16	1.4	1.1	.8	1.1	1.6	5.8	2.2	1.7	1.6	1.2	1.6	4.9
17	3.5	1.5	1.3	1.2	1.5	4.1	2.3	1.5	1.1	1.7	1.6	2.5
18	.3	1.0	.9	.8	2.2	1.9	1.3	1.9	1.6	3.4	3.0	3.2
19	.9	1.0	1.3	2.5	1.4	1.4	.7	5.6	2.1	3.3	2.1	3.1
20	1.0	.7	1.1	1.0	1.3	1.7	.9	1.9	1.0	1.4	2.5	2.9
21	1.2	.8	1.0	1.3	1.6	3.2	.6	3.0	1.3	3.3	3.2	1.5
22	3.3	1.1	1.0	1.3	2.0	1.2	1.5	3.8	1.1	8.2	3.4	1.5
23	3.0	1.4	1.3	2.4	2.1	1.7	2.2	1.2	1.8	3.1	1.9	1.5
24	2.4	2.1	1.7	1.3	2.5	1.7	15.3	1.5	2.2	2.0	1.7	1.5
25	.7	2.7	6.7	1.8	3.1	1.9	1.4	1.1	2.1	1.4	2.2	1.5
26	.9	2.5	4.5	4.5	1.5	1.3	.8	1.6	1.7	1.9	2.5	2.3
27	4.5	4.6	2.3	1.0	2.9	2.0	.7	.9	2.2	1.4		1.7
28	4.9	3.6	2.2	1.2	3.2	3.5	2.6	1.0	1.0	4.8	3.3	1.9
29	3.6		1.0	.9	3.9	2.3	1.3	3.1	1.0	4.9	2.7	2.5
30	1.7		.8	2.8	6.5	2.3	2.3	1.1	1.4	2.5	3.5	3.3
31	1.0		1.7		2.8		2.2	6.3		2.6		4.7
NO.:	31	28	31	30	31	30	31	31	30	31	29	31
MAX:	4.9	4.6	10.5	5.6	6.5	6.2	15.3	8.1	4.0	8.2	6.5	7.4
MEAN:	1.62	1.63	1.85	1.94	2.09	2.35	2.45	2.40	1.77	2.65	2.73	2.62
ANNUAL OBSERVATIONS:		364		ANNUAL MEAN:	2.18		ANNUAL MAX:	15.3				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42401) Sulfur dioxide

SITE ID: 49-035-3015 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 240 N 1950 W  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5  
 LATITUDE: 40.777145  
 LONGITUDE: -111.945849  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT:

SUPPORT AGENCY: ( ) Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .4

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.6	1.7	4.4	1.2	.5	.7	.3	2.4	1.2	2.0	1.1	1.9
2	1.3	2.1	3.7	1.6	.7	.4	.5	.9	2.1	1.0	3.2	.6
3	1.7	1.5	1.2	1.5	.3	.8	.4	.5	2.9	1.2	3.4	.7
4	1.0	1.6	1.1	1.2	.9	.8	8.0	.5	1.8	.5	.8	2.1
5	1.0	1.4	1.1	1.5	.5	.4	2.1	.8	1.0	2.1	.8	.4
6	.7	2.2	1.5	1.0	.4	.2	1.2	.8	1.6	1.5	1.2	1.0
7	1.2	1.8	1.3	1.1	.5	.3	2.1	.9	1.0	.9	.8	.8
8	1.7	.8	2.0	1.5	.2	.6	1.6	.9	1.2	1.9	.9	.8
9	1.2	.8	1.4	2.2	.9	1.6	.3	.6	1.0	.4	1.2	.6
10	1.2	2.7	1.5	1.6	.2	.6	.6	.7	.9	.3	2.4	1.2
11	1.2	1.4	1.5	1.2	.3	.4	1.2	.8	1.0	.3	2.3	.9
12	.8	2.1	1.0	2.0	1.9	.9	1.6	1.8	1.5	.6	2.7	2.0
13	1.5	1.4	1.4	1.2	.2	.8	.7	1.1	2.1	.4	2.7	2.4
14	1.0	1.5	1.7	1.5	.2	1.5	.7	2.6	.9	.8	.4	2.3
15	1.4	1.3	1.5	1.5	.1	.4	1.3	.4	.6	1.0	1.0	1.9
16	2.1	1.2	1.0	1.4	.8	1.6	.4	.3	1.9	.3	.8	2.6
17	4.1	2.4	1.4	1.7	.3	1.1	.4	.4	1.1	.8	.5	1.9
18	.7	1.3	1.2	1.2	.3	.5	.4	1.1	1.4	.6	1.0	1.1
19	1.0	1.1	.9	1.5	.2	.2	.3	2.8	1.2	.6	3.3	3.0
20	1.3	.9	1.5	1.2	.2	.4	.3	1.7	1.4	.7	1.7	.9
21	1.7	1.6	1.8	1.2	.2	.3	.2	1.8	1.0	1.3	1.5	.4
22	5.0	.9	1.5	1.4	.5	.1	.4	1.0	1.0	1.5	1.6	.4
23	3.2	1.9	1.8	.7	.7	.7	.5	.6	2.1	1.6	1.0	.5
24	2.0	2.2	1.2	.6	.6	.5	1.0	.6	1.3	2.0	.9	.4
25	1.4	1.3	1.3	.7	.8	.9	.5	.7	1.8	1.1	.9	.3
26	1.2	2.7	2.3	1.1	.5	.2	.2	.7	1.0	1.1	1.5	.4
27	3.9	2.2	1.1	.4	1.4	.7	.1	.6	1.6	.9	1.5	.4
28	4.3	2.5	1.5	.3	.5	1.7	.5	1.6	.5	2.0	2.4	.3
29	4.5		1.4	.4	.6	1.5	.5	2.7	1.3	2.2	1.3	.9
30	3.6		1.1	.3	1.8	.9	.3	1.1	.7	2.2	.9	2.7
31	2.4		1.6		.6		.4	1.8		1.6		3.0
NO.:	31	28	31	29	31	30	31	31	29	30	30	31
MAX:	5.0	2.7	4.4	2.2	1.9	1.7	8.0	2.8	2.9	2.2	3.4	3.0
MEAN:	1.93	1.66	1.58	1.21	.57	.72	.94	1.14	1.36	1.14	1.52	1.25
ANNUAL OBSERVATIONS:	362		ANNUAL MEAN:	1.25	ANNUAL MAX:	8.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 22, 2026

(42401) Sulfur dioxide

SITE ID: 49-035-3015 POC: 3  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 240 N 1950 W  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5  
 LATITUDE: 40.777145  
 LONGITUDE: -111.945849  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT:

SUPPORT AGENCY: ( ) Not Found

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (600) Instrumental Ultraviolet Fluoresce

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2025

DURATION: 5 MINUTE

UNITS: Parts per billion

MIN DETECTABLE: .2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	2.1	2.5	5.0	1.5	.8	1.6	1.5	8.9	2.3	2.3	1.3	2.1
2	2.3	3.0	4.0	2.2	1.0	.9	1.4	2.0	4.2	1.8	9.0	.9
3	3.3	1.8	1.4	1.8	.7	1.2	1.0	1.3	7.0	2.5	5.1	1.2
4	1.3	2.4	1.5	1.6	1.4	1.2	23.3	1.2	2.2	1.2	1.5	2.6
5	1.4	1.6	1.4	2.0	.7	.5	6.5	1.0	1.5	3.3	3.8	.5
6	1.0	2.6	2.4	1.3	.8	.4	3.1	1.1	3.1	1.6	1.7	2.0
7	2.1	2.8	1.6	1.9	.9	.3	3.1	2.8	1.6	1.6	1.3	1.3
8	2.6	1.4	2.7	1.9	.4	1.4	4.0	1.4	2.3	2.4	2.0	1.3
9	1.8	1.5	1.8	3.1	3.0	1.9	.9	.9	1.2	.6	2.0	.9
10	1.8	3.7	1.9	3.3	.4	2.1	2.2	1.4	1.3	.5	3.0	1.9
11	1.8	1.6	1.7	2.1	1.0	.6	5.3	2.0	1.4	.5	2.5	1.5
12	1.5	2.8	1.5	4.1	3.1	1.3	5.5	3.3	2.0	1.0	3.8	2.4
13	2.4	1.5	1.7	1.6	.3	1.1	1.5	2.6	2.8	.5	3.1	3.6
14	1.2	1.9	2.4	2.5	.4	3.9	1.6	8.9	1.1	1.3	.7	2.8
15	1.6	1.7	1.7	2.0	.2	.7	5.8	.7	.9	.9	1.3	3.9
16	2.5	1.9	1.3	2.1	1.5	2.4	.5	.7	3.1	.4	1.2	3.2
17	4.7	3.1	1.5	2.1	.6	1.7	1.2	1.0	2.2	1.1	.9	2.2
18	1.1	1.7	2.2	1.5	.8	.7	.8	1.5	1.7	.9	2.0	1.3
19	1.3	1.3	1.2	1.9	.4	.6	.9	4.6	1.3	.8	4.6	11.0
20	1.5	1.3	2.1	2.3	.6	.9	1.4	3.6	2.3	1.0	2.7	1.5
21	3.0	2.2	2.2	2.2	.5	.7	.4	3.1	1.6	1.6	2.1	.7
22	5.8	1.8	2.1	1.8	.9	.9	.7	1.8	1.3	1.8	1.8	.8
23	3.9	2.2	2.3	2.3	.9	1.5	1.7	.7	2.8	2.3	1.7	.7
24	3.3	3.0	1.4	.9	.8	.9	2.9	.9	2.9	3.3	1.1	.5
25	1.9	1.9	1.9	1.3	1.5	1.4	2.7	1.2	2.7	1.8	1.5	.5
26	1.6	3.6	3.6	1.9	2.8	.5	.3	.9	1.5	1.5	2.1	.7
27	4.9	2.9	1.3	1.3	3.0	2.9	.2	.7	2.5	1.6	1.8	.7
28	5.4	3.8	2.5	.4	.7	2.6	1.1	3.5	1.4	2.1	2.6	1.0
29	5.9		1.7	.9	1.1	1.8	1.0	2.9	2.6	2.7	1.6	1.4
30	4.9		1.4	.7	3.7	1.3	.5	1.4	.9	3.3	1.4	3.1
31	3.3		2.5		1.2		1.1	2.8		2.7		4.2
NO.:	31	28	31	29	31	29	31	31	29	30	30	31
MAX:	5.9	3.8	5.0	4.1	3.7	3.9	23.3	8.9	7.0	3.3	9.0	11.0
MEAN:	2.68	2.27	2.06	1.87	1.16	1.34	2.71	2.28	2.23	1.64	2.37	2.01
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:	2.06	ANNUAL MAX:	23.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.