

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 2375796

Report Code: AMP230

Apr. 22, 2026

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			42602							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2025	2025

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 Annual 2024
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-003-0005
 County: Box Elder
 City: Brigham City
 Support Agency:
 Address: 340 Paxton Pl, BRIGHAM CITY, UT

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +41.485007
 Longitude: -112.021476
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,334.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc					
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean	
42602-Nitrogen dioxide (NO2)		1		1113				INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion			
2025	0	98	8605			-1.3		10	25	50	75	90	95	98	99		1	2	7.00	
								.8	1.6	4.2	10.3	18.0	22.8	26.6	28.4		38.2	36.3		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-003-7001
 County: Box Elder
 City: Not in a city
 Support Agency: 195
 Address: 8600 WEST 24000 NORTH PORTAGE, UTAH

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: AGRICULTURAL

Latitude: +41.945874
 Longitude: -112.233973
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean		
42602-Nitrogen dioxide (NO2)		1		195				Instrumental	Chemiluminescence Teledyne API 200 EU/501							.05	1 HOUR	0	Parts per billion	
2025	0	67	5834			-5.0		10	25	50	75	90	95	98	99		1	2	.66	
								.0	.0	.2	1.0	2.0	3.2	4.8	6.2		18.3	16.7		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-005-0007
 County: Cache
 City: Smithfield
 Support Agency: 1113
 Address: 675 West 220 North

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.842649
 Longitude: -111.852199
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	99	8639			.1	10	25	50	75	90	95	98	99	1	2	4.44
						.8	1.4	3.0	5.7	10.5	14.1	18.4	20.9		33.1	30.3	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-007-1003	AQCR: UTAH	Latitude: +39.595750
County: Carbon	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.770111
City: Price	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing:
Address: On Prperty of Resident at 351 W 2500 E. Price, Utah		Utm Easting:
		Vertical Meas: 1,737.6

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean	
42602-Nitrogen dioxide (NO2)				1		1113			INSTRUMENTAL							2.7	1 HOUR	0	Parts per billion			
2025	0		98	8541			.5	10	25	50	75	90	95	98	99		1	2	2.07			
								1.0	1.2	1.7	2.4	3.6	4.6	6.0	7.2		16.2	12.6				

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-011-0004
 County: Davis
 City: Bountiful
 Support Agency: 1113
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.902967
 Longitude: -111.884467
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages						Min	Obs	Maximum	Values	Arith	Mean
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8571			.2	10	25	50	75	90	95	98	99	1	2	9.33
						1.6	2.7	5.6	13.1	23.1	29.2	34.7	37.8		89.6	79.9	
42602-Nitrogen dioxide (NO2)		2		1113		Instrumental - Cavity-Attenuated Teledyne API - Model N500						.1	1 HOUR	0	Parts per billion		
2025	0	99	8631			-2.7	10	25	50	75	90	95	98	99	1	2	8.76
						1.2	2.3	5.3	12.6	22.2	28.3	33.4	36.1		77.5	73.8	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-013-0002
 County: Duchesne
 City: Roosevelt
 Support Agency: 1113
 Address: 290 S. 1000 W.

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.294178
 Longitude: -110.009732
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8552			.3	10	25	50	75	90	95	98	99	1	2	5.01
							1.2	2.0	3.9	6.7	10.1	12.8	16.6	20.3	35.5	35.5	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-013-7011
 County: Duchesne
 City: Not in a city
 Support Agency: 687
 Address: 6000 SOUTH AND 10000 WEST (MYTON)

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +40.216779
 Longitude: -110.182742
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter	POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages													Maximum	Values	Arith Mean
42602-Nitrogen dioxide (NO2)			1		687				Instrumental	Chemiluminescence Teledyne API 200 EU/501										.05	1 HOUR	0	Parts per billion	
2025	0		74	6463			.2	10	25	50	75	90	95	98	99			1	2	3.62				
								.8	1.3	3.0	4.8	7.0	9.0	13.0	16.8			38.8	35.7					

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-019-0007
 County: Grand
 City: Moab
 Support Agency: 1113
 Address: 691 S Mill Creek Dr

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: COMMERCIAL

Latitude: +38.566055
 Longitude: -109.537160
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,222.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean		
						Min	Obs											
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion			
2025	0	98	8621			.3	10	25	50	75	90	95	98	99	1	2	4.01	
							.8	1.2	2.7	5.3	9.2	12.2	15.8	18.5	32.1	31.8		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-021-0005
 County: Iron
 City: Enoch
 Support Agency:
 Address: 3840 North 325 East

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.747430
 Longitude: -113.055525
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,692.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8607			.0	10	25	50	75	90	95	98	99	1	2	6.02
						1.0	1.7	3.8	8.6	14.9	18.4	22.5	24.7		34.0	33.9	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-2005
 County: Salt Lake
 City: Midvale
 Support Agency: 1113
 Address: 8449 S. Monroe St.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.598056
 Longitude: -111.894167
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8612			.5	10	25	50	75	90	95	98	99	1	2	11.89
						1.9	3.4	8.3	17.1	29.4	34.4	39.5	42.6		51.6	50.8	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith Mean
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion			
2025	0	97	8535			.5	10	25	50	75	90	95	98	99		1	2	11.07
						2.0	3.2	7.0	15.8	28.1	33.2	37.5	40.1			46.1	45.9	
42602-Nitrogen dioxide (NO2)		3		1113		Instrumental - Cavity-Attenuated Teledyne API - Phase-Shift (CAPS) Model N500 spectroscopy Nitrogen Oxides Analyzer						.1	1 HOUR	0	Parts per billion			
2025	0	98	8575			.8	10	25	50	75	90	95	98	99		1	2	10.70
						2.1	3.3	6.9	15.2	26.6	31.4	35.7	38.4			47.0	46.5	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3010
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.784220
 Longitude: -111.931000
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis					MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages							Maximum Values	Arith Mean	
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL					2.7	1 HOUR	0	Parts per billion			
2025	0	98	8623			.4	10	25	50	75	90	95	98	99	1	2	11.45
							1.6	3.2	8.1	17.1	27.8	32.6	37.5	41.1	50.6	50.1	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3013
 County: Salt Lake
 City: Herriman
 Support Agency: 1113
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.496392
 Longitude: -112.036298
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8626			-0.1	10	25	50	75	90	95	98	99	1	2	3.96
							.6	1.1	2.4	5.2	9.2	12.7	17.7	21.6		43.1	39.3

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3014
 County: Salt Lake
 City: West Valley City
 Support Agency: 1113
 Address: 2782 South Corporate Park Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.709762
 Longitude: -112.008760
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,297.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion			
2025	0	98	8626			.3	10	25	50	75	90	95	98	99		1	2	9.65
							1.2	2.2	5.4	14.1	26.3	31.1	35.9	38.6		46.4	45.9	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3015

AQCR: WASATCH FRONT

Latitude: +40.777145

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.945849

City: Salt Lake City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 240 N 1950 W

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8612			.8	10	25	50	75	90	95	98	99	1	2	12.38
							2.3	3.7	8.0	18.2	30.9	35.7	40.5	43.8		59.4	54.6

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3016
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1480 North 8000 West

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: INDUSTRIAL

Latitude: +40.807897
 Longitude: -112.087717
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8593			.0	10	25	50	75	90	95	98	99	1	2	6.42
						.5	1.0	2.9	9.0	18.5	24.5	30.4	33.0		45.3	45.0	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3018
 County: Salt Lake
 City: Salt Lake City
 Support Agency:
 Address: Red Butte Canyon Rd.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: INDUSTRIAL

Latitude: +40.766528
 Longitude: -111.828350
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
42602-Nitrogen dioxide (NO2)		2		1113				Instrumental - Teledyne API Model N500	-	Cavity-Attenuated Phase-Shift (CAPS) spectroscopy Nitrogen Oxides Analyzer	.1	1 HOUR	0		Parts per billion			
2025	0	99	8655			-3.0	10	25	50	75	90	95	98	99		1	2	3.40
								.5	1.0	2.0	4.1	8.3	11.6	16.4	20.2		43.7	42.5

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-4002
 County: Salt Lake
 City: Murray
 Support Agency:
 Address: 4951 South Galleria Dr

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: MOBILE

Latitude: +40.662961
 Longitude: -111.901851
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,295.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8615			.4	10	25	50	75	90	95	98	99	1	2	14.85
						3.6	6.4	12.1	21.8	30.5	34.7	38.4	40.4		46.3	46.3	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-045-0004
 County: Tooele
 City: Erda
 Support Agency: 1113
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: COMMERCIAL

Latitude: +40.600550
 Longitude: -112.355780
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,321.7

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL							2.7	1 HOUR	0	Parts per billion			
2025	0	98	8618			-0.6	10	25	50	75	90	95	98	99	1	2	2.16		
							.4	.8	1.4	2.7	4.9	6.7	9.1	10.9		27.2	24.6		
42602-Nitrogen dioxide (NO2)		2		1113		Instrumental - Cavity-Attenuated Teledyne API - Phase-Shift (CAPS) Model N500 spectroscopy Nitrogen Oxides Analyzer							.1	1 HOUR	0	Parts per billion			
2025	0	97	8484			-4.9	10	25	50	75	90	95	98	99	1	2	2.38		
							.4	.8	1.8	3.2	5.1	6.7	9.2	11.0		26.4	22.7		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-1004
 County: Uintah
 City: Vernal
 Support Agency: 1113
 Address: 628 North 1700 West

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +40.464710
 Longitude: -109.561472
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8602			.2	10	25	50	75	90	95	98	99	1	2	3.02
						.9	1.3	2.2	3.9	6.2	8.0	10.8	13.2		22.1	21.8	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-2002	AQCR: UTAH	Latitude: +40.206291
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.353932
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 Miles west of Redwash atop Deadman's Bench		Utm Easting:
		Vertical Meas: 1,701.8

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean	
42602-Nitrogen dioxide (NO2)			1		687				INSTRUMENTAL	CHEMILUMINESCENCE							1	1 HOUR	0		Parts per billion	
2025	0		74	6464			.0	10	25	50	75	90	95	98	99		1	2	1.83			
								.5	.7	1.2	2.2	4.0	5.4	7.6	9.1		21.3	19.0				

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-2003	AQCR: UTAH	Latitude: +40.056710
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.688108
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 miles south of Ouray and south of the White and Green River confluence		Utm Easting:
		Vertical Meas: 1,466.8

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean		
42602-Nitrogen dioxide (NO2)				1		687			INSTRUMENTAL	CHEMILUMINESCENCE							1	1 HOUR	0	Parts per billion			
2025	0		73	6374			.2	10	25	50	75	90	95	98	99		1	2	2.50				
							.6	.9	1.7	3.3	5.2	6.7	10.0	12.5		25.8	25.7						

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-7022
 County: Uintah
 City: Not in a city
 Support Agency: 687
 Address: WHITEROCKS & COUNTY ROAD

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +40.483598
 Longitude: -109.906796
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean	
42602-Nitrogen dioxide (NO2)		1		687				Instrumental	Chemiluminescence Teledyne API 200 EU/501							.05	1 HOUR	0	Parts per billion	
2025	0	74	6469			-.1	10	25	50	75	90	95	98	99		1	2	1.04		
							.3	.5	.7	1.1	1.9	3.0	5.8	7.1		13.3	11.8			

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-049-4001
 County: Utah
 City: Lindon
 Support Agency: 1113
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.341389
 Longitude: -111.713611
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
42602-Nitrogen dioxide (NO2)		2		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	98	8559			.2	10	25	50	75	90	95	98	99	1	2	8.09
							1.7	2.7	5.1	10.6	19.9	24.9	30.9	34.4		47.4	46.4

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-049-5010
 County: Utah
 City: Spanish Fork
 Support Agency: 1113
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.136378
 Longitude: -111.657936
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	99	8631			.4	10	25	50	75	90	95	98	99	1	2	6.95
							1.6	2.8	5.0	8.7	14.7	20.6	27.6	31.7		43.5	43.4

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-053-0007
 County: Washington
 City: Hurricane
 Support Agency: 1113
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.179125
 Longitude: -113.305096
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion				
2025	0	98	8614			.3	10	25	50	75	90	95	98	99	1	2	4.44		
							1.2	1.6	2.7	6.1	9.8	12.8	17.8	21.2	34.6	32.5			

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-057-1003
 County: Weber
 City: Harrisville
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303614
 Longitude: -111.987871
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
42602-Nitrogen dioxide (NO2)		1		1113		INSTRUMENTAL						2.7	1 HOUR	0	Parts per billion		
2025	0	97	8477			.1	10	25	50	75	90	95	98	99	1	2	8.22
							1.4	2.2	5.1	11.7	21.1	25.9	30.0	32.7		39.7	39.7