

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1205185

Report Code: AMP230

Apr. 28, 2014

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			44201							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2013	2013

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
Lead Quarterly 1978
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2006
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-003-0003  
 County: Box Elder  
 City: Brigham City  
 Support Agency: 1113  
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.492707  
 Longitude: -112.018863  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages								Maximum Values	Arith Mean	
			1			1113							8-HR RUN AVG	0		Parts per million	
													BEGIN HOUR				
2013	0	88	3867	2	2	.028	10	25	50	75	90	95	98	99	1	2	.0549
							.048	.051	.056	.060	.065	.068	.073	.078	.083	.078	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-003-7001	AQCR: UTAH	Latitude: +41.945950
County: Box Elder	Urban Area: NOT IN AN URBAN AREA	Longitude: -112.233179
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 195	Land Use: AGRICULTURAL	Utm Northing: 4644310
Address: 8600 WEST 24000 NORTH PORTAGE, UTAH		Utm Easting: 397781
		Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		195											8-HR RUN AVG	0	Parts per million			
																BEGIN HOUR					
2013	0	98	7774	0	0	.021	10	25	50	75	90	95	98	99			1	2	.0514		
							.047	.050	.053	.056	.060	.061	.065	.070			.072	.070			

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-005-0004

AQCR: UTAH

Latitude: +41.731111

County: Cache

Urban Area: LOGAN, UT

Longitude: -111.837500

City: Logan

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 125 W. CENTER STREET, LOGAN, UT

Utm Easting:

Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	92	8464	0	0	.010	10	25	50	75	90	95	98	99	1	2	.0505
							.045	.047	.051	.057	.060	.064	.066	.069		.075	.069

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-007-1003	AQCR: UTAH	Latitude: +39.609960
County: Carbon	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.800749
City: Price	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing:
Address: On Prperty of Resident at 351 W 2500 E. Price, Utah		Utm Easting:
		Vertical Meas: 1,722.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
			1			1113								8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2013	0	97	7978	0	0	.023	10	25	50	75	90	95	98	99		1	2	.0550
							.052	.054	.057	.060	.064	.066	.068	.072		.075	.072	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-011-0004	AQCR: WASATCH FRONT	Latitude: +40.902967
County: Davis	Urban Area: SALT LAKE CITY, UT	Longitude: -111.884467
City: Bountiful	Location Setting: SUBURBAN	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4528150.36
Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH		Utm Easting: 425503.56
		Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
	44201-Ozone		1		1113								8-HR RUN AVG	0		Parts per million	
													BEGIN HOUR				
2013	0	99	7966	2	2	.005	10	25	50	75	90	95	98	99	1	2	.0500
							.044	.046	.049	.056	.062	.067	.070	.081	.085	.081	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-013-0002  
 County: Duchesne  
 City: Roosevelt  
 Support Agency: 1113  
 Address: 290 S. 1000 W.

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.294178  
 Longitude: -110.009732  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	98	7929	26	26	.013	10	25	50	75	90	95	98	99	1	2	.0567
							.045	.049	.054	.059	.076	.090	.098	.105	.110	.106	



FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-013-1001	AQCR: UTAH	Latitude: +40.208652
County: Duchesne	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.841056
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 1113	Land Use: AGRICULTURAL	Utm Northing:
Address: 1/4 mile South of US 40 off 4500 West Fruitland, Utah		Utm Easting:
		Vertical Meas: 1,558.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
			1			1113								8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2013	0	99	8020	0	0	.031	10	25	50	75	90	95	98	99	1	2	.0527	
							.052	.053	.056	.060	.063	.066	.069	.071		.075	.071	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-013-7011	AQCR: UTAH	Latitude: +40.216779
County: Duchesne	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.182742
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 6000 SOUTH AND 10000 WEST (MYTON)		Utm Easting:
		Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1			0969									8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2013	0	88	7323	25	25	.018	10	25	50	75	90	95	98	99		1	2	.0549			
							.041	.047	.053	.059	.073	.091	.105	.109		.117	.110				

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-017-0004	AQCR: FOUR CORNERS	Latitude: +37.775556
County: Garfield	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.614722
City: Escalante	Location Setting: RURAL	UTM Zone:
Support Agency: 0745	Land Use: DESERT	Utm Northing:
Address: Escalante National Monument - Visitor Center		Utm Easting:
		Vertical Meas: 1,789.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
			1		0745									8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2013	0	97	8098	0	0	.018	10	25	50	75	90	95	98	99	1	2	.0494	
							.046	.047	.050	.055	.060	.063	.068	.071	.072	.071		

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-035-2004	AQCR: WASATCH FRONT	Latitude: +40.736389
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -112.210278
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing: 4509978
Address: 12100 W 1200 S, LAKEPOINT, UTAH		Utm Easting: 397806
		Vertical Meas: 1,284.0

Site Comments: LOCATED AT GREAT SALT LAKE MARINA, NW SIDE OF I-80 TRAILER MOVED ACROSS PARKING LOT, APPROX. 70 M NORTH OF PREV. SITE:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1				1113								8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2013	0	98	4066	2	2	.029	10	25	50	75	90	95	98	99		1	2	.0543			
							.047	.051	.055	.060	.064	.066	.075	.077		.081	.077				

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	99	8016	4	4	.003	10	25	50	75	90	95	98	99	1	2	.0541
							.047	.049	.054	.061	.068	.072	.077	.081	.084	.081	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-037-0101

AQCR: FOUR CORNERS

Latitude: +38.458611

County: San Juan

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.821111

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 0745

Land Use: DESERT

Utm Northing:

Address: CANYONLANDS NATIONAL PARK, UTAH

Utm Easting:

Vertical Meas: 1,814.0

Site Comments: OZONE AND MET PARAMETERS INSTALLED ON 08/13/92 DASIBI 1003-AH ANALYZER, DASIBI 1003-PC CALIBRATOR, CLIMATRONICS MET:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone			1			0745									8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2013	0	80	8042	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0536	
							.052	.053	.055	.059	.064	.066	.067	.068		.069	.068		

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-045-0003

AQCR: WASATCH FRONT

Latitude: +40.543309

County: Tooele

Urban Area: NOT IN AN URBAN AREA

Longitude: -112.299618

City: Tooele

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 434 NORTH 50 WEST, TOOELE, UTAH

Utm Easting:

Vertical Meas: 1,511.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
			1			1113								8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2013	0	97	3743	1	1	.030	10	25	50	75	90	95	98	99		1	2	.0526
							.044	.048	.052	.058	.063	.066	.073	.075		.084	.075	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-047-1002  
 County: Uintah  
 City: Not in a city  
 Support Agency: 0745  
 Address: Dinosaur National Monument

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: FOREST

Latitude: +40.437200  
 Longitude: -109.304700  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,463.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		0745										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	88	7106	26	26	.023	10	25	50	75	90	95	98	99	1	2	.0563
							.043	.047	.053	.059	.081	.095	.109	.120	.126	.120	



FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-047-1003  
 County: Uintah  
 City: Vernal  
 Support Agency: 1113  
 Address: 220 South 1000 East

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: COMMERCIAL

Latitude: +40.452267  
 Longitude: -109.510393  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1		1113									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	100	8736	25	25	.020	10	25	50	75	90	95	98	99	1	2	.0524
							.040	.046	.053	.059	.070	.081	.095	.102		.114	.109

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-047-5632	AQCR: UTAH	Latitude: +39.868622
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.097302
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 1387	Land Use: DESERT	Utm Northing:
Address: Accessed from Dragon Road/145-S, Uintah Co, UT		Utm Easting:
		Vertical Meas: 1,878.87

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1387								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	58	4132	7	7	.038	10	25	50	75	90	95	98	99	1	2	.0570
							.049	.051	.055	.061	.068	.075	.084	.097	.107	.097	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-047-7022	AQCR: UTAH	Latitude: +40.483598
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.906796
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: WHITEROCKS & COUNTY ROAD		Utm Easting:
		Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1			0969									8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2013	0	89	7460	14	14	.022	10	25	50	75	90	95	98	99		1	2	.0533			
							.042	.047	.053	.059	.067	.073	.087	.100		.107	.104				

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-049-0002  
 County: Utah  
 City: Provo  
 Support Agency: 1113  
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: COMMERCIAL

Latitude: +40.253611  
 Longitude: -111.663056  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,402.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			2			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	99	6488	4	4	.006	10	25	50	75	90	95	98	99	1	2	.0554
							.047	.051	.056	.061	.067	.071	.077	.079	.085	.079	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-049-5010	AQCR: WASATCH FRONT	Latitude: +40.136336
County: Utah	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.660502
City: Spanish Fork	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing:
Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH		Utm Easting:
		Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		1113											8-HR RUN AVG	0	Parts per million			
																BEGIN HOUR					
2013	0	99	4158	1	1	.031	10	25	50	75	90	95	98	99			1	2	.0526		
							.045	.049	.053	.060	.063	.068	.070	.073			.078	.073			

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-053-0007  
 County: Washington  
 City: Hurricane  
 Support Agency: 1113  
 Address: 147 N 870 W, Hurrricane, Utah

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.129000  
 Longitude: -113.183000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	99	5870	0	0	.022	10	25	50	75	90	95	98	99	1	2	.0539
							.047	.049	.054	.059	.063	.067	.069	.070	.073	.070	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-053-0130  
 County: Washington  
 City: Virgin  
 Support Agency: 0745  
 Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: DESERT

Latitude: +37.198300  
 Longitude: -113.150600  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,213.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	97	8681	0	0	.025	10	25	50	75	90	95	98	99	1	2	.0543
							.051	.053	.055	.060	.065	.067	.070	.071	.074	.071	

FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-057-0002

AQCR: WASATCH FRONT

Latitude: +41.206321

County: Weber

Urban Area: OGDEN, UT

Longitude: -111.975524

City: Ogden

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 228 32ND STREET, OGDEN, UTAH

Utm Easting:

Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1				1113								8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2013	0	99	8733	4	4	.002	10	25	50	75	90	95	98	99		1	2	.0556	
							.048	.050	.056	.062	.068	.070	.076	.077		.086	.077		



FREQUENCY DISTRIBUTION REPORT

Apr. 28, 2014

Utah

Site ID: 49-057-1003  
 County: Weber  
 City: Harrisville  
 Support Agency: 1113  
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.303614  
 Longitude: -111.987871  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2013	0	98	3742	2	2	.002	10	25	50	75	90	95	98	99	1	2	.0557
							.043	.050	.056	.061	.067	.069	.073	.077	.088	.077	