

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1819667

Report Code: AMP230

Mar. 10, 2020

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			44201							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA			

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
AGENCY ROLE	PQAO
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2019	2019

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-003-0003  
 County: Box Elder  
 City: Brigham City  
 Support Agency: 1113  
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.492707  
 Longitude: -112.018863  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1				1113							8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	48	4184	0	0	.014	10	25	50	75	90	95	98	99	1	2	.0439
							.029	.040	.044	.050	.056	.059	.062	.066	.068	.066	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-003-7001	AQCR: UTAH	Latitude: +41.945874
County: Box Elder	Urban Area: NOT IN AN URBAN AREA	Longitude: -112.233973
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 195	Land Use: AGRICULTURAL	Utm Northing:
Address: 8600 WEST 24000 NORTH PORTAGE, UTAH		Utm Easting:
		Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		195											8-HR RUN AVG	0	Parts per million			
																BEGIN HOUR					
2019	0	64	5712	0	0	.019	10	25	50	75	90	95	98	99			1	2	.0425		
							.032	.037	.043	.048	.053	.055	.058	.059			.063	.060			

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-005-0007  
 County: Cache  
 City: Smithfield  
 Support Agency: 1113  
 Address: 675 West 220 North

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.842649  
 Longitude: -111.852199  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	98	8705	0	0	.016	10	25	50	75	90	95	98	99	1	2	.0446
							.032	.038	.046	.051	.055	.058	.061	.062	.066	.065	



FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-011-0004

AQCR: WASATCH FRONT

Latitude: +40.902967

County: Davis

Urban Area: SALT LAKE CITY, UT

Longitude: -111.884467

City: Bountiful

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

Utm Easting:

Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
	44201-Ozone		1		1113								8-HR RUN AVG	0	Parts per million		
													BEGIN HOUR				
2019	0	98	8654	1	1	.002	10	25	50	75	90	95	98	99	1	2	.0423
							.023	.032	.044	.052	.060	.064	.067	.073	.076	.075	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-013-0002  
 County: Duchesne  
 City: Roosevelt  
 Support Agency: 1113  
 Address: 290 S. 1000 W.

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.294178  
 Longitude: -110.009732  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	96	8445	8	8	.019	10	25	50	75	90	95	98	99	1	2	.0498
							.035	.045	.051	.056	.061	.066	.080	.087	.096	.091	



FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-013-7011	AQCR: UTAH	Latitude: +40.216779
County: Duchesne	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.182742
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 6000 SOUTH AND 10000 WEST (MYTON)		Utm Easting:
		Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		687										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2019	0	74	6483	6	6	.021	10	25	50	75	90	95	98	99		1	2	.0517			
							.043	.047	.051	.056	.061	.067	.076	.081		.086	.084				

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-017-0006  
 County: Garfield  
 City: Escalante  
 Support Agency:  
 Address: Escalante National Monument

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: FOREST

Latitude: +37.775544  
 Longitude: -111.615473  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,714.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	72	6447	0	0	.024	10	25	50	75	90	95	98	99	1	2	.0453
							.036	.040	.045	.051	.055	.057	.060	.062	.064	.062	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-021-0005  
 County: Iron  
 City: Enoch  
 Support Agency:  
 Address: 3840 North 325 East

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.747430  
 Longitude: -113.055525  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,692.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	97	8552	0	0	.020	10	25	50	75	90	95	98	99	1	2	.0435
							.032	.038	.045	.049	.054	.056	.059	.060	.065	.064	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-035-1007  
 County: Salt Lake  
 City: Magna  
 Support Agency:  
 Address: 9228 West 2700 South

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.712146  
 Longitude: -112.111275  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	98	8653	0	0	.008	10	25	50	75	90	95	98	99	1	2	.0434
							.026	.036	.044	.052	.057	.060	.067	.070	.075	.072	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-035-2005  
 County: Salt Lake  
 City: Midvale  
 Support Agency: 1113  
 Address: 8449 S. Monroe St.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.598056  
 Longitude: -111.894167  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	93	8221	0	0	.004	10	25	50	75	90	95	98	99	1	2	.0427
							.025	.035	.043	.052	.057	.063	.066	.067	.070	.069	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	99	8732	1	1	.002	10	25	50	75	90	95	98	99	1	2	.0441
							.024	.034	.045	.055	.062	.066	.071	.073	.078	.074	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-035-3010  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.784220  
 Longitude: -111.931000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	80	7043	2	2	.007	10	25	50	75	90	95	98	99	1	2	.0447
							.026	.037	.046	.054	.061	.064	.069	.072	.079	.077	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-035-3013  
 County: Salt Lake  
 City: Herriman  
 Support Agency: 1113  
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.496392  
 Longitude: -112.036298  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2019	0	99	8708	0	0	.014	10	25	50	75	90	95	98	99	1	2	.0475	
							.033	.040	.048	.055	.061	.064	.069	.070	.073	.073		





FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-035-4002  
 County: Salt Lake  
 City: Murray  
 Support Agency:  
 Address: 4951 South Galleria Dr

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: RESIDENTIAL

Latitude: +40.662878  
 Longitude: -111.901188  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,295.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	99	8715	0	0	.004	10	25	50	75	90	95	98	99	1	2	.0386
							.022	.032	.040	.047	.053	.057	.061	.064	.067	.065	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-037-0101

AQCR: FOUR CORNERS

Latitude: +38.458320

County: San Juan

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.821260

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 0745

Land Use: DESERT

Utm Northing:

Address: CANYONLANDS NATIONAL PARK, UTAH

Utm Easting:

Vertical Meas: 1,794.0

Site Comments: OZONE AND MET PARAMETERS INSTALLED ON 08/13/92 DASIBI 1003-AH ANALYZER, DASIBI 1003-PC CALIBRATOR, CLIMATRONICS MET:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone			1			0745									8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2019	0	98	8663	0	0	.028	10	25	50	75	90	95	98	99		1	2	.0472	
							.038	.042	.047	.053	.057	.058	.060	.064		.068	.065		

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-045-0004  
 County: Tooele  
 City: Erda  
 Support Agency: 1113  
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: COMMERCIAL

Latitude: +40.600532  
 Longitude: -112.353414  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	98	8572	0	0	.014	10	25	50	75	90	95	98	99	1	2	.0442
							.032	.038	.045	.050	.055	.058	.063	.065	.072	.068	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-047-1002  
 County: Uintah  
 City: Not in a city  
 Support Agency: 0745  
 Address: Dinosaur National Monument

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: FOREST

Latitude: +40.437200  
 Longitude: -109.304700  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,463.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	97	8577	1	1	.014	10	25	50	75	90	95	98	99	1	2	.0479
							.035	.043	.050	.054	.058	.062	.067	.070	.080	.073	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-047-1004  
 County: Uintah  
 City: Vernal  
 Support Agency: 1113  
 Address: 628 North 1700 West

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: RESIDENTIAL

Latitude: +40.464710  
 Longitude: -109.561472  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	98	8607	1	1	.016	10	25	50	75	90	95	98	99	1	2	.0465
							.033	.042	.048	.053	.057	.059	.062	.065	.076	.070	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-047-2002	AQCR: UTAH	Latitude: +40.206291
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.353932
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 Miles west of Redwash atop Deadman's Bench		Utm Easting:
		Vertical Meas: 1,701.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1		687									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	73	6429	3	3	.027	10	25	50	75	90	95	98	99	1	2	.0522
							.044	.048	.052	.057	.061	.065	.072	.078	.088	.085	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-047-2003	AQCR: UTAH	Latitude: +40.056710
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.688108
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 miles south of Ouray and south of the White and Green River confluence		Utm Easting:
		Vertical Meas: 1,466.8

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		687										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2019	0	69	6198	13	13	.026	10	25	50	75	90	95	98	99		1	2	.0544			
							.045	.050	.053	.057	.067	.076	.085	.099		.110	.105				



FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-047-5601  
 County: Uintah  
 City: Not in a city  
 Support Agency:  
 Address: Seep Ridge Road

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: DESERT

Latitude: +39.635510  
 Longitude: -109.431280  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 2,074.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
44201-Ozone		1		1122										8-HR RUN AVG	2	Parts per million		
														BEGIN HOUR				
2019	0	24	2129	0	0	.024	10	25	50	75	90	95	98	99	1	2	.0417	
							.035	.038	.043	.045	.048	.049	.051	.053		.053	.051	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-047-7022  
 County: Uintah  
 City: Not in a city  
 Support Agency: 687  
 Address: WHITE ROCKS & COUNTY ROAD

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: DESERT

Latitude: +40.483598  
 Longitude: -109.906796  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			687								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	70	6269	0	0	.026	10	25	50	75	90	95	98	99	1	2	.0506
							.043	.047	.050	.054	.059	.063	.067	.071		.074	.071

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-049-4001

AQCR: WASATCH FRONT

Latitude: +40.341389

County: Utah

Urban Area: PROVO-OREM, UT

Longitude: -111.713611

City: Lindon

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 30 NORTH MAIN STREET, LINDON, UTAH

Utm Easting:

Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
			2				1113							8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2019	0	100	8735	0	0	.011		10	25	50	75	90	95	98	99	1	2	.0413
								.023	.035	.042	.050	.055	.058	.061	.062	.066	.066	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-049-5010	AQCR: WASATCH FRONT	Latitude: +40.136336
County: Utah	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.660502
City: Spanish Fork	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing:
Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH		Utm Easting:
		Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		1113										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2019	0	99	8727	0	0	.013	10	25	50	75	90	95	98	99		1	2	.0462			
							.033	.039	.048	.054	.058	.062	.064	.066		.069	.069				

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-053-0007  
 County: Washington  
 City: Hurricane  
 Support Agency: 1113  
 Address: 147 N 870 W, Hurrricane, Utah

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.179125  
 Longitude: -113.305096  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	99	8738	0	0	.019	10	25	50	75	90	95	98	99	1	2	.0463
							.034	.040	.047	.053	.057	.058	.061	.064	.068	.065	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-053-0130  
 County: Washington  
 City: Virgin  
 Support Agency: 0745  
 Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: DESERT

Latitude: +37.198300  
 Longitude: -113.150600  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,213.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
														8-HR RUN AVG	0		Parts per million	
														BEGIN HOUR				
2019	0	97	8573	0	0	.021	10	25	50	75	90	95	98	99		1	2	.0470
							.036	.042	.047	.053	.057	.059	.061	.063		.066	.065	

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-057-0002

AQCR: WASATCH FRONT

Latitude: +41.206321

County: Weber

Urban Area: OGDEN, UT

Longitude: -111.975524

City: Ogden

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 228 32ND STREET, OGDEN, UTAH

Utm Easting:

Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1				1113								8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2019	0	41	3606	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0425			
							.029	.037	.044	.049	.055	.058	.060	.061		.067	.061				

FREQUENCY DISTRIBUTION REPORT

Mar. 10, 2020

Utah

Site ID: 49-057-1003  
 County: Weber  
 City: Harrisville  
 Support Agency: 1113  
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.303614  
 Longitude: -111.987871  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2019	0	82	7191	0	0	.004	10	25	50	75	90	95	98	99	1	2	.0404
							.023	.034	.041	.049	.055	.058	.061	.064	.067	.065	