

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1912200

Report Code: AMP230

Mar. 16, 2021

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			44201							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
AGENCY ROLE	PQAO
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2020	2020

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-003-7001  
 County: Box Elder  
 City: Not in a city  
 Support Agency: 195  
 Address: 8600 WEST 24000 NORTH PORTAGE, UTAH

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: AGRICULTURAL

Latitude: +41.945874  
 Longitude: -112.233973  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1		195								8-HR RUN AVG	0		Parts per million	
													BEGIN HOUR				
2020	0	89	7887	2	2	.022	10	25	50	75	90	95	98	99	1	2	.0447
							.034	.039	.044	.051	.055	.058	.062	.066		.084	.083

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-005-0007  
 County: Cache  
 City: Smithfield  
 Support Agency: 1113  
 Address: 675 West 220 North

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.842649  
 Longitude: -111.852199  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages								Maximum Values	Arith Mean	
			1			1113							8-HR RUN AVG	0		Parts per million	
													BEGIN HOUR				
2020	0	98	8711	2	2	.016	10	25	50	75	90	95	98	99	1	2	.0416
							.028	.035	.042	.049	.053	.058	.062	.068	.078	.077	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-007-1003	AQCR: UTAH	Latitude: +39.609960
County: Carbon	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.800749
City: Price	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing:
Address: On Prperty of Resident at 351 W 2500 E. Price, Utah		Utm Easting:
		Vertical Meas: 1,722.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		1113										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2020	0	94	8364	0	0	.024	10	25	50	75	90	95	98	99		1	2	.0454			
							.035	.040	.046	.051	.055	.059	.064	.067		.068	.068				

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-011-0004

AQCR: WASATCH FRONT

Latitude: +40.902967

County: Davis

Urban Area: SALT LAKE CITY, UT

Longitude: -111.884467

City: Bountiful

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

Utm Easting:

Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith Mean
			1				1113							8-HR RUN AVG	0		Parts per million	
														BEGIN HOUR				
2020	0	99	8757	6	6	.009	10	25	50	75	90	95	98	99		1	2	.0425
							.023	.033	.043	.051	.059	.064	.072	.080		.083	.083	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-013-0002  
 County: Duchesne  
 City: Roosevelt  
 Support Agency: 1113  
 Address: 290 S. 1000 W.

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.294178  
 Longitude: -110.009732  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	99	8760	0	0	.024	10	25	50	75	90	95	98	99	1	2	.0463
							.037	.042	.047	.051	.055	.057	.061	.063		.071	.063

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-013-7011	AQCR: UTAH	Latitude: +40.216779
County: Duchesne	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.182742
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 6000 SOUTH AND 10000 WEST (MYTON)		Utm Easting:
		Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages											Maximum Values	Arith Mean
44201-Ozone	1		687											8-HR RUN AVG	0	Parts per million			
														BEGIN HOUR					
2020	0	74	6515	0	0	.025	10	25	50	75	90	95	98	99	1	2	.0494		
							.042	.046	.049	.053	.057	.060	.062	.064		.071	.065		



FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-017-0006  
 County: Garfield  
 City: Escalante  
 Support Agency:  
 Address: Escalante National Monument

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: FOREST

Latitude: +37.775544  
 Longitude: -111.615473  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,714.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	99	8731	0	0	.025	10	25	50	75	90	95	98	99	1	2	.0450
							.036	.040	.045	.049	.054	.056	.059	.060	.062	.061	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-021-0005  
 County: Iron  
 City: Enoch  
 Support Agency:  
 Address: 3840 North 325 East

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.747430  
 Longitude: -113.055525  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,692.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	99	8744	0	0	.020	10	25	50	75	90	95	98	99	1	2	.0414
							.030	.034	.042	.048	.052	.055	.059	.061	.062	.062	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-035-2005  
 County: Salt Lake  
 City: Midvale  
 Support Agency: 1113  
 Address: 8449 S. Monroe St.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.598056  
 Longitude: -111.894167  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	97	8627	2	2	.003	10	25	50	75	90	95	98	99	1	2	.0413
							.022	.031	.041	.051	.062	.065	.069	.075	.085	.082	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	92	8144	3	3	.003	10	25	50	75	90	95	98	99	1	2	.0425
							.023	.032	.045	.052	.060	.065	.073	.075	.085	.084	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-035-3010  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.784220  
 Longitude: -111.931000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	98	8639	8	8	.004	10	25	50	75	90	95	98	99	1	2	.0405
							.022	.029	.041	.050	.059	.064	.078	.080	.087	.084	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-035-3013  
 County: Salt Lake  
 City: Herriman  
 Support Agency: 1113  
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.496392  
 Longitude: -112.036298  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1				1113							8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	99	8724	1	1	.013	10	25	50	75	90	95	98	99	1	2	.0460
							.032	.038	.046	.054	.059	.063	.068	.073	.087	.075	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-035-3014  
 County: Salt Lake  
 City: West Valley City  
 Support Agency: 1113  
 Address: 2782 South Corporate Park Dr.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: COMMERCIAL

Latitude: +40.709762  
 Longitude: -112.008760  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,297.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	32	2838	0	0	.013	10	25	50	75	90	95	98	99	1	2	.0367
							.021	.029	.034	.045	.056	.060	.062	.067	.067	.067	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-035-3015

AQCR: WASATCH FRONT

Latitude: +40.777145

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.945849

City: Salt Lake City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 240 N 1950 W

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
			1				1113							8-HR RUN AVG	0		Parts per million			
														BEGIN HOUR						
2020	0	58	5087	1	1	.006	10	25	50	75	90	95	98	99		1	2	.0417		
							.028	.035	.043	.048	.054	.058	.070	.071		.076	.073			



FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-035-4002	AQCR: WASATCH FRONT	Latitude: +40.662878
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -111.901188
City: Murray	Location Setting: URBAN AND CENTER CITY	UTM Zone:
Support Agency:	Land Use: RESIDENTIAL	Utm Northing:
Address: 4951 South Galleria Dr		Utm Easting:
		Vertical Meas: 1,295.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1				1113								8-HR RUN AVG	0		Parts per million	
															BEGIN HOUR				
2020	0	98	8691	3	3	.002		10	25	50	75	90	95	98	99		1	2	.0395
								.020	.028	.042	.050	.059	.062	.069	.072		.084	.081	



FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-045-0004  
 County: Tooele  
 City: Erda  
 Support Agency: 1113  
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: COMMERCIAL

Latitude: +40.600532  
 Longitude: -112.353414  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	99	8755	1	1	.018	10	25	50	75	90	95	98	99	1	2	.0423
							.027	.034	.043	.050	.056	.059	.066	.070	.087	.071	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-047-1002  
 County: Uintah  
 City: Not in a city  
 Support Agency: 0745  
 Address: Dinosaur National Monument

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: FOREST

Latitude: +40.437200  
 Longitude: -109.304700  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,463.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0		Parts per million	
														BEGIN HOUR				
2020	0	95	8467	0	0	.020	10	25	50	75	90	95	98	99		1	2	.0454
							.035	.041	.046	.050	.054	.057	.061	.063		.072	.065	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-047-1004  
 County: Uintah  
 City: Vernal  
 Support Agency: 1113  
 Address: 628 North 1700 West

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: RESIDENTIAL

Latitude: +40.464710  
 Longitude: -109.561472  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	98	8641	0	0	.014	10	25	50	75	90	95	98	99	1	2	.0418
							.031	.037	.041	.047	.053	.057	.061	.063	.067	.066	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-047-2002	AQCR: UTAH	Latitude: +40.206291
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.353932
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 Miles west of Redwash atop Deadman's Bench		Utm Easting:
		Vertical Meas: 1,701.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1		687									8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2020	0	72	6411	1	1	.028	10	25	50	75	90	95	98	99		1	2	.0492	
							.043	.045	.049	.053	.057	.060	.063	.067		.076	.074		



FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-047-7022  
 County: Uintah  
 City: Not in a city  
 Support Agency: 687  
 Address: WHITEROCKS & COUNTY ROAD

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: DESERT

Latitude: +40.483598  
 Longitude: -109.906796  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			687								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	73	6498	0	0	.028	10	25	50	75	90	95	98	99	1	2	.0495
							.043	.046	.049	.053	.057	.060	.063	.065		.073	.067



FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-049-4001  
 County: Utah  
 City: Lindon  
 Support Agency: 1113  
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.341389  
 Longitude: -111.713611  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
			2			1113								8-HR RUN AVG	0		Parts per million	
														BEGIN HOUR				
2020	0	95	8411	1	1	.005	10	25	50	75	90	95	98	99		1	2	.0417
							.025	.033	.041	.051	.057	.061	.065	.068		.077	.073	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-049-5010  
 County: Utah  
 City: Spanish Fork  
 Support Agency: 1113  
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: INDUSTRIAL

Latitude: +40.136336  
 Longitude: -111.660502  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1				1113							8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	99	8757	2	2	.014	10	25	50	75	90	95	98	99	1	2	.0453
							.031	.037	.046	.053	.060	.064	.066	.070	.085	.076	

FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-053-0007  
 County: Washington  
 City: Hurricane  
 Support Agency: 1113  
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.179125  
 Longitude: -113.305096  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	99	8764	0	0	.026	10	25	50	75	90	95	98	99	1	2	.0446
							.032	.037	.045	.051	.056	.058	.062	.065	.069	.068	



FREQUENCY DISTRIBUTION REPORT

Mar. 16, 2021

Utah

Site ID: 49-057-1003  
 County: Weber  
 City: Harrisville  
 Support Agency: 1113  
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.303614  
 Longitude: -111.987871  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1		1113									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2020	0	98	8686	3	3	.008	10	25	50	75	90	95	98	99	1	2	.0418
							.023	.031	.043	.051	.058	.063	.070	.074	.082	.078	