

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1998666

Report Code: AMP230

Mar. 15, 2022

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			44201							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA			

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
AGENCY ROLE	PQAO
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2021	2021

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-003-7001
 County: Box Elder
 City: Not in a city
 Support Agency: 195
 Address: 8600 WEST 24000 NORTH PORTAGE, UTAH

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: AGRICULTURAL

Latitude: +41.945874
 Longitude: -112.233973
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1		195								8-HR RUN AVG	0		Parts per million	
													BEGIN HOUR				
2021	0	99	6137	4	4	.019	10	25	50	75	90	95	98	99	1	2	.0458
							.032	.038	.045	.054	.060	.064	.067	.071		.076	.075

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-005-0007
 County: Cache
 City: Smithfield
 Support Agency: 1113
 Address: 675 West 220 North

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.842649
 Longitude: -111.852199
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	96	6009	1	1	.020	10	25	50	75	90	95	98	99	1	2	.0451
							.030	.038	.045	.053	.061	.063	.067	.068	.078	.069	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-007-1003	AQCR: UTAH	Latitude: +39.609960
County: Carbon	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.800749
City: Price	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing:
Address: On Prperty of Resident at 351 W 2500 E. Price, Utah		Utm Easting:
		Vertical Meas: 1,722.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone			1		1113											8-HR RUN AVG	0	Parts per million				
																BEGIN HOUR						
2021	0	99	6180	4	4	.020	10	25	50	75	90	95	98	99			1	2	.0478			
							.035	.041	.047	.055	.062	.065	.069	.071			.078	.076				

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-011-0004
 County: Davis
 City: Bountiful
 Support Agency: 1113
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.902967
 Longitude: -111.884467
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1				1113						8-HR RUN AVG	0		Parts per million	
													BEGIN HOUR				
2021	0	100	6197	21	21	.009	10	25	50	75	90	95	98	99	1	2	.0446
							.025	.034	.043	.056	.066	.071	.076	.082	.088	.082	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-013-0002
 County: Duchesne
 City: Roosevelt
 Support Agency: 1113
 Address: 290 S. 1000 W.

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.294178
 Longitude: -110.009732
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	96	6012	4	4	.020	10	25	50	75	90	95	98	99	1	2	.0483
							.034	.041	.049	.055	.061	.065	.068	.072	.077	.073	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-013-7011	AQCR: UTAH	Latitude: +40.216779
County: Duchesne	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.182742
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 6000 SOUTH AND 10000 WEST (MYTON)		Utm Easting:
		Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		687										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2021	0	66	4245	2	2	.035	10	25	50	75	90	95	98	99		1	2	.0530			
							.044	.047	.053	.058	.063	.067	.069	.069		.075	.072				

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-017-0006
 County: Garfield
 City: Escalante
 Support Agency:
 Address: Escalante National Monument

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: FOREST

Latitude: +37.775544
 Longitude: -111.615473
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,714.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	98	6142	2	2	.012	10	25	50	75	90	95	98	99	1	2	.0483
							.037	.042	.049	.054	.060	.061	.065	.069	.075	.074	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-021-0005
 County: Iron
 City: Enoch
 Support Agency:
 Address: 3840 North 325 East

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.747430
 Longitude: -113.055525
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,692.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	99	6170	2	2	.021	10	25	50	75	90	95	98	99	1	2	.0427
							.030	.035	.042	.049	.056	.058	.060	.065	.080	.071	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-035-2005
 County: Salt Lake
 City: Midvale
 Support Agency: 1113
 Address: 8449 S. Monroe St.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.598056
 Longitude: -111.894167
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	98	6082	26	26	.010	10	25	50	75	90	95	98	99	1	2	.0454
							.025	.034	.043	.056	.068	.073	.083	.086	.096	.089	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1		1113									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	97	6120	17	17	.004	10	25	50	75	90	95	98	99	1	2	.0447
							.025	.034	.044	.056	.067	.070	.077	.081		.086	.085

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-035-3010
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.784220
 Longitude: -111.931000
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
			1				1113								8-HR RUN AVG	0		Parts per million		
															BEGIN HOUR					
2021	0	99	6176	21	21	.006	10	25	50	75	90	95	98	99		1	2	.0447		
							.023	.033	.044	.056	.066	.072	.078	.079		.086	.082			

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-035-3013
 County: Salt Lake
 City: Herriman
 Support Agency: 1113
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.496392
 Longitude: -112.036298
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	99	6129	23	23	.013	10	25	50	75	90	95	98	99	1	2	.0460
							.028	.036	.042	.057	.067	.075	.079	.087	.091	.088	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-035-3014
 County: Salt Lake
 City: West Valley City
 Support Agency: 1113
 Address: 2782 South Corporate Park Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.709762
 Longitude: -112.008760
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,297.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1		1113									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	99	6143	21	21	.007	10	25	50	75	90	95	98	99	1	2	.0453
							.027	.034	.045	.056	.066	.072	.077	.082	.088	.084	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-035-3015

AQCR: WASATCH FRONT

Latitude: +40.777145

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.945849

City: Salt Lake City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 240 N 1950 W

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
														8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2021	0	96	6037	28	28	.008	10	25	50	75	90	95	98	99		1	2	.0459	
							.025	.034	.046	.058	.069	.073	.080	.082		.090	.084		

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-035-3016
 County: Salt Lake
 City: Salt Lake City
 Support Agency:
 Address: 1480 North 8000 West

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: INDUSTRIAL

Latitude: +40.807897
 Longitude: -112.087717
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
			1				1113							8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2021	0	81	5052	23	23	.004	10	25	50	75	90	95	98	99		1	2	.0485
							.027	.037	.050	.060	.068	.074	.079	.086		.087	.087	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-035-4002
 County: Salt Lake
 City: Murray
 Support Agency:
 Address: 4951 South Galleria Dr

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +40.662878
 Longitude: -111.901188
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,295.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	100	6188	23	23	.002	10	25	50	75	90	95	98	99	1	2	.0425
							.023	.031	.040	.054	.066	.072	.075	.083	.090	.087	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-037-0101

AQCR: FOUR CORNERS

Latitude: +38.458320

County: San Juan

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.821260

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 0745

Land Use: DESERT

Utm Northing:

Address: CANYONLANDS NATIONAL PARK, UTAH

Utm Easting:

Vertical Meas: 1,794.0

Site Comments: OZONE AND MET PARAMETERS INSTALLED ON 08/13/92 DASIBI 1003-AH ANALYZER, DASIBI 1003-PC CALIBRATOR, CLIMATRONICS MET:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone			1			0745									8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2021	0	99	6173	2	2	.027	10	25	50	75	90	95	98	99		1	2	.0478	
							.037	.041	.047	.054	.060	.062	.067	.069		.075	.071		

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-045-0004
 County: Tooele
 City: Erda
 Support Agency: 1113
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: COMMERCIAL

Latitude: +40.600532
 Longitude: -112.353414
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	99	6175	9	9	.019	10	25	50	75	90	95	98	99	1	2	.0426
							.028	.034	.040	.051	.060	.066	.071	.075	.080	.077	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-047-1002
 County: Uintah
 City: Not in a city
 Support Agency: 0745
 Address: Dinosaur National Monument

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: FOREST

Latitude: +40.437200
 Longitude: -109.304700
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,463.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	98	6090	1	1	.023	10	25	50	75	90	95	98	99	1	2	.0471
							.034	.041	.048	.053	.060	.063	.065	.068	.073	.068	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-047-1004
 County: Uintah
 City: Vernal
 Support Agency: 1113
 Address: 628 North 1700 West

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +40.464710
 Longitude: -109.561472
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1				1113								8-HR RUN AVG	0		Parts per million	
															BEGIN HOUR				
2021	0	99	6168	3	3	.023	10	25	50	75	90	95	98	99		1	2	.0475	
							.035	.040	.047	.055	.061	.064	.067	.068		.072	.071		

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-047-2002	AQCR: UTAH	Latitude: +40.206291
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.353932
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 Miles west of Redwash atop Deadman's Bench		Utm Easting:
		Vertical Meas: 1,701.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1		687									8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2021	0	68	4298	4	4	.035	10	25	50	75	90	95	98	99		1	2	.0516	
							.042	.045	.051	.057	.064	.066	.070	.071		.071	.071		

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-047-2003	AQCR: UTAH	Latitude: +40.056710
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.688108
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 miles south of Ouray and south of the White and Green River confluence		Utm Easting:
		Vertical Meas: 1,466.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
	44201-Ozone		1		687									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	70	4447	5	5	.035	10	25	50	75	90	95	98	99	1	2	.0538
							.044	.048	.053	.059	.066	.068	.070	.072	.073	.073	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-047-7022
 County: Uintah
 City: Not in a city
 Support Agency: 687
 Address: WHITEROCKS & COUNTY ROAD

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +40.483598
 Longitude: -109.906796
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
	44201-Ozone		1		687									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	72	4542	1	1	.033	10	25	50	75	90	95	98	99	1	2	.0523
							.044	.047	.052	.056	.063	.064	.067	.069		.075	.069

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-049-4001
 County: Utah
 City: Lindon
 Support Agency: 1113
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.341389
 Longitude: -111.713611
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			2			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	99	6187	12	12	.009	10	25	50	75	90	95	98	99	1	2	.0456
							.027	.036	.046	.056	.064	.068	.074	.077	.081	.080	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-049-5010	AQCR: WASATCH FRONT	Latitude: +40.136336
County: Utah	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.660502
City: Spanish Fork	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing:
Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH		Utm Easting:
		Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		1113									8-HR RUN AVG	0	Parts per million					
														BEGIN HOUR							
2021	0	99	6195	11	11	.014	10	25	50	75	90	95	98	99	1	2	.0464				
							.030	.036	.046	.056	.063	.068	.075	.076	.082	.081					

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-053-0007
 County: Washington
 City: Hurricane
 Support Agency: 1113
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.179125
 Longitude: -113.305096
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	95	5970	1	1	.017	10	25	50	75	90	95	98	99	1	2	.0466
							.034	.040	.048	.054	.058	.060	.063	.067	.080	.069	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-053-0130
 County: Washington
 City: Virgin
 Support Agency: 0745
 Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +37.198300
 Longitude: -113.150600
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,213.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2021	0	98	6101	2	2	.030	10	25	50	75	90	95	98	99	1	2	.0482
							.037	.041	.049	.054	.059	.061	.064	.067	.090	.073	

FREQUENCY DISTRIBUTION REPORT

Mar. 15, 2022

Utah

Site ID: 49-057-1003
 County: Weber
 City: Harrisville
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303614
 Longitude: -111.987871
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
			1		1113									8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2021	0	96	6011	10	10	.007	10	25	50	75	90	95	98	99		1	2	.0423
							.022	.031	.042	.053	.062	.068	.073	.077		.082	.077	