

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 2089365

Report Code: AMP230

Mar. 24, 2023

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			44201							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2022	2022

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-003-7001

AQCR: UTAH

Latitude: +41.945874

County: Box Elder

Urban Area: NOT IN AN URBAN AREA

Longitude: -112.233973

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 195

Land Use: AGRICULTURAL

Utm Northing:

Address: 8600 WEST 24000 NORTH PORTAGE, UTAH

Utm Easting:

Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith Mean
	44201-Ozone		1		195									8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2022	0	16	1034	0	0	.013	10	25	50	75	90	95	98	99	1	2	.0426	
							.037	.040	.044	.047	.049	.050	.051	.052	.052	.051		

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-005-0007
 County: Cache
 City: Smithfield
 Support Agency: 1113
 Address: 675 West 220 North

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.842649
 Longitude: -111.852199
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	99	6183	0	0	.024	10	25	50	75	90	95	98	99	1	2	.0435
							.034	.038	.043	.050	.054	.057	.061	.063		.068	.065

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-007-1003	AQCR: UTAH	Latitude: +39.609960
County: Carbon	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.800749
City: Price	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing:
Address: On Prperty of Resident at 351 W 2500 E. Price, Utah		Utm Easting:
		Vertical Meas: 1,722.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	99	6159	0	0	.018	10	25	50	75	90	95	98	99	1	2	.0448
							.036	.040	.045	.049	.054	.057	.059	.060	.062	.060	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-011-0004
 County: Davis
 City: Bountiful
 Support Agency: 1113
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.902967
 Longitude: -111.884467
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1				1113							8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2022	0	99	6118	9	9	.006	10	25	50	75	90	95	98	99		1	2	.0446	
							.027	.035	.044	.055	.064	.068	.072	.075		.084	.077		

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-013-0002
 County: Duchesne
 City: Roosevelt
 Support Agency: 1113
 Address: 290 S. 1000 W.

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.294178
 Longitude: -110.009732
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG BEGIN HOUR	0	Parts per million	
2022	0	97	6082	1	1	.019	10	25	50	75	90	95	98	99	1	2	.0469
							.034	.040	.048	.054	.058	.062	.065	.066		.071	.068
44201-Ozone		2		1113										8-HR RUN AVG BEGIN HOUR	0	Parts per million	
2022	0	76	4796	0	0	.020	10	25	50	75	90	95	98	99	1	2	.0424
							.032	.037	.042	.048	.054	.057	.061	.063		.067	.064

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-013-7011	AQCR: UTAH	Latitude: +40.216779
County: Duchesne	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.182742
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 6000 SOUTH AND 10000 WEST (MYTON)		Utm Easting:
		Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1			687											8-HR RUN AVG	0	Parts per million		
																	BEGIN HOUR				
2022	0		74	4613	0	0	.033		10	25	50	75	90	95	98	99		1	2	.0513	
									.040	.046	.052	.057	.061	.063	.066	.067		.067	.067		

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-017-0006
 County: Garfield
 City: Escalante
 Support Agency:
 Address: Escalante National Monument

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: FOREST

Latitude: +37.775544
 Longitude: -111.615473
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,714.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	71	4424	0	0	.031	10	25	50	75	90	95	98	99	1	2	.0483
							.040	.044	.048	.052	.057	.060	.062	.064		.068	.068

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-021-0005
 County: Iron
 City: Enoch
 Support Agency:
 Address: 3840 North 325 East

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.747430
 Longitude: -113.055525
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,692.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	99	6184	0	0	.016	10	25	50	75	90	95	98	99	1	2	.0436
							.032	.038	.044	.050	.055	.057	.060	.061		.064	.063

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-035-2005
 County: Salt Lake
 City: Midvale
 Support Agency: 1113
 Address: 8449 S. Monroe St.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.598056
 Longitude: -111.894167
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	99	6171	5	5	.008	10	25	50	75	90	95	98	99	1	2	.0428
							.026	.034	.042	.052	.060	.066	.069	.074	.080	.076	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	93	5830	4	4	.007	10	25	50	75	90	95	98	99	1	2	.0427
							.026	.034	.043	.052	.062	.066	.069	.072	.081	.076	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-035-3010
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.784220
 Longitude: -111.931000
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
			1				1113									8-HR RUN AVG	0	Parts per million		
																BEGIN HOUR				
2022	0	99	6187	6	6	.005	10	25	50	75	90	95	98	99			1	2	.0419	
							.024	.032	.041	.052	.061	.065	.070	.075			.084	.077		

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-035-3013
 County: Salt Lake
 City: Herriman
 Support Agency: 1113
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.496392
 Longitude: -112.036298
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0		Parts per million	
														BEGIN HOUR				
2022	0	99	6178	4	4	.012	10	25	50	75	90	95	98	99		1	2	.0441
							.031	.036	.043	.051	.059	.064	.068	.071		.083	.075	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-035-3014
 County: Salt Lake
 City: West Valley City
 Support Agency: 1113
 Address: 2782 South Corporate Park Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.709762
 Longitude: -112.008760
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,297.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
														8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2022	0	49	3107	4	4	.009	10	25	50	75	90	95	98	99		1	2	.0393	
							.023	.030	.036	.047	.062	.067	.072	.075		.079	.075		

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-035-3015

AQCR: WASATCH FRONT

Latitude: +40.777145

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.945849

City: Salt Lake City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 240 N 1950 W

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1				1113							8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2022	0	99	6182	6	6	.005	10	25	50	75	90	95	98	99		1	2	.0437	
							.026	.034	.044	.053	.061	.065	.070	.076		.082	.080		

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-035-3016
 County: Salt Lake
 City: Salt Lake City
 Support Agency:
 Address: 1480 North 8000 West

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: INDUSTRIAL

Latitude: +40.807897
 Longitude: -112.087717
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	98	6123	9	9	.012	10	25	50	75	90	95	98	99	1	2	.0445
							.030	.037	.043	.054	.060	.064	.072	.075	.079	.079	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-035-4002
 County: Salt Lake
 City: Murray
 Support Agency:
 Address: 4951 South Galleria Dr

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +40.662878
 Longitude: -111.901188
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,295.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	100	6194	6	6	.005	10	25	50	75	90	95	98	99	1	2	.0397
							.023	.031	.038	.049	.059	.064	.069	.072	.082	.076	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-037-0101	AQCR: FOUR CORNERS	Latitude: +38.458320
County: San Juan	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.821260
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 0745	Land Use: DESERT	Utm Northing:
Address: CANYONLANDS NATIONAL PARK, UTAH		Utm Easting:
		Vertical Meas: 1,794.0

Site Comments: OZONE AND MET PARAMETERS INSTALLED ON 08/13/92 DASIBI 1003-AH ANALYZER, DASIBI 1003-PC CALIBRATOR, CLIMATRONICS MET:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone			1				0745								8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2022	0	99	6175	0	0	.028	10	25	50	75	90	95	98	99		1	2	.0469	
							.039	.042	.047	.052	.056	.058	.061	.063		.065	.065		

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-045-0004
 County: Tooele
 City: Erda
 Support Agency: 1113
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: COMMERCIAL

Latitude: +40.600532
 Longitude: -112.353414
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
			1			1113								8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2022	0	98	6102	3	3	.012	10	25	50	75	90	95	98	99		1	2	.0430
							.028	.035	.043	.051	.057	.061	.066	.070		.076	.076	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-047-1002
 County: Uintah
 City: Not in a city
 Support Agency: 0745
 Address: Dinosaur National Monument

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: FOREST

Latitude: +40.437200
 Longitude: -109.304700
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,463.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1				0745							8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	99	6165	0	0	.025	10	25	50	75	90	95	98	99	1	2	.0476
							.036	.042	.048	.054	.058	.060	.062	.063	.065	.064	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-047-1004
 County: Uintah
 City: Vernal
 Support Agency: 1113
 Address: 628 North 1700 West

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +40.464710
 Longitude: -109.561472
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2022	0	99	6183	0	0	.018	10	25	50	75	90	95	98	99	1	2	.0459	
							.036	.040	.046	.052	.055	.058	.061	.063		.066	.064	
44201-Ozone		2		1113										8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2022	0	76	4761	0	0	.007	10	25	50	75	90	95	98	99	1	2	.0460	
							.037	.042	.048	.053	.057	.060	.064	.064		.068	.065	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-047-2002	AQCR: UTAH	Latitude: +40.206291
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.353932
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 Miles west of Redwash atop Deadman's Bench		Utm Easting:
		Vertical Meas: 1,701.8

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1				687										8-HR RUN AVG	0	Parts per million		
																	BEGIN HOUR				
2022	0	60	3854	0	0	.032	10	25	50	75	90	95	98	99				1	2	.0476	
							.039	.042	.048	.052	.057	.058	.061	.063				.068	.064		

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-047-2003	AQCR: UTAH	Latitude: +40.056710
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.688108
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 miles south of Ouray and south of the White and Green River confluence		Utm Easting:
		Vertical Meas: 1,466.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
														8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2022	0	73	4550	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0488
							.039	.044	.050	.054	.058	.060	.062	.064		.068	.066	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-047-7022
 County: Uintah
 City: Not in a city
 Support Agency: 687
 Address: WHITEROCKS & COUNTY ROAD

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +40.483598
 Longitude: -109.906796
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
			1			687								8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2022	0	74	4613	0	0	.029	10	25	50	75	90	95	98	99	1	2	.0498	
							.042	.045	.050	.054	.057	.059	.062	.063		.063	.063	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-049-4001

AQCR: WASATCH FRONT

Latitude: +40.341389

County: Utah

Urban Area: PROVO-OREM, UT

Longitude: -111.713611

City: Lindon

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 30 NORTH MAIN STREET, LINDON, UTAH

Utm Easting:

Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			2				1113							8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	99	6121	4	4	.008	10	25	50	75	90	95	98	99	1	2	.0430
							.028	.034	.044	.052	.059	.064	.068	.074	.076	.075	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-049-5010
 County: Utah
 City: Spanish Fork
 Support Agency: 1113
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.136378
 Longitude: -111.657936
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
														8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2022	0	98	6132	0	0	.016	10	25	50	75	90	95	98	99		1	2	.0439	
								.031	.036	.044	.051	.057	.061	.064	.066		.069	.067	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-053-0007
 County: Washington
 City: Hurricane
 Support Agency: 1113
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.179125
 Longitude: -113.305096
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2022	0	99	6195	0	0	.012	10	25	50	75	90	95	98	99	1	2	.0461
							.034	.040	.047	.053	.058	.060	.062	.064	.067	.066	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-053-0130
 County: Washington
 City: Virgin
 Support Agency: 0745
 Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +37.198300
 Longitude: -113.150600
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,213.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0		Parts per million	
														BEGIN HOUR				
2022	0	98	6154	0	0	.025	10	25	50	75	90	95	98	99		1	2	.0464
							.036	.041	.046	.052	.057	.059	.062	.064		.069	.065	

FREQUENCY DISTRIBUTION REPORT

Mar. 24, 2023

Utah

Site ID: 49-057-1003
 County: Weber
 City: Harrisville
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303614
 Longitude: -111.987871
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1		1113									8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2022	0	98	6116	4	4	.009	10	25	50	75	90	95	98	99		1	2	.0434	
							.027	.034	.044	.054	.060	.063	.067	.071		.074	.073		