

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 2274751 Report Code: AMP230 Mar. 25, 2025

GEOGRAPHIC SELECTIONS												
Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	
49				44201								

PROTOCOL SELECTIONS			
Parameter Classification	Parameter	Method	Duration

CRITERIA

SELECTED OPTIONS		SORT ORDER	
Option Type	Option Value	Order	Column
EVENTS PROCESSING	REPORT ALL EVENT RECORDS	1	STATE_CODE
SUMMARY CRITERIA	INCLUDE ALL DATA	2	COUNTY_CODE
MERGE PDF FILES	YES	3	SITE_ID
AGENCY ROLE	PQAO	4	EPA_REGION
		5	DATES
		6	PARAMETER_CODE
		7	POC

DATE CRITERIA	
Start Date	End Date
2024	2024

APPLICABLE STANDARDS
Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 Annual 2024
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-003-0005

AQCR: UTAH

Latitude: +41.485007

County: Box Elder

Urban Area: NOT IN AN URBAN AREA

Longitude: -112.021476

City: Brigham City

Location Setting: SUBURBAN

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 340 Paxton Pl, BRIGHAM CITY, UT

Utm Easting:

Vertical Meas: 1,334.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages										Maximum Values		Arith Mean
44201-Ozone		1		1113												8-HR RUN AVG		0	Parts per million	
																BEGIN HOUR				
2024	0	88	5541	4	4	.007		10	25	50	75	90	95	98	99			1	2	.0452
								.027	.037	.045	.055	.062	.066	.070	.071			.080	.073	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-003-7001

AQCR: UTAH

Latitude: +41.945874

County: Box Elder

Urban Area: NOT IN AN URBAN AREA

Longitude: -112.233973

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 195

Land Use: AGRICULTURAL

Utm Northing:

Address: 8600 WEST 24000 NORTH PORTAGE, UTAH

Utm Easting:

Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
44201-Ozone		1		195										8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2024	0	72	4032	1	1	.000	10	25	50	75	90	95	98	99	1	2	.0352	
								.000	.019	.040	.050	.059	.063	.066	.068	.072	.068	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-005-0007

AQCR: UTAH

Latitude: +41.842649

County: Cache

Urban Area: NOT IN AN URBAN AREA

Longitude: -111.852199

City: Smithfield

Location Setting: RURAL

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 675 West 220 North

Utm Easting:

Vertical Meas: 1.0

Site Comments:

Parameter			POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min		Obs				Percentages				Maximum	Values	Arith	Mean
44201-Ozone			1		1113										8-HR RUN AVG	0	Parts per million			
															BEGIN HOUR					
2024	0		97	6040	1	1	.014		10	25	50	75	90	95	98	99	1	2	.0431	
									.029	.036	.043	.052	.057	.062	.066	.068			.071	.070

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-007-1003

AQCR: UTAH

Latitude: +39.595750

County: Carbon

Urban Area: NOT IN AN URBAN AREA

Longitude: -110.770111

City: Price

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: On Prperty of Resident at 351 W 2500 E. Price, Utah

Utm Easting:

Vertical Meas: 1,737.6

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages										Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2024	0	98	6151	1	1	.022	10	25	50	75	90	95	98	99	1	2	.0460

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-011-0004

County: Davis

City: Bountiful

Support Agency: 1113

Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT

Urban Area: SALT LAKE CITY, UT

Location Setting: SUBURBAN

Land Use: RESIDENTIAL

Latitude: +40.902967

Longitude: -111.884467

UTM Zone:

Utm Northing:

Utm Easting:

Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2024	0	99	6146	15	15	.002	10	25	50	75	90	95	98	99	1	2	.0449
							.026	.034	.046	.055	.065	.068	.074	.079	.080	.079	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-013-0002

AQCR: UTAH

Latitude: +40.294178

County: Duchesne

Urban Area: NOT IN AN URBAN AREA

Longitude: -110.009732

City: Roosevelt

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 290 S. 1000 W.

Utm Easting:

Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG BEGIN HOUR	0	Parts per million	
2024	0	98	6160	2	2	.017	10	25	50	75	90	95		98	99	1	2
														.069	.078	.073	
44201-Ozone		2		1113										8-HR RUN AVG BEGIN HOUR	0	Parts per million	
2024	0	79	4959	1	1	.015	10	25	50	75	90	95		98	99	1	2
														.069	.073	.070	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-013-7011

AQCR: UTAH

Latitude: +40.216779

County: Duchesne

Urban Area: NOT IN AN URBAN AREA

Longitude: -110.182742

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 687

Land Use: DESERT

Utm Northing:

Address: 6000 SOUTH AND 10000 WEST (MYTON)

Utm Easting:

Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages										Maximum Values		Arith Mean
44201-Ozone		1		687													8-HR RUN AVG	0	Parts per million	
																	BEGIN HOUR			
2024	0	49	3080	0	0	.011		10	25	50	75	90	95	98	99			1	2	.0456
																		.062	.060	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-019-0007

AQCR: FOUR CORNERS

Latitude: +38.566055

County: Grand

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.537160

City: Moab

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 691 S Mill Creek Dr

Utm Easting:

Vertical Meas: 1,222.0

Site Comments:

Parameter			POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min		Obs				Percentages				Maximum	Values	Arith	Mean
44201-Ozone			1		1113										8-HR RUN AVG	0	Parts per million			
															BEGIN HOUR					
2024	0		98	6156	2	2	.018		10	25	50	75	90	95	98	99	1	2	.0442	
									.027	.039	.045	.052	.057	.060	.063	.067		.072	.072	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-021-0005

AQCR: FOUR CORNERS

Latitude: +37.747430

County: Iron

Urban Area: NOT IN AN URBAN AREA

Longitude: -113.055525

City: Enoch

Location Setting: RURAL

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 3840 North 325 East

Utm Easting:

Vertical Meas: 1,692.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages								Maximum	Values	Arith Mean	
44201-Ozone		1		1113											8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2024	0	98	6139	0	0	.022		10	25	50	75	90	95	98	99	1	2	.0446	
																	</		

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-2005

AQCR: WASATCH FRONT

Latitude: +40.598056

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.894167

City: Midvale

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 8449 S. Monroe St.

Utm Easting:

Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2024	0	99	6190	18	18	.009	10	25	50	75	90	95	98	99	1	2	.0455

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-3006

AQCR: WASATCH FRONT

Latitude: +40.736389

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.872222

City: Salt Lake City

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

Utm Easting:

Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages										Maximum Values		Arith Mean
44201-Ozone		1		1113													8-HR RUN AVG	0	Parts per million	
																	BEGIN HOUR			
2024	0	100	6212	12	12	.006		10	25	50	75	90	95	98	99			1	2	.0429
																		.081	.076	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-3010

County: Salt Lake

City: Salt Lake City

Support Agency: 1113

Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT

Urban Area: SALT LAKE CITY, UT

Location Setting: SUBURBAN

Land Use: RESIDENTIAL

Latitude: +40.784220

Longitude: -111.931000

UTM Zone:

Utm Northing:

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages										Maximum Values		Arith Mean
44201-Ozone		1		1113												8-HR RUN AVG		0	Parts per million	
																BEGIN HOUR				
2024	0	98	6149	16	16	.003		10	25	50	75	90	95	98	99			1	2	.0445
								.026	.034	.045	.054	.064	.070	.075	.077			.083	.079	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-3013

AQCR: WASATCH FRONT

Latitude: +40.496392

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -112.036298

City: Herriman

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 14058 Mirabella Dr.

Utm Easting:

Vertical Meas: 1.0

Site Comments:

Parameter			POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min		Obs					Percentages				Maximum	Values	Arith	Mean
44201-Ozone			1		1113										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2024	0		98	6183	3	3	.015		10	25	50	75	90	95	98	99		1	2	.0440	
									.032	.037	.043	.051	.058	.063	.067	.070		.074	.073		

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-3014

AQCR: WASATCH FRONT

Latitude: +40.709762

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -112.008760

City: West Valley City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 2782 South Corporate Park Dr.

Utm Easting:

Vertical Meas: 1,297.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages										Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG BEGIN HOUR	0	Parts per million	
2024	0	98	6160	22	22	.009	10	25	50	75	90	95		98	99	1	2

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-3015

AQCR: WASATCH FRONT

Latitude: +40.777145

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.945849

City: Salt Lake City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 240 N 1950 W

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2024	0	99	6156	12	12	.005		10	25	50	75	90	95	98	99	1	2	.0408
								.022	.029	.039	.052	.062	.068	.072	.075		.081	.076

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-3016
County: Salt Lake
City: Salt Lake City
Support Agency: 1113
Address: 1480 North 8000 West

AQCR: WASATCH FRONT
Urban Area: SALT LAKE CITY, UT
Location Setting: URBAN AND CENTER CITY
Land Use: INDUSTRIAL

Latitude: +40.807897
Longitude: -112.087717
UTM Zone:
Utm Northing:
Utm Easting:
Vertical Meas: 1,286.0

Site Comments:

Parameter			POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages							Maximum Values	Arith Mean		
44201-Ozone			1		1113									8-HR RUN AVG	0	Parts per million			
														BEGIN HOUR					
2024	0		99	6186	8	8	.011		10	25	50	75	90	95	98	99	1	2	.0446
									.028	.036	.045	.053	.061	.066	.071	.074	.079	.075	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-3018
County: Salt Lake
City: Salt Lake City
Support Agency:
Address: Red Butte Canyon Rd.

AQCR: WASATCH FRONT
Urban Area: SALT LAKE CITY, UT
Location Setting: URBAN AND CENTER CITY
Land Use: INDUSTRIAL

Latitude: +40.766528
Longitude: -111.828350
UTM Zone:
Utm Northing:
Utm Easting:
Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2024	0	100	6211	18	18	.017	10	25	50	75	90	95	98	99	1	2	.0466
								.031	.037	.046	.054	.064	.070	.075	.081	.085	.084

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-035-4002

AQCR: WASATCH FRONT

Latitude: +40.662961

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.901851

City: Murray

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: MOBILE

Utm Northing:

Address: 4951 South Galleria Dr

Utm Easting:

Vertical Meas: 1,295.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages							Maximum	Values	Arith Mean	
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2024	0	98	6153	11	11	.005		10	25	50	75	90	95	98	99	1	2	.0417
								.023	.032	.042	.052	.061	.067	.074	.076		.083	.076

FREQUENCY DISTRIBUTION REPORT

Utah

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-045-0004

AQCR: WASATCH FRONT

Latitude: +40.600550

County: Tooele

Urban Area: NOT IN AN URBAN AREA

Longitude: -112.355780

City: Erda

Location Setting: RURAL

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 2163 W. Erda Way

Utm Easting:

Vertical Meas: 1,321.7

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2024	0	99	6206	11	11	.015	10	25	50	75	90	95	98	99	1	2	.0470
								.032	.039	.047	.055	.063	.067	.071	.074	.083	.079

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-047-1002

AQCR: UTAH

Latitude: +40.437200

County: Uintah

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.304700

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 0745

Land Use: FOREST

Utm Northing:

Address: Dinosaur National Monument

Utm Easting:

Vertical Meas: 1,463.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone		1		0745										8-HR RUN AVG	0	Parts per million				
														BEGIN HOUR						
2024	0	99	6198	3	3	.011		10	25	50	75	90	95	98	99		1	2	.0466	
								.033	.039	.047	.054	.060	.063	.066	.069		.076	.074		

FREQUENCY DISTRIBUTION REPORT

Utah

```
Latitude:      +40.464710
Longitude:     -109.561472
UTM Zone:
Utm Northing:
Utm Easting:
Vertical Meas: 1.0
```

Parameter			POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		1113										8-HR RUN AVG BEGIN HOUR	0	Parts per million				
2024	0		98	6172	3	3	.015		10	25	50	75	90	95	98	99	1	2	.0441		
															.030 .036 .045 .052 .058 .061 .065		.068	.074	.073		
44201-Ozone			2		1113										8-HR RUN AVG BEGIN HOUR	0	Parts per million				
2024	0		88	5527	3	3	.018		10	25	50	75	90	95	98	99	1	2	.0443		
															.029 .035 .046 .052 .058 .061 .065		.068	.074	.073		

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-047-2002

AQCR: UTAH

Latitude: +40.206291

County: Uintah

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.353932

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 687

Land Use: DESERT

Utm Northing:

Address: 2 Miles west of Redwash atop Deadman's Bench

Utm Easting:

Vertical Meas: 1,701.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith Mean	
44201-Ozone		1		687										8-HR RUN AVG	0	Parts per million			
														BEGIN HOUR					
2024	0	33	2049	0	0	.034		10	25	50	75	90	95	98	99	1	2	.0468	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-047-2003

AQCR: UTAH

Latitude: +40.056710

County: Uintah

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.688108

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 687

Land Use: DESERT

Utm Northing:

Address: 2 miles south of Ouray and south of the White and Green River confluence

Utm Easting:

Vertical Meas: 1,466.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages										Maximum Values		Arith Mean
44201-Ozone		1		687													8-HR RUN AVG	0	Parts per million	
																	BEGIN HOUR			
2024	0	38	2464	0	0	.022		10	25	50	75	90	95	98	99			1	2	.0423
																		.057	.056	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-047-7022

AQCR: UTAH

Latitude: +40.483598

County: Uintah

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.906796

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 687

Land Use: DESERT

Utm Northing:

Address: WHITE ROCKS & COUNTY ROAD

Utm Easting:

Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith Mean				
44201-Ozone		1		687										8-HR RUN AVG	0	Parts per million						
														BEGIN HOUR								
2024	0	49	3085	0	0	.025		10	25	50	75	90	95	98	99	1	2	.0470				
													.035	.041	.048	.053	.058	.060	.062	.064	.070	.064

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-049-4001

County: Utah

City: Lindon

Support Agency: 1113

Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT

Urban Area: PROVO-OREM, UT

Location Setting: SUBURBAN

Land Use: RESIDENTIAL

Latitude: +40.341389

Longitude: -111.713611

UTM Zone:

Utm Northing:

Utm Easting:

Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages										Maximum Values		Arith Mean
44201-Ozone		2		1113												8-HR RUN AVG		0	Parts per million	
																BEGIN HOUR				
2024	0	99	6190	8	8	.005		10	25	50	75	90	95	98	99			1	2	.0452
																		.086	.077	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-049-5010

AQCR: WASATCH FRONT

Latitude: +40.136378

County: Utah

Urban Area: NOT IN AN URBAN AREA

Longitude: -111.657936

City: Spanish Fork

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: INDUSTRIAL

Utm Northing:

Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

Utm Easting:

Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages										Maximum Values	Arith Mean	
44201-Ozone		1		1113										8-HR RUN AVG BEGIN HOUR	0	Parts per million		
2024	0	99	6195	7	7	.014	10	25	50	75	90	95		98	99	1	2	.0450
																.080	.078	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-051-0001

AQCR: UTAH

Latitude: +40.497962

County: Wasatch

Urban Area: NOT IN AN URBAN AREA

Longitude: -111.397630

City: Heber (corporate name for Heber
City)

Location Setting: SUBURBAN

UTM Zone:

Support Agency:

Land Use: COMMERCIAL

Utm Northing:

Address: Heber City Site #1 Water Conservatio District lot, 626 E 1200 S Heber City UT 84032

Utm Easting:

Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
44201-Ozone		1		1113											8-HR RUN AVG	0	Parts per million	
															BEGIN HOUR			
2024	0	42	2594	1	1	.020	10	25	50	75	90	95	98	99		1	2	.0393
							.025	.031	.039	.046	.052	.055	.058	.065		.073	.065	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-053-0007
County: Washington
City: Hurricane
Support Agency: 1113
Address: 147 N 870 W, Hurrrricane, Utah

AQCR: FOUR CORNERS
Urban Area: NOT IN AN URBAN AREA
Location Setting: RURAL
Land Use: RESIDENTIAL

Latitude: +37.179125
Longitude: -113.305096
UTM Zone:
Utm Northing:
Utm Easting:
Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages										Maximum Values		Arith Mean
44201-Ozone		1		1113												8-HR RUN AVG		0	Parts per million	
																BEGIN HOUR				
2024	0	98	6104	1	1	.021		10	25	50	75	90	95	98	99			1	2	.0458
								.032	.038	.046	.053	.058	.061	.064	.066			.073	.067	

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-053-0130
County: Washington
City: Virgin
Support Agency: 0745
Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS
Urban Area: NOT IN AN URBAN AREA
Location Setting: RURAL
Land Use: DESERT

Latitude: +37.198300
Longitude: -113.150600
UTM Zone:
Utm Northing:
Utm Easting:
Vertical Meas: 1,213.0

Site Comments:

Parameter			POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages							Maximum Values	Arith Mean	
44201-Ozone			1		0745									8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2024	0		98	6149	1	1	.028	10	25	50	75	90	95	98	99	1	2	.0477
								.037	.040	.047	.054	.060	.063	.065	.067		.072	.068

FREQUENCY DISTRIBUTION REPORT

Mar. 25, 2025

Utah

Site ID: 49-057-1003
County: Weber
City: Harrisville
Support Agency: 1113
Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
Urban Area: OGDEN, UT
Location Setting: RURAL
Land Use: RESIDENTIAL

Latitude: +41.303614
Longitude: -111.987871
UTM Zone:
Utm Northing:
Utm Easting:
Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages										Maximum Values		Arith Mean
44201-Ozone		1		1113													8-HR RUN AVG	0	Parts per million	
																	BEGIN HOUR			
2024	0	99	6194	6	6	.008		10	25	50	75	90	95	98	99			1	2	.0436
																		.077	.076	