

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 2375798

Report Code: AMP230

Apr. 22, 2026

GEOGRAPHIC SELECTIONS

| Tribal Code | State | County | Site | Parameter | POC | City | AQCR | UAR | CBSA | CSA | EPA Region |
|-------------|-------|--------|------|-----------|-----|------|------|-----|------|-----|------------|
|             | 49    |        |      | 44201     |     |      |      |     |      |     |            |

PROTOCOL SELECTIONS

| Parameter Classification | Parameter | Method | Duration |
|--------------------------|-----------|--------|----------|
|--------------------------|-----------|--------|----------|

CRITERIA

SELECTED OPTIONS

| Option Type       | Option Value             |
|-------------------|--------------------------|
| SUMMARY CRITERIA  | INCLUDE ALL DATA         |
| MERGE PDF FILES   | YES                      |
| EVENTS PROCESSING | REPORT ALL EVENT RECORDS |
| AGENCY ROLE       | PQAO                     |

SORT ORDER

| Order | Column         |
|-------|----------------|
| 1     | STATE_CODE     |
| 2     | COUNTY_CODE    |
| 3     | SITE_ID        |
| 4     | EPA_REGION     |
| 5     | DATES          |
| 6     | PARAMETER_CODE |
| 7     | POC            |

DATE CRITERIA

| Start Date | End Date |
|------------|----------|
| 2025       | 2025     |

APPLICABLE STANDARDS

| Standard Description             |
|----------------------------------|
| CO 8-hour 1971                   |
| Lead 3-Month 2009                |
| Lead 3-Month PM10 Surrogate 2009 |
| NO2 Annual 1971                  |
| Ozone 8-hour 2015                |
| PM10 24-hour 2006                |
| PM25 Annual 2024                 |
| SO2 1-hour 2010                  |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

EXCEPTIONAL DATA TYPES

| EDT | DESCRIPTION                      |
|-----|----------------------------------|
| 0   | NO EVENTS                        |
| 1   | EVENTS EXCLUDED                  |
| 2   | EVENTS INCLUDED                  |
| 5   | EVENTS WITH CONCURRENCE EXCLUDED |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-003-0005  
 County: Box Elder  
 City: Brigham City  
 Support Agency:  
 Address: 340 Paxton Pl, BRIGHAM CITY, UT

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.485007  
 Longitude: -112.021476  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,334.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT | Unit Desc         |            |       |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|-----|-------------------|------------|-------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |     | Maximum Values    | Arith Mean |       |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0   | Parts per million |            |       |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |     |                   |            |       |
| 2025      | 0       | 100  | 6195 | 1    | 1    | .009                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           |     | 1                 | 2          | .0455 |
|           |         |      |      |      |      |                                   | .030        | .037 | .046 | .055 | .060 | .062 | .065 | .067         |     | .072              | .069       |       |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-003-7001  
 County: Box Elder  
 City: Not in a city  
 Support Agency: 195  
 Address: 8600 WEST 24000 NORTH PORTAGE, UTAH

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: AGRICULTURAL

Latitude: +41.945874  
 Longitude: -112.233973  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration     | EDT | Unit Desc |                   |        |            |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|--------------|-----|-----------|-------------------|--------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |              |     |           | Maximum           | Values | Arith Mean |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      | 8-HR RUN AVG | 0   |           | Parts per million |        |            |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      | BEGIN HOUR   |     |           |                   |        |            |
| 2025      | 0       | 35   | 3559 | 0    | 0    | .025                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99           |     | 1         | 2                 | .0470  |            |
|           |         |      |      |      |      |                                   | .036 | .042        | .046 | .054 | .058 | .058 | .062 | .062         |     | .062      | .062              |        |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-005-0007  
 County: Cache  
 City: Smithfield  
 Support Agency: 1113  
 Address: 675 West 220 North

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.842649  
 Longitude: -111.852199  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|-----|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |     | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0   | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |     |                   |            |
| 2025      | 0       | 100  | 6189 | 0    | 0    | .015                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1   | 2                 | .0452      |
|           |         |      |      |      |      |                                   | .032        | .038 | .046 | .053 | .058 | .060 | .061 | .063         |     | .066              | .065       |



FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-011-0004  
 County: Davis  
 City: Bountiful  
 Support Agency: 1113  
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.902967  
 Longitude: -111.884467  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      | MDL  | Duration | EDT          | Unit Desc |                   |            |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|----------|--------------|-----------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |          |              |           | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      |                                   | 1113 |             |      |      |      |      |          | 8-HR RUN AVG | 0         | Parts per million |            |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |          | BEGIN HOUR   |           |                   |            |
| 2025      | 0       | 99   | 6189 | 7    | 7    | .005                              | 10   | 25          | 50   | 75   | 90   | 95   | 98       | 99           | 1         | 2                 | .0459      |
|           |         |      |      |      |      |                                   | .027 | .037        | .046 | .057 | .063 | .066 | .069     | .075         | .076      | .075              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-013-0002  
 County: Duchesne  
 City: Roosevelt  
 Support Agency: 1113  
 Address: 290 S. 1000 W.

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.294178  
 Longitude: -110.009732  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,596.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration                   | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|----------------------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |                            |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG<br>BEGIN HOUR | 0    | Parts per million |            |
| 2025      | 0       | 98   | 6142 | 2    | 2    | .015                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99                         | 1    | 2                 | .0469      |
|           |         |      |      |      |      |                                   | .031        | .039 | .047 | .055 | .061 | .063 | .066 | .068                       | .074 | .071              |            |
|           |         |      | 2    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG<br>BEGIN HOUR | 0    | Parts per million |            |
| 2025      | 0       | 98   | 6138 | 1    | 1    | .015                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99                         | 1    | 2                 | .0459      |
|           |         |      |      |      |      |                                   | .030        | .039 | .046 | .054 | .059 | .061 | .063 | .067                       | .071 | .068              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

|  |                                  |                        |
|--|----------------------------------|------------------------|
| Site ID: 49-013-7011                       | AQCR: UTAH                       | Latitude: +40.216779   |
| County: Duchesne                           | Urban Area: NOT IN AN URBAN AREA | Longitude: -110.182742 |
| City: Not in a city                        | Location Setting: RURAL          | UTM Zone:              |
| Support Agency: 687                        | Land Use: DESERT                 | Utm Northing:          |
| Address: 6000 SOUTH AND 10000 WEST (MYTON) |                                  | Utm Easting:           |
|  |                                  | Vertical Meas: 1,606.0 |

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

| Parameter   | POC |     | PQAO |      | Method of Collection and Analysis |      |      |      |             |      |      | MDL  | Duration | EDT  | Unit Desc |              |      |                   |        |       |      |
|-------------|-----|-----|------|------|-----------------------------------|------|------|------|-------------|------|------|------|----------|------|-----------|--------------|------|-------------------|--------|-------|------|
| Year        | Exc | Evt | %Obs | #Obs | #Pri                              | #Sec | Min  | Obs  | Percentages |      |      |      |          |      |           |              |      | Maximum           | Values | Arith | Mean |
| 44201-Ozone |     |     | 1    |      |                                   | 687  |      |      |             |      |      |      |          |      |           | 8-HR RUN AVG | 0    | Parts per million |        |       |      |
|             |     |     |      |      |                                   |      |      |      |             |      |      |      |          |      |           | BEGIN HOUR   |      |                   |        |       |      |
| 2025        | 0   | 71  | 4476 | 1    | 1                                 | .025 | 10   | 25   | 50          | 75   | 90   | 95   | 98       | 99   |           |              | 1    | 2                 | .0516  |       |      |
|             |     |     |      |      |                                   |      | .039 | .046 | .053        | .058 | .062 | .063 | .065     | .069 |           |              | .071 | .070              |        |       |      |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-019-0007  
 County: Grand  
 City: Moab  
 Support Agency: 1113  
 Address: 691 S Mill Creek Dr

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: COMMERCIAL

Latitude: +38.566055  
 Longitude: -109.537160  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,222.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0    | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |      |                   |            |
| 2025      | 0       | 99   | 6159 | 0    | 0    | .016                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1    | 2                 | .0442      |
|           |         |      |      |      |      |                                   | .028        | .038 | .046 | .052 | .057 | .060 | .062 | .063         | .068 | .066              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-021-0005  
 County: Iron  
 City: Enoch  
 Support Agency:  
 Address: 3840 North 325 East

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.747430  
 Longitude: -113.055525  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,692.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT | Unit Desc         |            |       |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|-----|-------------------|------------|-------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |     | Maximum Values    | Arith Mean |       |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0   | Parts per million |            |       |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |     |                   |            |       |
| 2025      | 0       | 99   | 6165 | 1    | 1    | .020                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           |     | 1                 | 2          | .0462 |
|           |         |      |      |      |      |                                   | .033        | .040 | .046 | .053 | .059 | .061 | .064 | .067         |     | .072              | .068       |       |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-0015

AQCR: WASATCH FRONT

Latitude: +40.569000

County: Salt Lake

Urban Area: NOT IN AN URBAN AREA

Longitude: -111.659000

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 1110

Land Use: FOREST

Utm Northing:

Address: Snowbird

Utm Easting:

Vertical Meas: 2,940.0

Site Comments:

| Parameter |             | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration | EDT          | Unit Desc |         |                   |            |
|-----------|-------------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|----------|--------------|-----------|---------|-------------------|------------|
| Year      | Exc Evt     | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |          |              |           | Maximum | Values            | Arith Mean |
|           |             |      |      |      |      |                                   |      |             |      |      |      |      |      |          |              |           |         |                   |            |
|           | 44201-Ozone |      | 1    |      |      |                                   | 1110 |             |      |      |      |      |      |          | 8-HR RUN AVG | 2         |         | Parts per million |            |
|           |             |      |      |      |      |                                   |      |             |      |      |      |      |      |          | BEGIN HOUR   |           |         |                   |            |
| 2025      | 0           | 74   | 4897 | 2    | 2    | .031                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99       |              | 1         | 2       | .0535             |            |
|           |             |      |      |      |      |                                   | .045 | .049        | .054 | .059 | .062 | .064 | .068 | .070     |              | .072      | .072    |                   |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-2005  
 County: Salt Lake  
 City: Midvale  
 Support Agency: 1113  
 Address: 8449 S. Monroe St.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.598056  
 Longitude: -111.894167  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0    | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |      |                   |            |
| 2025      | 0       | 99   | 6177 | 3    | 3    | .010                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1    | 2                 | .0461      |
|           |         |      |      |      |      |                                   | .029        | .038 | .046 | .057 | .063 | .066 | .069 | .070         | .077 | .072              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,306.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration | EDT          | Unit Desc |         |                   |            |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|----------|--------------|-----------|---------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |          |              |           | Maximum | Values            | Arith Mean |
|           |         |      | 1    |      |      |                                   | 1113 |             |      |      |      |      |      |          | 8-HR RUN AVG | 0         |         | Parts per million |            |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      |          | BEGIN HOUR   |           |         |                   |            |
| 2025      | 0       | 98   | 6128 | 8    | 8    | .009                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99       |              | 1         | 2       | .0445             |            |
|           |         |      |      |      |      |                                   | .026 | .035        | .043 | .054 | .063 | .067 | .071 | .074     |              | .083      | .075    |                   |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3010  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.784220  
 Longitude: -111.931000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,286.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration     | EDT | Unit Desc |                   |        |       |      |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|--------------|-----|-----------|-------------------|--------|-------|------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |              |     |           | Maximum           | Values | Arith | Mean |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      | 8-HR RUN AVG | 0   |           | Parts per million |        |       |      |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      | BEGIN HOUR   |     |           |                   |        |       |      |
| 2025      | 0       | 98   | 6156 | 6    | 6    | .012                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99           |     | 1         | 2                 | .0454  |       |      |
|           |         |      |      |      |      |                                   | .029 | .037        | .046 | .055 | .062 | .066 | .070 | .072         |     | .076      | .074              |        |       |      |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3013  
 County: Salt Lake  
 City: Herriman  
 Support Agency: 1113  
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.496392  
 Longitude: -112.036298  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|-----|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |     | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0   | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |     |                   |            |
| 2025      | 0       | 99   | 6191 | 2    | 2    | .017                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1   | 2                 | .0473      |
|           |         |      |      |      |      |                                   | .033        | .038 | .048 | .057 | .062 | .065 | .068 | .069         |     | .073              | .071       |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3014  
 County: Salt Lake  
 City: West Valley City  
 Support Agency: 1113  
 Address: 2782 South Corporate Park Dr.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: COMMERCIAL

Latitude: +40.709762  
 Longitude: -112.008760  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,297.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0    | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |      |                   |            |
| 2025      | 0       | 99   | 6174 | 5    | 5    | .012                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1    | 2                 | .0461      |
|           |         |      |      |      |      |                                   | .030        | .038 | .046 | .056 | .062 | .066 | .070 | .072         | .077 | .072              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3015

AQCR: WASATCH FRONT

Latitude: +40.777145

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.945849

City: Salt Lake City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 240 N 1950 W

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration     | EDT | Unit Desc |                   |        |            |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|--------------|-----|-----------|-------------------|--------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |              |     |           | Maximum           | Values | Arith Mean |
|           |         |      | 1    |      |      |                                   | 1113 |             |      |      |      |      |      | 8-HR RUN AVG | 0   |           | Parts per million |        |            |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      | BEGIN HOUR   |     |           |                   |        |            |
| 2025      | 0       | 98   | 6164 | 8    | 8    | .009                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99           |     | 1         | 2                 | .0453  |            |
|           |         |      |      |      |      |                                   | .027 | .035        | .047 | .056 | .064 | .066 | .071 | .073         |     | .078      | .075              |        |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3016  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1480 North 8000 West

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: INDUSTRIAL

Latitude: +40.807897  
 Longitude: -112.087717  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,286.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0    | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |      |                   |            |
| 2025      | 0       | 99   | 6165 | 0    | 0    | .013                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1    | 2                 | .0440      |
|           |         |      |      |      |      |                                   | .029        | .037 | .045 | .051 | .057 | .061 | .065 | .067         | .069 | .068              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3018  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency:  
 Address: Red Butte Canyon Rd.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: INDUSTRIAL

Latitude: +40.766528  
 Longitude: -111.828350  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,286.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration | EDT                        | Unit Desc      |                   |       |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|----------|----------------------------|----------------|-------------------|-------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |          |                            | Maximum Values | Arith Mean        |       |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      |          | 8-HR RUN AVG<br>BEGIN HOUR | 0              | Parts per million |       |
| 2025      | 0       | 76   | 4752 | 7    | 7    | .024                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99       |                            | 1              | 2                 | .0504 |
|           |         |      |      |      |      |                                   | .038        | .043 | .050 | .058 | .064 | .066 | .071 | .073     |                            | .075           | .075              |       |
|           |         |      | 2    |      |      | 1113                              |             |      |      |      |      |      |      |          | 8-HR RUN AVG<br>BEGIN HOUR | 0              | Parts per million |       |
| 2025      | 0       | 72   | 4479 | 10   | 10   | .024                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99       |                            | 1              | 2                 | .0524 |
|           |         |      |      |      |      |                                   | .038        | .045 | .053 | .060 | .066 | .068 | .073 | .076     |                            | .079           | .077              |       |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-4002  
 County: Salt Lake  
 City: Murray  
 Support Agency:  
 Address: 4951 South Galleria Dr

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: MOBILE

Latitude: +40.662961  
 Longitude: -111.901851  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,295.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0    | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |      |                   |            |
| 2025      | 0       | 99   | 6189 | 1    | 1    | .009                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1    | 2                 | .0420      |
|           |         |      |      |      |      |                                   | .024        | .034 | .042 | .052 | .060 | .062 | .066 | .068         | .071 | .069              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-037-0004

AQCR: FOUR CORNERS

Latitude: +37.823000

County: San Juan

Urban Area: NOT IN AN URBAN AREA

Longitude: -109.771000

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 1110

Land Use: FOREST

Utm Northing:

Address: Dark Canyon

Utm Easting:

Vertical Meas: 2,600.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration | EDT          | Unit Desc |         |                   |       |      |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|----------|--------------|-----------|---------|-------------------|-------|------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |          |              |           | Maximum | Values            | Arith | Mean |
|           |         |      | 1    |      |      |                                   | 1110 |             |      |      |      |      |      |          | 8-HR RUN AVG | 2         |         | Parts per million |       |      |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      |          | BEGIN HOUR   |           |         |                   |       |      |
| 2025      | 0       | 44   | 2738 | 0    | 0    | .036                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99       |              | 1         | 2       | .0493             |       |      |
|           |         |      |      |      |      |                                   | .041 | .044        | .050 | .054 | .058 | .060 | .063 | .066     |              |           | .067    | .066              |       |      |



FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-045-0004  
 County: Tooele  
 City: Erda  
 Support Agency: 1113  
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: COMMERCIAL

Latitude: +40.600550  
 Longitude: -112.355780  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,321.7

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration | EDT          | Unit Desc |                   |            |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|----------|--------------|-----------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |          |              |           | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      |                                   | 1113 |             |      |      |      |      |      |          | 8-HR RUN AVG | 0         | Parts per million |            |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      |          | BEGIN HOUR   |           |                   |            |
| 2025      | 0       | 99   | 6180 | 0    | 0    | .020                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99       |              | 1         | 2                 | .0451      |
|           |         |      |      |      |      |                                   | .033 | .038        | .045 | .052 | .058 | .062 | .063 | .064     |              | .068      | .068              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-0014  
 County: Uintah  
 City: Not in a city  
 Support Agency: 1110  
 Address: Little Mountain

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: FOREST

Latitude: +40.538000  
 Longitude: -109.700000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 2,620.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration | EDT          | Unit Desc |                   |            |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|----------|--------------|-----------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |          |              |           | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      |                                   | 1110 |             |      |      |      |      |      |          | 8-HR RUN AVG | 2         | Parts per million |            |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      |          | BEGIN HOUR   |           |                   |            |
| 2025      | 0       | 100  | 6200 | 2    | 2    | .031                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99       |              | 1         | 2                 | .0481      |
|           |         |      |      |      |      |                                   | .038 | .042        | .047 | .054 | .060 | .062 | .066 | .069     |              | .076      | .074              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-1002  
 County: Uintah  
 City: Not in a city  
 Support Agency: 0745  
 Address: Dinosaur National Monument

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: FOREST

Latitude: +40.437200  
 Longitude: -109.304700  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,463.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 0745                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0    | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |      |                   |            |
| 2025      | 0       | 85   | 5340 | 0    | 0    | .016                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1    | 2                 | .0458      |
|           |         |      |      |      |      |                                   | .032        | .040 | .046 | .053 | .058 | .061 | .064 | .065         | .068 | .066              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-1004  
 County: Uintah  
 City: Vernal  
 Support Agency: 1113  
 Address: 628 North 1700 West

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: RESIDENTIAL

Latitude: +40.464710  
 Longitude: -109.561472  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

| Parameter   |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration                   | EDT  | Unit Desc         |            |
|-------------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|----------------------------|------|-------------------|------------|
| Year        | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |                            |      | Maximum Values    | Arith Mean |
| 44201-Ozone |         | 1    |      | 1113 |      |                                   |             |      |      |      |      |      |      | 8-HR RUN AVG<br>BEGIN HOUR | 0    | Parts per million |            |
| 2025        | 0       | 99   | 6173 | 1    | 1    | .018                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99                         | 1    | 2                 | .0465      |
|             |         |      |      |      |      |                                   | .032        | .040 | .048 | .054 | .059 | .061 | .065 | .068                       | .071 | .069              |            |
| 44201-Ozone |         | 2    |      | 1113 |      |                                   |             |      |      |      |      |      |      | 8-HR RUN AVG<br>BEGIN HOUR | 0    | Parts per million |            |
| 2025        | 0       | 98   | 6125 | 0    | 0    | .017                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99                         | 1    | 2                 | .0453      |
|             |         |      |      |      |      |                                   | .032        | .038 | .046 | .054 | .058 | .060 | .064 | .068                       | .070 | .068              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

|   |                                  |                        |
|---|----------------------------------|------------------------|
| Site ID: 49-047-2002                                  | AQCR: UTAH                       | Latitude: +40.206291   |
| County: Uintah  | Urban Area: NOT IN AN URBAN AREA | Longitude: -109.353932 |
| City: Not in a city                                   | Location Setting: RURAL          | UTM Zone:              |
| Support Agency: 687                                   | Land Use: DESERT                 | Utm Northing:          |
| Address: 2 Miles west of Redwash atop Deadman's Bench |                                  | Utm Easting:           |
|   |                                  | Vertical Meas: 1,701.8 |

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration | EDT | Unit Desc    |                |                   |       |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|----------|-----|--------------|----------------|-------------------|-------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |          |     |              | Maximum Values | Arith Mean        |       |
|           |         |      | 1    |      |      |                                   | 687  |             |      |      |      |      |      |          |     | 8-HR RUN AVG | 0              | Parts per million |       |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      |          |     | BEGIN HOUR   |                |                   |       |
| 2025      | 0       | 73   | 4563 | 0    | 0    | .022                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99       |     |              | 1              | 2                 | .0470 |
|           |         |      |      |      |      |                                   | .038 | .042        | .048 | .053 | .056 | .057 | .059 | .061     |     |              | .064           | .061              |       |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

|   |                                  |                        |
|---|----------------------------------|------------------------|
| Site ID: 49-047-2003  | AQCR: UTAH                       | Latitude: +40.056710   |
| County: Uintah  | Urban Area: NOT IN AN URBAN AREA | Longitude: -109.688108 |
| City: Not in a city   | Location Setting: RURAL          | UTM Zone:              |
| Support Agency: 687   | Land Use: DESERT                 | Utm Northing:          |
| Address: 2 miles south of Ouray and south of the White and Green River confluence |                                  | Utm Easting:           |
|   |                                  | Vertical Meas: 1,466.8 |

Site Comments:

| Parameter   | POC |     | PQAO |      | Method of Collection and Analysis |      |      |      |             |      |      | MDL  | Duration | EDT  | Unit Desc    |      |                   |         |        |       |      |
|-------------|-----|-----|------|------|-----------------------------------|------|------|------|-------------|------|------|------|----------|------|--------------|------|-------------------|---------|--------|-------|------|
| Year        | Exc | Evt | %Obs | #Obs | #Pri                              | #Sec | Min  | Obs  | Percentages |      |      |      |          |      |              |      |                   | Maximum | Values | Arith | Mean |
| 44201-Ozone |     |     | 1    |      | 687                               |      |      |      |             |      |      |      |          |      | 8-HR RUN AVG | 0    | Parts per million |         |        |       |      |
|             |     |     |      |      |                                   |      |      |      |             |      |      |      |          |      | BEGIN HOUR   |      |                   |         |        |       |      |
| 2025        | 0   | 67  | 4253 | 0    | 0                                 | .022 | 10   | 25   | 50          | 75   | 90   | 95   | 98       | 99   |              | 1    | 2                 | .0446   |        |       |      |
|             |     |     |      |      |                                   |      | .035 | .040 | .045        | .050 | .052 | .054 | .056     | .059 |              | .061 | .059              |         |        |       |      |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-7022  
 County: Uintah  
 City: Not in a city  
 Support Agency: 687  
 Address: WHITEROCKS & COUNTY ROAD

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: DESERT

Latitude: +40.483598  
 Longitude: -109.906796  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|-----|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |     | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 687                               |             |      |      |      |      |      |      | 8-HR RUN AVG | 0   | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |     |                   |            |
| 2025      | 0       | 72   | 4567 | 4    | 4    | .032                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1   | 2                 | .0537      |
|           |         |      |      |      |      |                                   | .041        | .048 | .054 | .061 | .064 | .066 | .069 | .072         |     | .078              | .073       |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-049-4001

AQCR: WASATCH FRONT

Latitude: +40.341389

County: Utah

Urban Area: PROVO-OREM, UT

Longitude: -111.713611

City: Lindon

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 30 NORTH MAIN STREET, LINDON, UTAH

Utm Easting:

Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration | EDT          | Unit Desc |                   |        |            |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|----------|--------------|-----------|-------------------|--------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |          |              |           | Maximum           | Values | Arith Mean |
|           |         |      | 2    |      |      |                                   | 1113 |             |      |      |      |      |      |          | 8-HR RUN AVG | 0         | Parts per million |        |            |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      |          | BEGIN HOUR   |           |                   |        |            |
| 2025      | 0       | 98   | 6115 | 0    | 0    | .006                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99       |              | 1         | 2                 | .0441  |            |
|           |         |      |      |      |      |                                   | .025 | .036        | .045 | .055 | .061 | .062 | .065 | .067     |              | .069      | .069              |        |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-049-5010  
 County: Utah  
 City: Spanish Fork  
 Support Agency: 1113  
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: INDUSTRIAL

Latitude: +40.136378  
 Longitude: -111.657936  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |      |             |      |      |      |      | MDL  | Duration     | EDT | Unit Desc |                   |        |            |
|-----------|---------|------|------|------|------|-----------------------------------|------|-------------|------|------|------|------|------|--------------|-----|-----------|-------------------|--------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min                               | Obs  | Percentages |      |      |      |      |      |              |     |           | Maximum           | Values | Arith Mean |
|           |         |      | 1    |      |      |                                   | 1113 |             |      |      |      |      |      | 8-HR RUN AVG | 0   |           | Parts per million |        |            |
|           |         |      |      |      |      |                                   |      |             |      |      |      |      |      | BEGIN HOUR   |     |           |                   |        |            |
| 2025      | 0       | 99   | 6179 | 0    | 0    | .013                              | 10   | 25          | 50   | 75   | 90   | 95   | 98   | 99           |     | 1         | 2                 | .0442  |            |
|           |         |      |      |      |      |                                   | .029 | .036        | .044 | .053 | .058 | .061 | .063 | .064         |     | .066      | .065              |        |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

|  |                                  |                        |
|--|----------------------------------|------------------------|
| Site ID: 49-051-0001   | AQCR: UTAH                       | Latitude: +40.497962   |
| County: Wasatch  | Urban Area: NOT IN AN URBAN AREA | Longitude: -111.397630 |
| City: Heber (corporate name for Heber City)  | Location Setting: SUBURBAN       | UTM Zone:              |
| Support Agency:  | Land Use: COMMERCIAL             | Utm Northing:          |
| Address: Heber City Site #1 Water Conservatio District lot, 626 E 1200 S Heber City UT 84032 |                                  | Utm Easting:           |
|  |                                  | Vertical Meas: 1,306.0 |

Site Comments:

| Parameter   | POC |     | PQAO |      | Method of Collection and Analysis |      |      |      |             |      |      |      | MDL  | Duration | EDT  | Unit Desc |              |      |                   |        |       |      |
|-------------|-----|-----|------|------|-----------------------------------|------|------|------|-------------|------|------|------|------|----------|------|-----------|--------------|------|-------------------|--------|-------|------|
| Year        | Exc | Evt | %Obs | #Obs | #Pri                              | #Sec | Min  | Obs  | Percentages |      |      |      |      |          |      |           |              |      | Maximum           | Values | Arith | Mean |
| 44201-Ozone |     |     | 1    |      |                                   |      |      | 1113 |             |      |      |      |      |          |      |           | 8-HR RUN AVG | 0    | Parts per million |        |       |      |
|             |     |     |      |      |                                   |      |      |      |             |      |      |      |      |          |      |           | BEGIN HOUR   |      |                   |        |       |      |
| 2025        | 0   |     | 99   | 6181 | 1                                 | 1    | .019 |      | 10          | 25   | 50   | 75   | 90   | 95       | 98   | 99        |              | 1    | 2                 | .0472  |       |      |
|             |     |     |      |      |                                   |      |      |      | .031        | .040 | .048 | .056 | .062 | .063     | .065 | .068      |              | .072 | .070              |        |       |      |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-053-0007  
 County: Washington  
 City: Hurricane  
 Support Agency: 1113  
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.179125  
 Longitude: -113.305096  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 846.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0    | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |      |                   |            |
| 2025      | 0       | 97   | 6073 | 0    | 0    | .018                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1    | 2                 | .0452      |
|           |         |      |      |      |      |                                   | .031        | .039 | .046 | .053 | .058 | .061 | .063 | .065         | .068 | .066              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-053-0130  
 County: Washington  
 City: Virgin  
 Support Agency: 0745  
 Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: DESERT

Latitude: +37.198300  
 Longitude: -113.150600  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,213.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT  | Unit Desc         |            |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|------|-------------------|------------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |      | Maximum Values    | Arith Mean |
|           |         |      | 1    |      |      | 0745                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0    | Parts per million |            |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |      |                   |            |
| 2025      | 0       | 85   | 5305 | 0    | 0    | .023                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           | 1    | 2                 | .0462      |
|           |         |      |      |      |      |                                   | .034        | .040 | .046 | .053 | .058 | .061 | .064 | .067         | .069 | .068              |            |

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-057-1003  
 County: Weber  
 City: Harrisville  
 Support Agency: 1113  
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.303614  
 Longitude: -111.987871  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,331.0

Site Comments:

| Parameter |         | POC  |      | PQAO |      | Method of Collection and Analysis |             |      |      |      |      |      | MDL  | Duration     | EDT | Unit Desc         |            |       |
|-----------|---------|------|------|------|------|-----------------------------------|-------------|------|------|------|------|------|------|--------------|-----|-------------------|------------|-------|
| Year      | Exc Evt | %Obs | #Obs | #Pri | #Sec | Min Obs                           | Percentages |      |      |      |      |      |      |              |     | Maximum Values    | Arith Mean |       |
|           |         |      | 1    |      |      | 1113                              |             |      |      |      |      |      |      | 8-HR RUN AVG | 0   | Parts per million |            |       |
|           |         |      |      |      |      |                                   |             |      |      |      |      |      |      | BEGIN HOUR   |     |                   |            |       |
| 2025      | 0       | 99   | 6185 | 2    | 2    | .009                              | 10          | 25   | 50   | 75   | 90   | 95   | 98   | 99           |     | 1                 | 2          | .0455 |
|           |         |      |      |      |      |                                   | .027        | .036 | .046 | .055 | .062 | .064 | .066 | .067         |     | .076              | .074       |       |