

User ID: RPW

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 709768

Report Code: AMP230

Jan. 12, 2010

GEOGRAPHIC SELECTIONS

Tribal	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
--------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------	--------	----------	------------	----------

49

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA 44201

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

SCR GROUP SELECTIONS

Utah

GLOBAL DATES

Start Date	End Date
2008	2008

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
3	EXCEPTIONAL EVENTS EXCLUDED
4	NATURAL EVENTS EXCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED
6	EXCEPTIONAL EVENTS WITH CONCURRENCE EXCLUDED
7	NATURAL EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-003-0003
 County: Box Elder
 City: Brigham City
 Support Agency: 1113
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +41.492778
 Longitude: -112.018056
 UTM Zone: 12
 Utm Northing: 4593750
 Utm Easting: 415018
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean	
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million	
2008	0	97	3958	0	0	.040	10	25	50	75	90	95	98	99		1	2	.0610	
							.049	.053	.060	.067	.075	.079	.083	.087		.092	.087		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million	
2008	48	99	4006	0	0	.040	10	25	50	75	90	95	98	99		1	2	.0613	
							.049	.053	.060	.068	.076	.079	.084	.087		.092	.087		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million	
2008	48	99	4006	0	0	.040	10	25	50	75	90	95	98	99		1	2	.0613	
							.049	.053	.060	.068	.076	.079	.084	.087		.092	.087		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million	
2008	0	97	3958	0	0	.040	10	25	50	75	90	95	98	99		1	2	.0610	
							.049	.053	.060	.067	.075	.079	.083	.087		.092	.087		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million	
2008	48	99	4006	0	0	.040	10	25	50	75	90	95	98	99		1	2	.0613	
							.049	.053	.060	.068	.076	.079	.084	.087		.092	.087		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million	
2008	48	99	4006	0	0	.040	10	25	50	75	90	95	98	99		1	2	.0613	
							.049	.053	.060	.068	.076	.079	.084	.087		.092	.087		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-003-0003
 County: Box Elder
 City: Brigham City
 Support Agency: 1113
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +41.492778
 Longitude: -112.018056
 UTM Zone: 12
 Utm Northing: 4593750
 Utm Easting: 415018
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean	
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	7	Parts per million	
2008	48	99	4006	0	0	.040	10	25	50	75	90	95	98	99		1	2	.0613	
							.049	.053	.060	.068	.076	.079	.084	.087		.092	.087		
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	1	Parts per million	
2008		97	3976	0	0	.036	10	25	50	75	90	95	98	99		1	2	.0549	
							.044	.048	.055	.061	.067	.069	.071	.072		.074	.072		
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	2	Parts per million	
2008		99	4027	1	1	.036	10	25	50	75	90	95	98	99		1	2	.0552	
							.044	.048	.055	.062	.067	.070	.072	.075		.079	.075		
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	3	Parts per million	
2008		99	4027	1	1	.036	10	25	50	75	90	95	98	99		1	2	.0552	
							.044	.048	.055	.062	.067	.070	.072	.075		.079	.075		
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	4	Parts per million	
2008		97	3976	0	0	.036	10	25	50	75	90	95	98	99		1	2	.0549	
							.044	.048	.055	.061	.067	.069	.071	.072		.074	.072		
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	5	Parts per million	
2008		99	4027	1	1	.036	10	25	50	75	90	95	98	99		1	2	.0552	
							.044	.048	.055	.062	.067	.070	.072	.075		.079	.075		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-003-0003
 County: Box Elder
 City: Brigham City
 Support Agency: 1113
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +41.492778
 Longitude: -112.018056
 UTM Zone: 12
 Utm Northing: 4593750
 Utm Easting: 415018
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone			1					1113									8-HR RUN AVG	6	Parts per million			
																	BEGIN HOUR					
2008			99	4027	1	1	.036		10	25	50	75	90	95	98	99		1	2	.0552		
									.044	.048	.055	.062	.067	.070	.072	.075		.079	.075			
44201-Ozone			1					1113									8-HR RUN AVG	7	Parts per million			
																	BEGIN HOUR					
2008			99	4027	1	1	.036		10	25	50	75	90	95	98	99		1	2	.0552		
									.044	.048	.055	.062	.067	.070	.072	.075		.079	.075			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-005-0004	AQCR: UTAH	Latitude: +41.731111
County: Cache	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.837500
City: Logan	Location Setting: URBAN AND CENTER CITY	UTM Zone: 12
Support Agency: 1113	Land Use: COMMERCIAL	Utm Northing: 4620024
Address: 125 W. CENTER STREET, LOGAN, UT		Utm Easting: 430337
		Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean		
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million	
2008	0	97	8458	0	0	.013	10	25	50	75	90	95	98	99		1	2	.0563				
							.029	.039	.048	.055	.065	.067	.071	.073		.079	.075					
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million	
2008	47	98	8505	0	0	.013	10	25	50	75	90	95	98	99		1	2	.0565				
							.029	.039	.048	.055	.065	.068	.072	.075		.079	.077					
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million	
2008	47	98	8505	0	0	.013	10	25	50	75	90	95	98	99		1	2	.0565				
							.029	.039	.048	.055	.065	.068	.072	.075		.079	.077					
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million	
2008	0	97	8458	0	0	.013	10	25	50	75	90	95	98	99		1	2	.0563				
							.029	.039	.048	.055	.065	.067	.071	.073		.079	.075					
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million	
2008	47	98	8505	0	0	.013	10	25	50	75	90	95	98	99		1	2	.0565				
							.029	.039	.048	.055	.065	.068	.072	.075		.079	.077					
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million	
2008	47	98	8505	0	0	.013	10	25	50	75	90	95	98	99		1	2	.0565				
							.029	.039	.048	.055	.065	.068	.072	.075		.079	.077					

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-005-0004	AQCR: UTAH	Latitude: +41.731111
County: Cache	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.837500
City: Logan	Location Setting: URBAN AND CENTER CITY	UTM Zone: 12
Support Agency: 1113	Land Use: COMMERCIAL	Utm Northing: 4620024
Address: 125 W. CENTER STREET, LOGAN, UT		Utm Easting: 430337
		Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages											Maximum	Values	Arith	Mean
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	7	Parts per million		
2008	47	98	8505	0	0	.013	10	25	50	75	90	95	98	99		1	2	.0565					
									.029	.039	.048	.055	.065	.068	.072	.075	.079	.077					
44201-Ozone	1			1113															8-HR RUN AVG	1	Parts per million		
																			BEGIN HOUR				
2008		96	8497	0	0	.009	10	25	50	75	90	95	98	99		1	2	.0507					
									.022	.032	.042	.050	.058	.061	.065	.065	.069	.066					
44201-Ozone	1			1113															8-HR RUN AVG	2	Parts per million		
																			BEGIN HOUR				
2008		97	8548	0	0	.009	10	25	50	75	90	95	98	99		1	2	.0510					
									.023	.032	.042	.050	.058	.062	.065	.066	.073	.071					
44201-Ozone	1			1113															8-HR RUN AVG	3	Parts per million		
																			BEGIN HOUR				
2008		97	8548	0	0	.009	10	25	50	75	90	95	98	99		1	2	.0510					
									.023	.032	.042	.050	.058	.062	.065	.066	.073	.071					
44201-Ozone	1			1113															8-HR RUN AVG	4	Parts per million		
																			BEGIN HOUR				
2008		96	8497	0	0	.009	10	25	50	75	90	95	98	99		1	2	.0507					
									.022	.032	.042	.050	.058	.061	.065	.065	.069	.066					
44201-Ozone	1			1113															8-HR RUN AVG	5	Parts per million		
																			BEGIN HOUR				
2008		97	8548	0	0	.009	10	25	50	75	90	95	98	99		1	2	.0510					
									.023	.032	.042	.050	.058	.062	.065	.066	.073	.071					

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-005-0004

AQCR: UTAH

Latitude: +41.731111

County: Cache

Urban Area: NOT IN AN URBAN AREA

Longitude: -111.837500

City: Logan

Location Setting: URBAN AND CENTER CITY

UTM Zone: 12

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing: 4620024

Address: 125 W. CENTER STREET, LOGAN, UT

Utm Easting: 430337

Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1												8-HR RUN AVG	6			Parts per million		
															BEGIN HOUR						
2008			97	8548	0	0	.009		10	25	50	75	90	95	98	99		1	2	.0510	
									.023	.032	.042	.050	.058	.062	.065	.066		.073	.071		
44201-Ozone			1												8-HR RUN AVG	7			Parts per million		
															BEGIN HOUR						
2008			97	8548	0	0	.009		10	25	50	75	90	95	98	99		1	2	.0510	
									.023	.032	.042	.050	.058	.062	.065	.066		.073	.071		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-011-0004
 County: Davis
 City: Bountiful
 Support Agency: 1113
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.902967
 Longitude: -111.884467
 UTM Zone: 12
 Utm Northing: 4528150.36
 Utm Easting: 425503.56
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages											Maximum Values	Arith Mean	
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	1	Parts per million	
2008	0	96	4121	1	1	.023	10	25	50	75	90	95	98	99		1	2	.0604		
							.044	.050	.058	.068	.079	.089	.091	.098		.125	.098			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	2	Parts per million	
2008	46	97	4167	1	1	.023	10	25	50	75	90	95	98	99		1	2	.0608		
							.044	.050	.059	.068	.081	.089	.091	.098		.125	.098			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	3	Parts per million	
2008	46	97	4167	1	1	.023	10	25	50	75	90	95	98	99		1	2	.0608		
							.044	.050	.059	.068	.081	.089	.091	.098		.125	.098			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	4	Parts per million	
2008	0	96	4121	1	1	.023	10	25	50	75	90	95	98	99		1	2	.0604		
							.044	.050	.058	.068	.079	.089	.091	.098		.125	.098			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	5	Parts per million	
2008	46	97	4167	1	1	.023	10	25	50	75	90	95	98	99		1	2	.0608		
							.044	.050	.059	.068	.081	.089	.091	.098		.125	.098			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	6	Parts per million	
2008	46	97	4167	1	1	.023	10	25	50	75	90	95	98	99		1	2	.0608		
							.044	.050	.059	.068	.081	.089	.091	.098		.125	.098			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	7	Parts per million	
2008	46	97	4167	1	1	.023	10	25	50	75	90	95	98	99		1	2	.0608		
							.044	.050	.059	.068	.081	.089	.091	.098		.125	.098			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-011-0004
 County: Davis
 City: Bountiful
 Support Agency: 1113
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.902967
 Longitude: -111.884467
 UTM Zone: 12
 Utm Northing: 4528150.36
 Utm Easting: 425503.56
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Year	Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum	Arith Mean	
							Min											
	44201-Ozone		1			1113								8-HR RUN AVG BEGIN HOUR	1		Parts per million	
2008			96	4215	6	6	.018	10	25	50	75	90	95	98	99	1	2	.0529
								.039	.045	.052	.061	.069	.073	.077	.080		.084	.080
	44201-Ozone		1			1113								8-HR RUN AVG BEGIN HOUR	2		Parts per million	
2008			97	4266	8	8	.018	10	25	50	75	90	95	98	99	1	2	.0532
								.039	.045	.052	.061	.069	.074	.078	.084		.084	.084
	44201-Ozone		1			1113								8-HR RUN AVG BEGIN HOUR	3		Parts per million	
2008			97	4266	8	8	.018	10	25	50	75	90	95	98	99	1	2	.0532
								.039	.045	.052	.061	.069	.074	.078	.084		.084	.084
	44201-Ozone		1			1113								8-HR RUN AVG BEGIN HOUR	4		Parts per million	
2008			96	4215	6	6	.018	10	25	50	75	90	95	98	99	1	2	.0529
								.039	.045	.052	.061	.069	.073	.077	.080		.084	.080
	44201-Ozone		1			1113								8-HR RUN AVG BEGIN HOUR	5		Parts per million	
2008			97	4266	8	8	.018	10	25	50	75	90	95	98	99	1	2	.0532
								.039	.045	.052	.061	.069	.074	.078	.084		.084	.084
	44201-Ozone		1			1113								8-HR RUN AVG BEGIN HOUR	6		Parts per million	
2008			97	4266	8	8	.018	10	25	50	75	90	95	98	99	1	2	.0532
								.039	.045	.052	.061	.069	.074	.078	.084		.084	.084

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-011-0004

AQCR: WASATCH FRONT

Latitude: +40.902967

County: Davis

Urban Area: SALT LAKE CITY, UT

Longitude: -111.884467

City: Bountiful

Location Setting: SUBURBAN

UTM Zone: 12

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing: 4528150.36

Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

Utm Easting: 425503.56

Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		1113											8-HR RUN AVG	7	Parts per million			
																BEGIN HOUR					
2008			97	4266	8	8	.018		10	25	50	75	90	95	98	99		1	2	.0532	
									.039	.045	.052	.061	.069	.074	.078	.084		.084	.084		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-0003	AQCR: WASATCH FRONT	Latitude: +40.646667
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -111.849722
City: Not in a city	Location Setting: SUBURBAN	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4499650
Address: 5715 S. 1400 E., SALT LAKE CITY		Utm Easting: 428153
		Vertical Meas: 1,335.0

Site Comments: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages											Maximum	Values	Arith	Mean	
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	1		Parts per million	
2008	0	97	3561	0	0	.022	10	25	50	75	90	95	98	99		1	2	.0623						
							.046	.053	.062	.072	.079	.086	.093	.094		.101	.094							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	2		Parts per million	
2008	45	98	3606	0	0	.022	10	25	50	75	90	95	98	99		1	2	.0628						
							.046	.053	.062	.072	.083	.090	.096	.099		.101	.099							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	3		Parts per million	
2008	45	98	3606	0	0	.022	10	25	50	75	90	95	98	99		1	2	.0628						
							.046	.053	.062	.072	.083	.090	.096	.099		.101	.099							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	4		Parts per million	
2008	0	97	3561	0	0	.022	10	25	50	75	90	95	98	99		1	2	.0623						
							.046	.053	.062	.072	.079	.086	.093	.094		.101	.094							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	5		Parts per million	
2008	45	98	3606	0	0	.022	10	25	50	75	90	95	98	99		1	2	.0628						
							.046	.053	.062	.072	.083	.090	.096	.099		.101	.099							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	6		Parts per million	
2008	45	98	3606	0	0	.022	10	25	50	75	90	95	98	99		1	2	.0628						
							.046	.053	.062	.072	.083	.090	.096	.099		.101	.099							

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-0003	AQCR: WASATCH FRONT	Latitude: +40.646667
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -111.849722
City: Not in a city	Location Setting: SUBURBAN	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4499650
Address: 5715 S. 1400 E., SALT LAKE CITY		Utm Easting: 428153
		Vertical Meas: 1,335.0

Site Comments: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min Obs		Percentages								Maximum Values	Arith Mean	
44201-Ozone	1			1113			INSTRUMENTAL								.005	1 HOUR	7	Parts per million	
2008	45	98	3606	0	0	.022	10	25	50	75	90	95	98	99		1	2	.0628	
							.046	.053	.062	.072	.083	.090	.096	.099		.101	.099		
44201-Ozone	1			1113			ULTRA VIOLET									8-HR RUN AVG	1	Parts per million	
2008		97	3589	5	5	.011	10	25	50	75	90	95	98	99		1	2	.0549	
							.041	.046	.055	.063	.069	.073	.080	.080		.088	.080		
44201-Ozone	1			1113			ULTRA VIOLET									8-HR RUN AVG	2	Parts per million	
2008		98	3636	7	7	.011	10	25	50	75	90	95	98	99		1	2	.0553	
							.041	.046	.056	.063	.071	.075	.086	.087		.088	.087		
44201-Ozone	1			1113			ULTRA VIOLET									8-HR RUN AVG	3	Parts per million	
2008		98	3636	7	7	.011	10	25	50	75	90	95	98	99		1	2	.0553	
							.041	.046	.056	.063	.071	.075	.086	.087		.088	.087		
44201-Ozone	1			1113			ULTRA VIOLET									8-HR RUN AVG	4	Parts per million	
2008		97	3589	5	5	.011	10	25	50	75	90	95	98	99		1	2	.0549	
							.041	.046	.055	.063	.069	.073	.080	.080		.088	.080		
44201-Ozone	1			1113			ULTRA VIOLET									8-HR RUN AVG	5	Parts per million	
2008		98	3636	7	7	.011	10	25	50	75	90	95	98	99		1	2	.0553	
							.041	.046	.056	.063	.071	.075	.086	.087		.088	.087		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-0003	AQCR: WASATCH FRONT	Latitude: +40.646667
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -111.849722
City: Not in a city	Location Setting: SUBURBAN	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4499650
Address: 5715 S. 1400 E., SALT LAKE CITY		Utm Easting: 428153
		Vertical Meas: 1,335.0

Site Comments: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD:

Parameter	POC		PQAO		Method of Collection and Analysis	MDL	Duration	EDT	Unit Desc	
	Exc	Evt	%Obs	#Obs					#Pri	#Sec
44201-Ozone			1		1113		8-HR RUN AVG BEGIN HOUR	6		Parts per million
2008			98	3636	7 7	.011	10 25 50 75 90 95 98	99	1	2 .0553
						.041 .046 .056 .063 .071 .075 .086	.087		.088	.087
44201-Ozone			1		1113		8-HR RUN AVG BEGIN HOUR	7		Parts per million
2008			98	3636	7 7	.011	10 25 50 75 90 95 98	99	1	2 .0553
						.041 .046 .056 .063 .071 .075 .086	.087		.088	.087

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-2004	AQCR: WASATCH FRONT	Latitude: +40.736389
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -112.210278
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing: 4509978
Address: 12100 W 1200 S, LAKEPOINT, UTAH		Utm Easting: 397806
		Vertical Meas: 1,284.0

Site Comments: LOCATED AT GREAT SALT LAKE MARINA, NW SIDE OF I-80 TRAILER MOVED ACROSS PARKING LOT, APPROX. 70 M NORTH OF PREV. SITE:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean	
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million	
2008	0	97	3794	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0590			
							.043	.050	.060	.066	.075	.077	.084	.085		.105	.085				
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million	
2008	48	99	3842	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0593			
							.044	.051	.060	.067	.076	.082	.085	.085		.105	.085				
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million	
2008	48	99	3842	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0593			
							.044	.051	.060	.067	.076	.082	.085	.085		.105	.085				
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million	
2008	0	97	3794	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0590			
							.043	.050	.060	.066	.075	.077	.084	.085		.105	.085				
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million	
2008	48	99	3842	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0593			
							.044	.051	.060	.067	.076	.082	.085	.085		.105	.085				
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million	
2008	48	99	3842	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0593			
							.044	.051	.060	.067	.076	.082	.085	.085		.105	.085				

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-2004	AQCR: WASATCH FRONT	Latitude: +40.736389
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -112.210278
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing: 4509978
Address: 12100 W 1200 S, LAKEPOINT, UTAH		Utm Easting: 397806
		Vertical Meas: 1,284.0

Site Comments: LOCATED AT GREAT SALT LAKE MARINA, NW SIDE OF I-80 TRAILER MOVED ACROSS PARKING LOT, APPROX. 70 M NORTH OF PREV. SITE:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean	
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	7	Parts per million	
2008	48	99	3842	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0593			
									.044	.051	.060	.067	.076	.082	.085		.105	.085			
44201-Ozone	1			1113														8-HR RUN AVG	1	Parts per million	
																		BEGIN HOUR			
2008		97	3813	1	1	.030	10	25	50	75	90	95	98	99		1	2	.0521			
									.037	.044	.054	.060	.064	.066	.071		.075	.081	.075		
44201-Ozone	1			1113														8-HR RUN AVG	2	Parts per million	
																		BEGIN HOUR			
2008		98	3864	2	2	.030	10	25	50	75	90	95	98	99		1	2	.0524			
									.037	.044	.054	.060	.065	.068	.074		.077	.081	.077		
44201-Ozone	1			1113														8-HR RUN AVG	3	Parts per million	
																		BEGIN HOUR			
2008		98	3864	2	2	.030	10	25	50	75	90	95	98	99		1	2	.0524			
									.037	.044	.054	.060	.065	.068	.074		.077	.081	.077		
44201-Ozone	1			1113														8-HR RUN AVG	4	Parts per million	
																		BEGIN HOUR			
2008		97	3813	1	1	.030	10	25	50	75	90	95	98	99		1	2	.0521			
									.037	.044	.054	.060	.064	.066	.071		.075	.081	.075		
44201-Ozone	1			1113														8-HR RUN AVG	5	Parts per million	
																		BEGIN HOUR			
2008		98	3864	2	2	.030	10	25	50	75	90	95	98	99		1	2	.0524			
									.037	.044	.054	.060	.065	.068	.074		.077	.081	.077		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-2004	AQCR: WASATCH FRONT	Latitude: +40.736389
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -112.210278
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing: 4509978
Address: 12100 W 1200 S, LAKEPOINT, UTAH		Utm Easting: 397806
		Vertical Meas: 1,284.0

Site Comments: LOCATED AT GREAT SALT LAKE MARINA, NW SIDE OF I-80 TRAILER MOVED ACROSS PARKING LOT, APPROX. 70 M NORTH OF PREV. SITE:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone			1					1113									8-HR RUN AVG	6		Parts per million		
																	BEGIN HOUR					
2008			98	3864	2	2	.030		10	25	50	75	90	95	98	99		1	2	.0524		
									.037	.044	.054	.060	.065	.068	.074	.077			.081	.077		
44201-Ozone			1					1113									8-HR RUN AVG	7		Parts per million		
																	BEGIN HOUR					
2008			98	3864	2	2	.030		10	25	50	75	90	95	98	99		1	2	.0524		
									.037	.044	.054	.060	.065	.068	.074	.077			.081	.077		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone: 12
 Utm Northing: 4509639
 Utm Easting: 426359
 Vertical Meas: 1,306.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	1		Parts per million	
2008	0	98	8509	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0587			
							.023	.034	.043	.056	.067	.075	.081	.089		.099	.091				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	2		Parts per million	
2008	48	99	8557	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0592			
							.023	.034	.043	.056	.067	.075	.087	.090		.099	.096				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	3		Parts per million	
2008	48	99	8557	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0592			
							.023	.034	.043	.056	.067	.075	.087	.090		.099	.096				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	4		Parts per million	
2008	0	98	8509	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0587			
							.023	.034	.043	.056	.067	.075	.081	.089		.099	.091				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	5		Parts per million	
2008	48	99	8557	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0592			
							.023	.034	.043	.056	.067	.075	.087	.090		.099	.096				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	6		Parts per million	
2008	48	99	8557	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0592			
							.023	.034	.043	.056	.067	.075	.087	.090		.099	.096				

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone: 12
 Utm Northing: 4509639
 Utm Easting: 426359
 Vertical Meas: 1,306.0

Site Comments:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean	
44201-Ozone	1			1113					INSTRUMENTAL								.005	1 HOUR	7	Parts per million			
2008	48	99	8557	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0592					
							.023	.034	.043	.056	.067	.075	.087	.090		.099	.096						
44201-Ozone	1			1113					ULTRA VIOLET									8-HR RUN AVG	1	Parts per million			
2008		97	8598	2	2	.002	10	25	50	75	90	95	98	99		1	2	.0508					
							.015	.027	.039	.050	.059	.064	.069	.072		.079	.077						
44201-Ozone	1			1113					ABSORPTION									8-HR RUN AVG	2	Parts per million			
2008		99	8649	3	3	.002	10	25	50	75	90	95	98	99		1	2	.0512					
							.015	.027	.039	.050	.059	.064	.070	.075		.079	.079						
44201-Ozone	1			1113					INSTRUMENTAL									8-HR RUN AVG	3	Parts per million			
2008		99	8649	3	3	.002	10	25	50	75	90	95	98	99		1	2	.0512					
							.015	.027	.039	.050	.059	.064	.070	.075		.079	.079						
44201-Ozone	1			1113					ULTRA VIOLET									8-HR RUN AVG	4	Parts per million			
2008		97	8598	2	2	.002	10	25	50	75	90	95	98	99		1	2	.0508					
							.015	.027	.039	.050	.059	.064	.069	.072		.079	.077						
44201-Ozone	1			1113					ABSORPTION									8-HR RUN AVG	5	Parts per million			
2008		99	8649	3	3	.002	10	25	50	75	90	95	98	99		1	2	.0512					
							.015	.027	.039	.050	.059	.064	.070	.075		.079	.079						

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone: 12
 Utm Northing: 4509639
 Utm Easting: 426359
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG BEGIN HOUR	6		Parts per million
2008		99	8649	3	3	.002	10	25	50	75	90	95	98	99	1	2	.0512
							.015	.027	.039	.050	.059	.064	.070	.075		.079	.079
			1			1113								8-HR RUN AVG BEGIN HOUR	7		Parts per million
2008		99	8649	3	3	.002	10	25	50	75	90	95	98	99	1	2	.0512
							.015	.027	.039	.050	.059	.064	.070	.075		.079	.079

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-045-0003	AQCR: WASATCH FRONT	Latitude: +40.543371
County: Tooele	Urban Area: NOT IN AN URBAN AREA	Longitude: -112.298814
City: Tooele	Location Setting: URBAN AND CENTER CITY	UTM Zone: 12
Support Agency: 1113	Land Use: COMMERCIAL	Utm Northing: 4488683
Address: 434 NORTH 50 WEST, TOOELE, UTAH		Utm Easting: 390013
		Vertical Meas: 1,511.0

Site Comments:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages											Maximum	Values	Arith	Mean	
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	1		Parts per million	
2008	0	98	3586	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0579						
							.046	.051	.058	.064	.069	.073	.079	.085		.088	.085							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	2		Parts per million	
2008	48	99	3634	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0582						
							.046	.051	.059	.064	.069	.073	.079	.087		.088	.087							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	3		Parts per million	
2008	48	99	3634	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0582						
							.046	.051	.059	.064	.069	.073	.079	.087		.088	.087							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	4		Parts per million	
2008	0	98	3586	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0579						
							.046	.051	.058	.064	.069	.073	.079	.085		.088	.085							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	5		Parts per million	
2008	48	99	3634	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0582						
							.046	.051	.059	.064	.069	.073	.079	.087		.088	.087							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	6		Parts per million	
2008	48	99	3634	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0582						
							.046	.051	.059	.064	.069	.073	.079	.087		.088	.087							

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-045-0003
 County: Tooele
 City: Tooele
 Support Agency: 1113
 Address: 434 NORTH 50 WEST, TOOELE, UTAH

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.543371
 Longitude: -112.298814
 UTM Zone: 12
 Utm Northing: 4488683
 Utm Easting: 390013
 Vertical Meas: 1,511.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc						
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean		
	44201-Ozone	1			1113			INSTRUMENTAL						.005	1 HOUR	7	Parts per million				
2008	48	99	3634	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0582			
								.046	.051	.059	.064	.069	.073	.079	.087		.088	.087			
	44201-Ozone	1			1113			ULTRA VIOLET							8-HR RUN AVG	1	Parts per million				
								ABSORPTION							BEGIN HOUR						
2008		98	3610	1	1	.032	10	25	50	75	90	95	98	99		1	2	.0528			
								.041	.047	.053	.059	.063	.066	.069	.073		.077	.073			
	44201-Ozone	1			1113			INSTRUMENTAL							8-HR RUN AVG	2	Parts per million				
								ULTRA VIOLET							BEGIN HOUR						
2008		99	3661	2	2	.032	10	25	50	75	90	95	98	99		1	2	.0531			
								.041	.047	.053	.059	.063	.067	.070	.077		.079	.077			
	44201-Ozone	1			1113			INSTRUMENTAL							8-HR RUN AVG	3	Parts per million				
								ULTRA VIOLET							BEGIN HOUR						
2008		99	3661	2	2	.032	10	25	50	75	90	95	98	99		1	2	.0531			
								.041	.047	.053	.059	.063	.067	.070	.077		.079	.077			
	44201-Ozone	1			1113			INSTRUMENTAL							8-HR RUN AVG	4	Parts per million				
								ULTRA VIOLET							BEGIN HOUR						
2008		98	3610	1	1	.032	10	25	50	75	90	95	98	99		1	2	.0528			
								.041	.047	.053	.059	.063	.066	.069	.073		.077	.073			
	44201-Ozone	1			1113			INSTRUMENTAL							8-HR RUN AVG	5	Parts per million				
								ULTRA VIOLET							BEGIN HOUR						
2008		99	3661	2	2	.032	10	25	50	75	90	95	98	99		1	2	.0531			
								.041	.047	.053	.059	.063	.067	.070	.077		.079	.077			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-045-0003
 County: Tooele
 City: Tooele
 Support Agency: 1113
 Address: 434 NORTH 50 WEST, TOOELE, UTAH

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.543371
 Longitude: -112.298814
 UTM Zone: 12
 Utm Northing: 4488683
 Utm Easting: 390013
 Vertical Meas: 1,511.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
	44201-Ozone		1		1113										8-HR RUN AVG BEGIN HOUR	6		Parts per million		
2008		99	3661	2	2	.032		10	25	50	75	90	95	98	99		1	2	.0531	
								.041	.047	.053	.059	.063	.067	.070	.077			.079	.077	
	44201-Ozone		1		1113										8-HR RUN AVG BEGIN HOUR	7		Parts per million		
2008		99	3661	2	2	.032		10	25	50	75	90	95	98	99		1	2	.0531	
								.041	.047	.053	.059	.063	.067	.070	.077			.079	.077	

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-0002
 County: Utah
 City: Provo
 Support Agency: 1113
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.253611
 Longitude: -111.663056
 UTM Zone: 12
 Utm Northing: 4455894
 Utm Easting: 443606
 Vertical Meas: 1,402.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean	
44201-Ozone			2						INSTRUMENTAL								.005	1 HOUR	1	Parts per million			
2008	0	99	5663	0	0	.011	10	25	50	75	90	95	98	99		1	2	.0607					
							.026	.035	.053	.063	.070	.073	.083	.084		.086	.085						
44201-Ozone			2						INSTRUMENTAL								.005	1 HOUR	2	Parts per million			
2008	47	100	5710	0	0	.011	10	25	50	75	90	95	98	99		1	2	.0613					
							.026	.035	.053	.063	.071	.076	.084	.086		.106	.105						
44201-Ozone			2						INSTRUMENTAL								.005	1 HOUR	3	Parts per million			
2008	47	100	5710	0	0	.011	10	25	50	75	90	95	98	99		1	2	.0613					
							.026	.035	.053	.063	.071	.076	.084	.086		.106	.105						
44201-Ozone			2						INSTRUMENTAL								.005	1 HOUR	4	Parts per million			
2008	0	99	5663	0	0	.011	10	25	50	75	90	95	98	99		1	2	.0607					
							.026	.035	.053	.063	.070	.073	.083	.084		.086	.085						
44201-Ozone			2						INSTRUMENTAL								.005	1 HOUR	5	Parts per million			
2008	47	100	5710	0	0	.011	10	25	50	75	90	95	98	99		1	2	.0613					
							.026	.035	.053	.063	.071	.076	.084	.086		.106	.105						
44201-Ozone			2						INSTRUMENTAL								.005	1 HOUR	6	Parts per million			
2008	47	100	5710	0	0	.011	10	25	50	75	90	95	98	99		1	2	.0613					
							.026	.035	.053	.063	.071	.076	.084	.086		.106	.105						
44201-Ozone			2						INSTRUMENTAL								.005	1 HOUR	7	Parts per million			
2008	47	100	5710	0	0	.011	10	25	50	75	90	95	98	99		1	2	.0613					
							.026	.035	.053	.063	.071	.076	.084	.086		.106	.105						

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-0002
 County: Utah
 City: Provo
 Support Agency: 1113
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.253611
 Longitude: -111.663056
 UTM Zone: 12
 Utm Northing: 4455894
 Utm Easting: 443606
 Vertical Meas: 1,402.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone			2														8-HR RUN AVG	1	Parts per million			
																	BEGIN HOUR					
2008			98	5806	1	1	.006		10	25	50	75	90	95	98		99	1	2	.0544		
									.018	.029	.047	.057	.063	.067	.072		.073		.076	.074		
44201-Ozone			2														8-HR RUN AVG	2	Parts per million			
																	BEGIN HOUR					
2008			99	5857	3	3	.006		10	25	50	75	90	95	98		99	1	2	.0549		
									.018	.029	.047	.058	.063	.068	.073		.076		.092	.088		
44201-Ozone			2														8-HR RUN AVG	3	Parts per million			
																	BEGIN HOUR					
2008			99	5857	3	3	.006		10	25	50	75	90	95	98		99	1	2	.0549		
									.018	.029	.047	.058	.063	.068	.073		.076		.092	.088		
44201-Ozone			2														8-HR RUN AVG	4	Parts per million			
																	BEGIN HOUR					
2008			98	5806	1	1	.006		10	25	50	75	90	95	98		99	1	2	.0544		
									.018	.029	.047	.057	.063	.067	.072		.073		.076	.074		
44201-Ozone			2														8-HR RUN AVG	5	Parts per million			
																	BEGIN HOUR					
2008			99	5857	3	3	.006		10	25	50	75	90	95	98		99	1	2	.0549		
									.018	.029	.047	.058	.063	.068	.073		.076		.092	.088		
44201-Ozone			2														8-HR RUN AVG	6	Parts per million			
																	BEGIN HOUR					
2008			99	5857	3	3	.006		10	25	50	75	90	95	98		99	1	2	.0549		
									.018	.029	.047	.058	.063	.068	.073		.076		.092	.088		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-0002
 County: Utah
 City: Provo
 Support Agency: 1113
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.253611
 Longitude: -111.663056
 UTM Zone: 12
 Utm Northing: 4455894
 Utm Easting: 443606
 Vertical Meas: 1,402.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
	44201-Ozone		2		1113									8-HR RUN AVG	7		Parts per million			
														BEGIN HOUR						
2008		99	5857	3	3	.006	10	25	50	75	90	95	98	99		1	2	.0549		
							.018	.029	.047	.058	.063	.068	.073	.076		.092	.088			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-5008
 County: Utah
 City: Not in a city
 Support Agency: 1113
 Address: 10865 N. 6000 WEST, HIGHLAND, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: RURAL
 Land Use: AGRICULTURAL

Latitude: +40.430278
 Longitude: -111.803889
 UTM Zone: 12
 Utm Northing: 4475602
 Utm Easting: 431803
 Vertical Meas: 1,485.0

Site Comments: PART OF 1994 OZONE NETWORK:

Parameter	POC	PQAO		Method of Collection and Analysis					MDL	Duration	EDT	Unit Desc						
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages					Maximum Values	Arith Mean				
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION			.005	1 HOUR	1	Parts per million			
2008	0	95	3956	0	0	.042		10	25	50	75	90	95	98	99	1	2	.0601
								.048	.054	.059	.065	.072	.078	.081	.086		.086	.086
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION			.005	1 HOUR	2	Parts per million			
2008	46	97	4002	0	0	.042		10	25	50	75	90	95	98	99	1	2	.0606
								.048	.054	.060	.066	.073	.078	.086	.095		.098	.095
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION			.005	1 HOUR	3	Parts per million			
2008	46	97	4002	0	0	.042		10	25	50	75	90	95	98	99	1	2	.0606
								.048	.054	.060	.066	.073	.078	.086	.095		.098	.095
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION			.005	1 HOUR	4	Parts per million			
2008	0	95	3956	0	0	.042		10	25	50	75	90	95	98	99	1	2	.0601
								.048	.054	.059	.065	.072	.078	.081	.086		.086	.086
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION			.005	1 HOUR	5	Parts per million			
2008	46	97	4002	0	0	.042		10	25	50	75	90	95	98	99	1	2	.0606
								.048	.054	.060	.066	.073	.078	.086	.095		.098	.095
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION			.005	1 HOUR	6	Parts per million			
2008	46	97	4002	0	0	.042		10	25	50	75	90	95	98	99	1	2	.0606
								.048	.054	.060	.066	.073	.078	.086	.095		.098	.095

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-5008
 County: Utah
 City: Not in a city
 Support Agency: 1113
 Address: 10865 N. 6000 WEST, HIGHLAND, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: RURAL
 Land Use: AGRICULTURAL

Latitude: +40.430278
 Longitude: -111.803889
 UTM Zone: 12
 Utm Northing: 4475602
 Utm Easting: 431803
 Vertical Meas: 1,485.0

Site Comments: PART OF 1994 OZONE NETWORK:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
44201-Ozone	1		1113				INSTRUMENTAL				ULTRA VIOLET ABSORPTION				.005	1 HOUR	7	Parts per million
2008	46	97	4002	0	0	.042	10	25	50	75	90	95	98	99		1	2	.0606
							.048	.054	.060	.066	.073	.078	.086	.095		.098	.095	
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	1	Parts per million
2008		95	3979	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0538
							.044	.048	.054	.059	.063	.067	.071	.071		.071	.071	
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	2	Parts per million
2008		96	4030	2	2	.034	10	25	50	75	90	95	98	99		1	2	.0543
							.044	.049	.054	.059	.064	.069	.071	.085		.088	.085	
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	3	Parts per million
2008		96	4030	2	2	.034	10	25	50	75	90	95	98	99		1	2	.0543
							.044	.049	.054	.059	.064	.069	.071	.085		.088	.085	
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	4	Parts per million
2008		95	3979	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0538
							.044	.048	.054	.059	.063	.067	.071	.071		.071	.071	
44201-Ozone	1		1113													8-HR RUN AVG BEGIN HOUR	5	Parts per million
2008		96	4030	2	2	.034	10	25	50	75	90	95	98	99		1	2	.0543
							.044	.049	.054	.059	.064	.069	.071	.085		.088	.085	

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-5008
 County: Utah
 City: Not in a city
 Support Agency: 1113
 Address: 10865 N. 6000 WEST, HIGHLAND, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: RURAL
 Land Use: AGRICULTURAL

Latitude: +40.430278
 Longitude: -111.803889
 UTM Zone: 12
 Utm Northing: 4475602
 Utm Easting: 431803
 Vertical Meas: 1,485.0

Site Comments: PART OF 1994 OZONE NETWORK:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1														8-HR RUN AVG	6	Parts per million		
																	BEGIN HOUR				
2008			96	4030	2	2	.034		10	25	50	75	90	95	98	99		1	2	.0543	
									.044	.049	.054	.059	.064	.069	.071	.085		.088	.085		
44201-Ozone			1														8-HR RUN AVG	7	Parts per million		
																	BEGIN HOUR				
2008			96	4030	2	2	.034		10	25	50	75	90	95	98	99		1	2	.0543	
									.044	.049	.054	.059	.064	.069	.071	.085		.088	.085		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-5010
 County: Utah
 City: Spanish Fork
 Support Agency: 1113
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.136389
 Longitude: -111.659722
 UTM Zone: 12
 Utm Northing: 4442904
 Utm Easting: 443807
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean			
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million		
2008	0	97	4095	0	0	.041	10	25	50	75	90	95	98	99		1	2	.0616					
									.050	.055	.060	.067	.073	.078	.085	.086		.087	.086				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million		
2008	48	99	4143	0	0	.041	10	25	50	75	90	95	98	99		1	2	.0622					
									.050	.055	.060	.067	.073	.081	.086	.105		.106	.105				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million		
2008	48	99	4143	0	0	.041	10	25	50	75	90	95	98	99		1	2	.0622					
									.050	.055	.060	.067	.073	.081	.086	.105		.106	.105				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million		
2008	0	97	4095	0	0	.041	10	25	50	75	90	95	98	99		1	2	.0616					
									.050	.055	.060	.067	.073	.078	.085	.086		.087	.086				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million		
2008	48	99	4143	0	0	.041	10	25	50	75	90	95	98	99		1	2	.0622					
									.050	.055	.060	.067	.073	.081	.086	.105		.106	.105				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million		
2008	48	99	4143	0	0	.041	10	25	50	75	90	95	98	99		1	2	.0622					
									.050	.055	.060	.067	.073	.081	.086	.105		.106	.105				

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-5010
 County: Utah
 City: Spanish Fork
 Support Agency: 1113
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.136389
 Longitude: -111.659722
 UTM Zone: 12
 Utm Northing: 4442904
 Utm Easting: 443807
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean	
44201-Ozone	1			1113					INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	7	Parts per million	
2008	48	99	4143	0	0	.041	10	25	50	75	90	95	98	99		1	2	.0622			
									.050	.055	.060	.067	.073	.081	.086	.105	.106	.105			
44201-Ozone	1			1113														8-HR RUN AVG BEGIN HOUR	1	Parts per million	
2008		97	4110	0	0	.037	10	25	50	75	90	95	98	99		1	2	.0552			
									.045	.050	.055	.060	.065	.068	.069	.071	.072	.071			
44201-Ozone	1			1113														8-HR RUN AVG BEGIN HOUR	2	Parts per million	
2008		99	4161	2	2	.037	10	25	50	75	90	95	98	99		1	2	.0556			
									.045	.050	.055	.061	.065	.069	.071	.087	.091	.087			
44201-Ozone	1			1113														8-HR RUN AVG BEGIN HOUR	3	Parts per million	
2008		99	4161	2	2	.037	10	25	50	75	90	95	98	99		1	2	.0556			
									.045	.050	.055	.061	.065	.069	.071	.087	.091	.087			
44201-Ozone	1			1113														8-HR RUN AVG BEGIN HOUR	4	Parts per million	
2008		97	4110	0	0	.037	10	25	50	75	90	95	98	99		1	2	.0552			
									.045	.050	.055	.060	.065	.068	.069	.071	.072	.071			
44201-Ozone	1			1113														8-HR RUN AVG BEGIN HOUR	5	Parts per million	
2008		99	4161	2	2	.037	10	25	50	75	90	95	98	99		1	2	.0556			
									.045	.050	.055	.061	.065	.069	.071	.087	.091	.087			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-049-5010
 County: Utah
 City: Spanish Fork
 Support Agency: 1113
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.136389
 Longitude: -111.659722
 UTM Zone: 12
 Utm Northing: 4442904
 Utm Easting: 443807
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone			1														8-HR RUN AVG	6		Parts per million		
																	BEGIN HOUR					
2008			99	4161	2	2	.037		10	25	50	75	90	95	98	99		1	2	.0556		
									.045	.050	.055	.061	.065	.069	.071	.087		.091	.087			
44201-Ozone			1														8-HR RUN AVG	7		Parts per million		
																	BEGIN HOUR					
2008			99	4161	2	2	.037		10	25	50	75	90	95	98	99		1	2	.0556		
									.045	.050	.055	.061	.065	.069	.071	.087		.091	.087			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-053-0006

AQCR: FOUR CORNERS

Latitude: +37.129000

County: Washington

Urban Area: NOT IN AN URBAN AREA

Longitude: -113.637000

City: Not in a city

Location Setting: RURAL

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 1215 NORTH LAVA FLOW DRIVE, SANTA CLARA, UTAH

Utm Easting:

Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc						
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean		
								INSTRUMENTAL						.005	1 HOUR	0	Parts per million				
								ULTRA VIOLET													
								ABSORPTION													
2008	0	88	1997	0	0	.044	10	25	50	75	90	95	98	99		1	2	.0574			
								.051	.053	.058	.061	.064	.065	.067	.071		.071	.067			
								INSTRUMENTAL							8-HR RUN AVG	0	Parts per million				
								BEGIN HOUR													
2008		88	2000	0	0	.039	10	25	50	75	90	95	98	99		1	2	.0536			
								.047	.049	.054	.057	.060	.061	.062	.068		.068	.062			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-057-0002	AQCR: WASATCH FRONT	Latitude: +41.206389
County: Weber	Urban Area: OGDEN, UT	Longitude: -111.974722
City: Ogden	Location Setting: URBAN AND CENTER CITY	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4561914
Address: 228 32ND STREET, OGDEN, UTAH		Utm Easting: 418278
		Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean		
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million	
2008	0	97	4723	0	0	.012		10	25	50	75	90	95	98	99		1	2	.0631		
								.026	.033	.048	.064	.075	.080	.085	.090			.092	.090		
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million	
2008	48	99	4771	0	0	.012		10	25	50	75	90	95	98	99		1	2	.0635		
								.026	.033	.049	.065	.076	.081	.086	.090			.092	.090		
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million	
2008	48	99	4771	0	0	.012		10	25	50	75	90	95	98	99		1	2	.0635		
								.026	.033	.049	.065	.076	.081	.086	.090			.092	.090		
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million	
2008	0	97	4723	0	0	.012		10	25	50	75	90	95	98	99		1	2	.0631		
								.026	.033	.048	.064	.075	.080	.085	.090			.092	.090		
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million	
2008	48	99	4771	0	0	.012		10	25	50	75	90	95	98	99		1	2	.0635		
								.026	.033	.049	.065	.076	.081	.086	.090			.092	.090		
44201-Ozone	1		1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million	
2008	48	99	4771	0	0	.012		10	25	50	75	90	95	98	99		1	2	.0635		
								.026	.033	.049	.065	.076	.081	.086	.090			.092	.090		

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-057-0002	AQCR: WASATCH FRONT	Latitude: +41.206389
County: Weber	Urban Area: OGDEN, UT	Longitude: -111.974722
City: Ogden	Location Setting: URBAN AND CENTER CITY	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4561914
Address: 228 32ND STREET, OGDEN, UTAH		Utm Easting: 418278
		Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone	1		1113					INSTRUMENTAL				ULTRA VIOLET				.005	1 HOUR	7	Parts per million		
2008	48	99	4771	0	0	.012		10	25	50	75	90	95	98	99		1	2	.0635		
								.026	.033	.049	.065	.076	.081	.086	.090		.092	.090			
44201-Ozone	1		1113					INSTRUMENTAL				ULTRA VIOLET					8-HR RUN AVG	1	Parts per million		
2008		97	4768	0	0	.008		10	25	50	75	90	95	98	99		1	2	.0550		
								.017	.025	.044	.056	.065	.068	.072	.074		.074	.074			
44201-Ozone	1		1113					INSTRUMENTAL				ULTRA VIOLET					8-HR RUN AVG	2	Parts per million		
2008		99	4820	2	2	.008		10	25	50	75	90	95	98	99		1	2	.0554		
								.017	.025	.044	.057	.065	.069	.074	.077		.081	.077			
44201-Ozone	1		1113					INSTRUMENTAL				ULTRA VIOLET					8-HR RUN AVG	3	Parts per million		
2008		99	4820	2	2	.008		10	25	50	75	90	95	98	99		1	2	.0554		
								.017	.025	.044	.057	.065	.069	.074	.077		.081	.077			
44201-Ozone	1		1113					INSTRUMENTAL				ULTRA VIOLET					8-HR RUN AVG	4	Parts per million		
2008		97	4768	0	0	.008		10	25	50	75	90	95	98	99		1	2	.0550		
								.017	.025	.044	.056	.065	.068	.072	.074		.074	.074			
44201-Ozone	1		1113					INSTRUMENTAL				ULTRA VIOLET					8-HR RUN AVG	5	Parts per million		
2008		99	4820	2	2	.008		10	25	50	75	90	95	98	99		1	2	.0554		
								.017	.025	.044	.057	.065	.069	.074	.077		.081	.077			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-057-0002
 County: Weber
 City: Ogden
 Support Agency: 1113
 Address: 228 32ND STREET, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +41.206389
 Longitude: -111.974722
 UTM Zone: 12
 Utm Northing: 4561914
 Utm Easting: 418278
 Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone			1					1113									8-HR RUN AVG	6		Parts per million		
																	BEGIN HOUR					
2008			99	4820	2	2	.008		10	25	50	75	90	95	98	99		1	2	.0554		
									.017	.025	.044	.057	.065	.069	.074	.077		.081	.077			
44201-Ozone			1					1113									8-HR RUN AVG	7		Parts per million		
																	BEGIN HOUR					
2008			99	4820	2	2	.008		10	25	50	75	90	95	98	99		1	2	.0554		
									.017	.025	.044	.057	.065	.069	.074	.077		.081	.077			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-057-1003
 County: Weber
 City: Not in a city
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303683
 Longitude: -111.987067
 UTM Zone: 12
 Utm Northing: 4572719
 Utm Easting: 417376
 Vertical Meas: 1,331.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc					
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean	
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	1	Parts per million	
2008	0	94	3469	0	0	.038	10	25	50	75	90	95	98	99		1	2	.0616		
							.049	.053	.061	.069	.078	.079	.085	.089		.092	.089			
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	2	Parts per million	
2008	48	95	3517	0	0	.038	10	25	50	75	90	95	98	99		1	2	.0619		
							.049	.053	.061	.069	.078	.081	.089	.092		.092	.092			
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	3	Parts per million	
2008	48	95	3517	0	0	.038	10	25	50	75	90	95	98	99		1	2	.0619		
							.049	.053	.061	.069	.078	.081	.089	.092		.092	.092			
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	4	Parts per million	
2008	0	94	3469	0	0	.038	10	25	50	75	90	95	98	99		1	2	.0616		
							.049	.053	.061	.069	.078	.079	.085	.089		.092	.089			
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	5	Parts per million	
2008	48	95	3517	0	0	.038	10	25	50	75	90	95	98	99		1	2	.0619		
							.049	.053	.061	.069	.078	.081	.089	.092		.092	.092			
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	6	Parts per million	
2008	48	95	3517	0	0	.038	10	25	50	75	90	95	98	99		1	2	.0619		
							.049	.053	.061	.069	.078	.081	.089	.092		.092	.092			

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-057-1003
 County: Weber
 City: Not in a city
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303683
 Longitude: -111.987067
 UTM Zone: 12
 Utm Northing: 4572719
 Utm Easting: 417376
 Vertical Meas: 1,331.0

Site Comments:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages											Maximum	Values	Arith	Mean	
44201-Ozone	1			1113					INSTRUMENTAL									.005	1 HOUR	7	Parts per million			
2008	48	95	3517	0	0	.038	10	25	50	75	90	95	98	99		1	2	.0619						
							.049	.053	.061	.069	.078	.081	.089	.092		.092	.092							
44201-Ozone	1			1113					ULTRA VIOLET										8-HR RUN AVG	1	Parts per million			
2008		94	3479	1	1	.036	10	25	50	75	90	95	98	99		1	2	.0554						
							.044	.048	.055	.063	.068	.071	.072	.075		.076	.075							
44201-Ozone	1			1113					ABSORPTION										8-HR RUN AVG	2	Parts per million			
2008		95	3530	3	3	.036	10	25	50	75	90	95	98	99		1	2	.0557						
							.044	.048	.056	.063	.069	.071	.076	.077		.080	.077							
44201-Ozone	1			1113					INSTRUMENTAL										8-HR RUN AVG	3	Parts per million			
2008		95	3530	3	3	.036	10	25	50	75	90	95	98	99		1	2	.0557						
							.044	.048	.056	.063	.069	.071	.076	.077		.080	.077							
44201-Ozone	1			1113					ULTRA VIOLET										8-HR RUN AVG	4	Parts per million			
2008		94	3479	1	1	.036	10	25	50	75	90	95	98	99		1	2	.0554						
							.044	.048	.055	.063	.068	.071	.072	.075		.076	.075							
44201-Ozone	1			1113					ABSORPTION										8-HR RUN AVG	5	Parts per million			
2008		95	3530	3	3	.036	10	25	50	75	90	95	98	99		1	2	.0557						
							.044	.048	.056	.063	.069	.071	.076	.077		.080	.077							

FREQUENCY DISTRIBUTION REPORT

Jan. 12, 2010

Utah

Site ID: 49-057-1003
 County: Weber
 City: Not in a city
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303683
 Longitude: -111.987067
 UTM Zone: 12
 Utm Northing: 4572719
 Utm Easting: 417376
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
	44201-Ozone	1			1113									8-HR RUN AVG BEGIN HOUR	6		Parts per million
2008		95	3530	3	3	.036	10	25	50	75	90	95	98	99	1	2	.0557
							.044	.048	.056	.063	.069	.071	.076	.077		.080	.077
	44201-Ozone	1			1113									8-HR RUN AVG BEGIN HOUR	7		Parts per million
2008		95	3530	3	3	.036	10	25	50	75	90	95	98	99	1	2	.0557
							.044	.048	.056	.063	.069	.071	.076	.077		.080	.077