

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 2375799

Report Code: AMP230

Apr. 22, 2026

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			81102							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA			

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2025	2025

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 Annual 2024
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-003-0005
 County: Box Elder
 City: Brigham City
 Support Agency:
 Address: 340 Paxton Pl, BRIGHAM CITY, UT

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +41.485007
 Longitude: -112.021476
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,334.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean		
81102-PM10	Total	0-	1		1113			R - P Co Partisol	Gravimetric							4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP							Model 2025												
2025	0	85	275	0	0	1	10	25	50	75	90	95	98	99		1	2	19.2		
							5	9	18	24	35	44	50	71		109	108			

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-011-0004
 County: Davis
 City: Bountiful
 Support Agency: 1113
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.902967
 Longitude: -111.884467
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean
81102-PM10	Total	0-	3		1113			R - P Co Partisol Model 2025							4	24 HOUR	0	Micrograms/cubic meter (25 C)	
2025	0	97	285	0	0	1	10	25	50	75	90	95	98	99		1	2	19.9	
							5	11	18	26	33	40	57	91		115	98		
81102-PM10	Total	0-	5		1113			Tisch Model TE-Wilbur10 Low-Volume Sampler							4	24 HOUR	0	Micrograms/cubic meter (25 C)	
2025	0	100	61	0	0	1	10	25	50	75	90	95	98	99		1	2	16.9	
							5	7	17	24	29	33	43	45		45	43		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-013-0002
 County: Duchesne
 City: Roosevelt
 Support Agency: 1113
 Address: 290 S. 1000 W.

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.294178
 Longitude: -110.009732
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs					Percentages								Maximum Values	Arith Mean
81102-PM10	Total	0-	1		1113	R - P Co Partisol					Gravimetric					4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP					Model 2025														
2025	0	99	363	0	0	2	10	25	50	75	90	95	98	99		1	2	16.9		
						6	9	14	22	31	38	50	61			118	86			
81102-PM10	Total	0-	2		1113	R - P Co Partisol					Gravimetric					4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP					Model 2025														
2025	0	98	61	0	0	3	10	25	50	75	90	95	98	99		1	2	16.1		
						6	8	12	21	29	33	38	69			69	38			
81102-PM10	Total	0-	3		1113	Met One E-BAM					Beta Attenuation					10	1 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP					PLUS														
2025	0	99	8652			-15	10	25	50	75	90	95	98	99		1	2	15.0		
						-3	3	11	21	35	45	61	90			652	587			
81102-PM10	Total	0-	3		1113												24-HR BLK AVG	0	Micrograms/cubic meter (25 C)	
	10um STP																			
2025	0	99	361	0	0	0	10	25	50	75	90	95	98	99		1	2	14.5		
						4	7	11	19	27	34	48	61			113	86			

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages													Maximum Values	Arith Mean	
81102-PM10	Total	0-	1		1113			R - P Co Partisol Gravimetric										4	24 HOUR	0	Micrograms/cubic meter (25 C)		
	10um STP							Model 2025															
2025	0	99	363	0	0	3	10	25	50	75	90	95	98	99		1	2	20.0					
								7	12	17	24	35	44	59	73		134	94					
81102-PM10	Total	0-	4		1113			Met One E-BAM Beta Attenuation										10	1 HOUR	0	Micrograms/cubic meter (25 C)		
	10um STP							PLUS															
2025	0	99	8705			-15	10	25	50	75	90	95	98	99		1	2	19.2					
								3	8	15	24	35	47	68	95		626	621					
81102-PM10	Total	0-	4		1113														24-HR BLK AVG	0	Micrograms/cubic meter (25 C)		
	10um STP																						
2025	0	99	363	0	0	2	10	25	50	75	90	95	98	99		1	2	18.7					
								6	10	16	23	34	41	54	82		105	94					

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3013
 County: Salt Lake
 City: Herriman
 Support Agency: 1113
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.496392
 Longitude: -112.036298
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages													Maximum Values	Arith Mean	
81102-PM10	Total	0-	2		1113			Met One E-BAM	Beta Attenuation										10	1 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP							PLUS															
2025	0	100	8735			-11	10	25	50	75	90	95	98	99		1	2	21.1					
							2	7	15	26	40	56	94	138		587	537						
81102-PM10	Total	0-	2		1113									24-HR BLK AVG	0	Micrograms/cubic meter (25 C)							
	10um STP																						
2025	0	100	365	0	0	0	10	25	50	75	90	95	98	99	1	2	20.6						
							5	8	17	28	39	50	70	97	107	103							

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3014
 County: Salt Lake
 City: West Valley City
 Support Agency: 1113
 Address: 2782 South Corporate Park Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.709762
 Longitude: -112.008760
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,297.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages													Maximum Values	Arith Mean	
81102-PM10	Total	0-	1		1113			R - P Co Partisol	Gravimetric										4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP							Model 2025															
2025	0	95	278	1	1	2		10	25	50	75	90	95	98	99		1	2	24.1				
								7	12	20	30	42	53	88	110		221	116					

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3015

AQCR: WASATCH FRONT

Latitude: +40.777145

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.945849

City: Salt Lake City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 240 N 1950 W

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages													Maximum Values	Arith Mean
81102-PM10	Total	0-	1		1113			R - P Co Partisol										4	24 HOUR	0	Micrograms/cubic meter	
	10um	STP						Model 2025													(25 C)	
2025	0	99	360	1	1	3	10	25	50	75	90	95	98	99		1	2	25.6				
							9	14	21	32	46	54	76	102		206	119					
81102-PM10	Total	0-	3		1113			Met One E-BAM										10	1 HOUR	0	Micrograms/cubic meter	
	10um	STP						PLUS													(25 C)	
2025	0	99	8684			-15	10	25	50	75	90	95	98	99		1	2	26.5				
							5	11	20	33	52	65	90	132		851	739					
81102-PM10	Total	0-	3		1113														24-HR BLK AVG	0	Micrograms/cubic meter	
	10um	STP																			(25 C)	
2025	0	100	365	1	1	2	10	25	50	75	90	95	98	99		1	2	26.1				
							8	15	22	32	46	59	82	104		177	116					

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3016
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1480 North 8000 West

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: INDUSTRIAL

Latitude: +40.807897
 Longitude: -112.087717
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages													Maximum Values	Arith Mean
81102-PM10 Total	0-	1			1113		R - P Co Partisol										4	24 HOUR	0	Micrograms/cubic meter	
	10um STP						Model 2025													(25 C)	
2025	0	95	278	1	1	2	10	25	50	75	90	95	98	99		1	2	22.8			
							5	10	18	28	41	58	90	121		303	145				

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-049-4001
 County: Utah
 City: Lindon
 Support Agency: 1113
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.341389
 Longitude: -111.713611
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean		
81102-PM10	Total	0-	3		1113			Met One E-BAM	Beta Attenuation							10	1 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP							PLUS												
2025	0	98	8615			-15	10	25	50	75	90	95	98	99		1	2	22.4		
							4	10	18	28	43	56	77	97		1166	578			
81102-PM10	Total	0-	3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (25 C)				
	10um STP																			
2025	0	98	359	1	1	1	10	25	50	75	90	95	98	99		1	2	21.9		
							6	12	20	29	37	45	58	70		172	90			

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-057-1003
 County: Weber
 City: Harrisville
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303614
 Longitude: -111.987871
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean		
81102-PM10	Total	0-	2		1113			Met One E-BAM	Beta Attenuation							10	1 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP							PLUS												
2025	0	99	8710			-15	10	25	50	75	90	95	98	99		1	2	17.5		
								1	6	13	23	35	45	70	104		773	701		
81102-PM10	Total	0-	2		1113									24-HR BLK AVG	0	Micrograms/cubic meter (25 C)				
	10um STP																			
2025	0	99	362	0	0	0	10	25	50	75	90	95	98	99		1	2	17.0		
								3	7	15	22	31	38	57	78		124	99		