

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 2375800

Report Code: AMP230

Apr. 22, 2026

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			88101							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2025	2025

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 Annual 2024
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-003-0005
 County: Box Elder
 City: Brigham City
 Support Agency:
 Address: 340 Paxton Pl, BRIGHAM CITY, UT

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +41.485007
 Longitude: -112.021476
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,334.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	96	352			.1	10	25	50	75	90	95	98	99		1	2	4.46
						1.4	2.5	3.9	5.7	8.4	9.7	11.8	15.9		24.5	18.3		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	99	8648			-.2	10	25	50	75	90	95	98	99		1	2	5.65
						1.4	2.8	4.8	7.4	10.4	13.1	16.9	20.1		73.0	56.9		
88101-PM2.5 - Local Conditions		3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	98	359			.4	10	25	50	75	90	95	98	99		1	2	5.58
						2.1	3.4	5.3	7.1	9.6	10.9	13.5	15.7		28.5	16.8		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-005-0007
 County: Cache
 City: Smithfield
 Support Agency: 1113
 Address: 675 West 220 North

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.842649
 Longitude: -111.852199
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages						Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions	1			1113					R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC			2	24 HOUR	0	Micrograms/cubic meter (LC)	
2025	0	97	355	.6	10	25	50	75	90	95	98	99	1	2	4.85	
				1.8	2.7	4.4	6.4	8.3	10.4	12.3	13.0	25.3	19.7			
88101-PM2.5 - Local Conditions	2			1113					R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC			2	24 HOUR	0	Micrograms/cubic meter (LC)	
2025	0	100	360	.7	10	25	50	75	90	95	98	99	1	2	5.24	
				8.2	8.8	10.4	11.4	14.0	15.0	19.7	26.7	26.7	19.7			
88101-PM2.5 - Local Conditions	4			1113					Thermo Scientific Model 5030 SHARP w/VSCC			2	1 HOUR	0	Micrograms/cubic meter (LC)	
2025	0	100	8723	.0	10	25	50	75	90	95	98	99	1	2	6.17	
				1.6	3.1	5.3	8.1	11.5	13.9	18.2	21.3	51.4	50.9			
88101-PM2.5 - Local Conditions	4			1113					Thermo Scientific Model 5030 SHARP w/VSCC			2	24-HR BLK AVG	0	Micrograms/cubic meter (LC)	
2025	0	100	363	.7	10	25	50	75	90	95	98	99	1	2	6.12	
				11.5	11.8	12.8	14.1	16.4	20.7	27.2	27.2	27.2	20.7			
88101-PM2.5 - Local Conditions	5			1113					Thermo Scientific Model 5030 SHARP w/VSCC			2	1 HOUR	0	Micrograms/cubic meter (LC)	
2025	0	98	8620	.0	10	25	50	75	90	95	98	99	1	2	6.10	
				1.4	3.1	5.3	8.0	11.2	13.8	18.5	22.0	58.8	52.6			

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-005-0007
 County: Cache
 City: Smithfield
 Support Agency: 1113
 Address: 675 West 220 North

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.842649
 Longitude: -111.852199
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		5			1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	98	359			.5	10	25	50	75	90	95	98	99		1	2	6.06
							2.1	3.7	5.6	7.8	10.6	12.0	13.9	15.8		27.6	19.7	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-011-0004
 County: Davis
 City: Bountiful
 Support Agency: 1113
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.902967
 Longitude: -111.884467
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	98	358			.7	10	25	50	75	90	95	98	99		1	2	5.64
								1.8	2.9	4.8	6.9	10.5	14.2	18.7	21.1		23.9	22.8
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	99	8691			.1	10	25	50	75	90	95	98	99		1	2	6.44
								1.7	3.2	5.4	8.4	12.2	15.0	19.7	24.2		56.7	55.6
88101-PM2.5 - Local Conditions		3		1113		24-HR BLK AVG							24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	99	360			.7	10	25	50	75	90	95	98	99		1	2	6.41
								2.8	4.0	5.8	7.8	10.8	13.1	16.7	18.1		24.7	21.3

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-013-0002
 County: Duchesne
 City: Roosevelt
 Support Agency: 1113
 Address: 290 S. 1000 W.

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.294178
 Longitude: -110.009732
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages						Min Obs			Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	97	353			.5	10	25	50	75	90	95	98	99		1	2	5.39
						1.9	2.7	4.1	6.5	9.9	13.1	21.8	26.2			32.8	30.5	
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	98	8554			-.6	10	25	50	75	90	95	98	99		1	2	6.01
						1.5	2.9	4.8	7.3	11.4	14.9	22.0	29.8			57.0	53.6	
88101-PM2.5 - Local Conditions		3		1113		24-HR BLK AVG							24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	98	356			.2	10	25	50	75	90	95	98	99		1	2	5.97
						2.2	3.6	5.1	7.2	10.0	13.2	19.0	26.8			35.1	30.9	
88101-PM2.5 - Local Conditions		4		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	98	8603			.0	10	25	50	75	90	95	98	99		1	2	6.58
						1.9	3.3	5.5	8.1	12.2	15.8	22.0	29.8			57.0	51.9	
88101-PM2.5 - Local Conditions		4		1113		24-HR BLK AVG							24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	98	357			.4	10	25	50	75	90	95	98	99		1	2	6.54
						2.8	4.2	5.6	7.5	10.4	14.1	19.2	27.8			35.1	29.5	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-019-0007
 County: Grand
 City: Moab
 Support Agency: 1113
 Address: 691 S Mill Creek Dr

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: COMMERCIAL

Latitude: +38.566055
 Longitude: -109.537160
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,222.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	99	8698			-2.5	10	25	50	75	90	95	98	99	1	2	7.00
						1.2	2.8	5.5	9.4	14.3	18.2	24.2	30.1		77.3	71.8	
88101-PM2.5 - Local Conditions		1		1113		Teledyne T640X at 16.67 LPM						.1	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	99	361			-.2	10	25	50	75	90	95	98	99	1	2	6.98
						2.1	4.4	6.6	9.2	11.2	13.8	17.0	19.1		30.0	22.6	
88101-PM2.5 - Local Conditions		6		1113		Broadband spectroscopy							24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	100	8733			.3	10	25	50	75	90	95	98	99	1	2	7.62
						3.0	4.2	5.9	8.6	13.7	18.2	29.3	36.6		107.7	87.3	
88101-PM2.5 - Local Conditions		6		1113		Broadband spectroscopy							24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	99	363			.9	10	25	50	75	90	95	98	99	1	2	7.59
						3.7	5.0	6.4	8.7	11.5	15.0	25.9	30.2		33.1	32.8	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-021-0005
 County: Iron
 City: Enoch
 Support Agency:
 Address: 3840 North 325 East

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.747430
 Longitude: -113.055525
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,692.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	100	8725			.0	10	25	50	75	90	95	98	99	1	2	6.07
							1.7	3.0	5.1	7.9	11.3	13.9	17.7	22.3	84.9	72.8	
88101-PM2.5 - Local Conditions		1		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	100	364			.5	10	25	50	75	90	95	98	99	1	2	6.02
							2.6	4.1	5.5	7.3	9.4	11.5	14.4	16.6	29.5	22.2	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-2005
 County: Salt Lake
 City: Midvale
 Support Agency: 1113
 Address: 8449 S. Monroe St.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.598056
 Longitude: -111.894167
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	100	364			.6	10	25	50	75	90	95	98	99		1	2	6.81
						2.3	3.6	5.6	8.4	12.8	16.5	20.2	25.3		28.9	27.1		
88101-PM2.5 - Local Conditions		4		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	100	8742			.1	10	25	50	75	90	95	98	99		1	2	7.64
						2.1	3.8	6.2	9.7	13.9	17.6	23.5	28.5		172.3	138.5		
88101-PM2.5 - Local Conditions		4		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	100	364			.5	10	25	50	75	90	95	98	99		1	2	7.56
						3.0	4.5	6.7	9.2	12.6	16.9	20.3	26.7		28.6	28.3		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,306.0

Site Comments:

Parameter Year	Exc	Evt	POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
			%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages							Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions	1			1113			R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	99	362				.9	10	25	50	75	90	95	98	99	1	2	5.62
							2.2	3.3	4.9	6.6	9.6	13.0	16.9	22.7		26.0	24.2	
88101-PM2.5 - Local Conditions	2			1113			Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	100	8742				-.2	10	25	50	75	90	95	98	99	1	2	6.87
							2.1	3.6	5.7	8.7	12.7	16.0	21.0	25.7		114.5	114.0	
88101-PM2.5 - Local Conditions	2			1113										24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	100	365				.4	10	25	50	75	90	95	98	99	1	2	6.83
							3.2	4.4	6.3	8.2	11.1	13.7	18.1	21.6		24.1	23.0	
88101-PM2.5 - Local Conditions	4			1113			Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	99	8677				-.9	10	25	50	75	90	95	98	99	1	2	6.42
							1.8	3.2	5.2	8.2	12.2	15.5	20.0	25.0		108.3	103.0	
88101-PM2.5 - Local Conditions	4			1113										24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	99	362				.9	10	25	50	75	90	95	98	99	1	2	6.37
							2.9	3.9	5.8	7.7	10.6	12.8	17.3	20.9		24.7	22.5	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3010
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.784220
 Longitude: -111.931000
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min Obs											
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	97	354			.8	10	25	50	75	90	95	98	99	1	2	6.25
						2.3	3.5	5.4	7.7	11.5	14.3	17.7	21.3		23.4	22.5	
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	98	348			1.0	10	25	50	75	90	95	98	99	1	2	6.49
						9.7	10.7	12.5	15.2	18.7	22.7	23.9	24.5		24.5	23.9	
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	100	8745			.0	10	25	50	75	90	95	98	99	1	2	7.79
						2.1	3.8	6.5	10.0	14.4	18.4	23.5	27.9		329.0	233.1	
88101-PM2.5 - Local Conditions		3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	100	365			.7	10	25	50	75	90	95	98	99	1	2	7.76
						3.1	4.9	7.1	9.5	12.9	15.9	20.0	22.5		36.5	26.7	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3013
 County: Salt Lake
 City: Herriman
 Support Agency: 1113
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.496392
 Longitude: -112.036298
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		2		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	99	8662			-.7	10	25	50	75	90	95	98	99	1	2	5.63
							1.3	2.7	4.8	7.3	10.4	13.5	17.3	21.3		79.0	68.0
88101-PM2.5 - Local Conditions		2		1113		Thermo Scientific Model 5030 SHARP w/VSCC							24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	99	360			.3	10	25	50	75	90	95	98	99	1	2	5.58
							1.8	3.4	5.1	7.1	9.2	12.1	13.8	16.2		27.4	17.8
88101-PM2.5 - Local Conditions		5		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	100	8729			-.3	10	25	50	75	90	95	98	99	1	2	5.60
							1.2	2.4	4.6	7.4	10.7	13.6	18.0	23.1		68.3	66.8
88101-PM2.5 - Local Conditions		5		1113		Thermo Scientific Model 5030 SHARP w/VSCC							24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	100	365			.3	10	25	50	75	90	95	98	99	1	2	5.56
							1.6	3.1	5.1	7.4	9.9	11.7	13.9	15.4		26.3	18.2

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3014
 County: Salt Lake
 City: West Valley City
 Support Agency: 1113
 Address: 2782 South Corporate Park Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.709762
 Longitude: -112.008760
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,297.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		Thermo Scientific Model 5030 SHARP w/VSCC						Beta Attenuation	2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	99	8636			.0	10	25	50	75	90	95	98	99		1	2	7.15
							1.7	3.4	5.8	9.1	13.3	16.9	21.8	27.1		250.5	199.1	
88101-PM2.5 - Local Conditions		1		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	98	358			.3	10	25	50	75	90	95	98	99		1	2	7.08
							2.6	4.2	6.3	8.7	12.5	14.9	19.5	28.5		38.4	34.2	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3015

AQCR: WASATCH FRONT

Latitude: +40.777145

County: Salt Lake

Urban Area: SALT LAKE CITY, UT

Longitude: -111.945849

City: Salt Lake City

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency:

Land Use: RESIDENTIAL

Utm Northing:

Address: 240 N 1950 W

Utm Easting:

Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min Obs											
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	99	362			.8	10	25	50	75	90	95	98	99	1	2	6.82
							2.5	3.8	5.7	8.2	12.0	15.9	20.2	23.2	32.7	32.2	
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	100	8748			.3	10	25	50	75	90	95	98	99	1	2	7.34
							2.1	3.8	6.1	9.4	13.7	17.0	21.8	26.1	170.0	123.9	
88101-PM2.5 - Local Conditions		3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	100	365			1.0	10	25	50	75	90	95	98	99	1	2	7.29
							3.1	4.5	6.6	9.2	12.4	15.0	18.4	23.8	25.6	24.0	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3016
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1480 North 8000 West

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: INDUSTRIAL

Latitude: +40.807897
 Longitude: -112.087717
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		Thermo Scientific Model 5030 SHARP w/VSCC						Beta Attenuation	2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	100	8733			-2.3	10	25	50	75	90	95	98	99		1	2	6.06
							1.0	2.6	4.8	8.1	12.4	15.3	19.7	23.3		185.3	154.9	
88101-PM2.5 - Local Conditions		1		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	99	363			-.1	10	25	50	75	90	95	98	99		1	2	6.00
							1.6	3.5	5.2	7.7	11.2	13.2	16.4	22.1		31.1	23.4	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-3018
 County: Salt Lake
 City: Salt Lake City
 Support Agency:
 Address: Red Butte Canyon Rd.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: INDUSTRIAL

Latitude: +40.766528
 Longitude: -111.828350
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	100	8743			-.1	10	25	50	75	90	95	98	99		1	2	4.66
							.8	1.7	3.5	6.2	9.5	12.2	16.9	21.4		96.8	53.9	
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	100	365			.2	10	25	50	75	90	95	98	99		1	2	4.62
							1.1	2.6	4.3	5.9	8.3	9.7	12.6	14.6		21.5	18.8	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-035-4002
 County: Salt Lake
 City: Murray
 Support Agency:
 Address: 4951 South Galleria Dr

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: MOBILE

Latitude: +40.662961
 Longitude: -111.901851
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,295.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Percentages									Maximum Values	Arith Mean	
						Min	Obs										
88101-PM2.5 - Local Conditions		1			1113	Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	100	8747			.2	10	25	50	75	90	95	98	99	1	2	9.15
						2.7	4.6	7.6	11.9	16.9	21.0	26.8	32.9		180.1	141.1	
88101-PM2.5 - Local Conditions		1			1113	R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC							24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2025	0	100	365			1.3	10	25	50	75	90	95	98	99	1	2	9.10
						4.1	5.6	8.2	11.3	15.4	17.3	23.1	26.2		30.2	29.1	
88101-PM2.5 - Local Conditions		3			1113	R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2025	0	99	360			1.2	10	25	50	75	90	95	98	99	1	2	7.57
						3.0	4.4	6.5	9.5	13.7	16.9	20.2	26.0		29.8	26.8	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-045-0004
 County: Tooele
 City: Erda
 Support Agency: 1113
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: COMMERCIAL

Latitude: +40.600550
 Longitude: -112.355780
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,321.7

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	97	354			.5	10	25	50	75	90	95	98	99		1	2	4.88
						1.3	2.2	3.9	6.3	9.0	12.9	14.7	21.6		31.2	25.4		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	99	8664			-.3	10	25	50	75	90	95	98	99		1	2	5.31
						1.0	2.2	4.3	6.8	10.1	12.8	17.7	25.5		166.2	99.0		
88101-PM2.5 - Local Conditions		3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	99	361			.0	10	25	50	75	90	95	98	99		1	2	5.26
						1.3	2.9	4.8	6.6	9.3	11.5	13.7	23.3		35.7	26.1		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-047-1004
 County: Uintah
 City: Vernal
 Support Agency: 1113
 Address: 628 North 1700 West

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +40.464710
 Longitude: -109.561472
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions	1		1113			R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	97	355			.6	10	25	50	75	90	95	98	99		1	2	3.62
						1.6	2.0	2.9	4.2	6.0	9.8	12.4	14.4			18.5	16.6	
88101-PM2.5 - Local Conditions	4		1113			Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	100	8734			.0	10	25	50	75	90	95	98	99		1	2	4.75
						1.5	2.5	3.9	5.8	8.7	11.7	16.1	18.3			31.3	29.9	
88101-PM2.5 - Local Conditions	4		1113										24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	100	365			.9	10	25	50	75	90	95	98	99		1	2	4.69
						2.3	2.9	3.9	5.4	7.8	10.9	14.0	15.3			19.2	17.9	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-049-4001
 County: Utah
 City: Lindon
 Support Agency: 1113
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.341389
 Longitude: -111.713611
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	99	361			.6	10	25	50	75	90	95	98	99		1	2	5.73
						2.0	3.4	4.8	6.8	9.8	13.0	18.2	23.1		32.4	26.0		
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	100	61			.2	10	25	50	75	90	95	98	99		1	2	5.85
						1.9	3.5	5.3	7.4	11.3	12.5	15.7	19.2		19.2	15.7		
88101-PM2.5 - Local Conditions		5		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	98	8615			-.5	10	25	50	75	90	95	98	99		1	2	7.34
						1.9	3.7	6.2	9.6	13.5	17.1	22.4	26.8		155.4	108.9		
88101-PM2.5 - Local Conditions		5		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	98	357			.7	10	25	50	75	90	95	98	99		1	2	7.28
						3.1	4.6	6.7	9.0	11.8	14.6	18.9	23.1		28.6	28.5		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-049-5010
 County: Utah
 City: Spanish Fork
 Support Agency: 1113
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.136378
 Longitude: -111.657936
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	98	357			.8	10	25	50	75	90	95	98	99		1	2	6.09
						2.1	3.2	5.0	7.5	11.5	13.5	18.9	23.8		33.7	25.4		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	100	8728			-.2	10	25	50	75	90	95	98	99		1	2	6.73
						1.8	3.3	5.6	8.5	12.2	15.9	22.9	28.0		112.9	77.0		
88101-PM2.5 - Local Conditions		3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	99	363			.6	10	25	50	75	90	95	98	99		1	2	6.68
						2.6	4.1	5.8	8.3	11.0	14.5	18.9	22.5		29.7	29.0		

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-053-0007
 County: Washington
 City: Hurricane
 Support Agency: 1113
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.179125
 Longitude: -113.305096
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		3		1113				Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)	
2025	0	100	8752			.0	10	25	50	75	90	95	98	99		1	2	4.91
							1.5	2.4	4.1	6.2	9.1	11.6	15.8	19.3		48.2	46.8	
88101-PM2.5 - Local Conditions		3		1113											24-HR BLK AVG	0	Micrograms/cubic meter (LC)	
2025	0	100	365			.7	10	25	50	75	90	95	98	99		1	2	4.87
							2.0	3.0	4.4	6.1	8.2	10.5	12.8	15.1		19.6	16.0	

FREQUENCY DISTRIBUTION REPORT

Apr. 22, 2026

Utah

Site ID: 49-057-1003
 County: Weber
 City: Harrisville
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303614
 Longitude: -111.987871
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	99	360			.8	10	25	50	75	90	95	98	99		1	2	4.61
						1.7	2.6	4.0	5.7	8.4	9.8	13.3	14.2		25.2	18.8		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2025	0	99	8675			-.1	10	25	50	75	90	95	98	99		1	2	5.76
						1.5	2.8	4.9	7.6	10.6	13.2	17.2	20.8		81.4	74.8		
88101-PM2.5 - Local Conditions		3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2025	0	99	361			.7	10	25	50	75	90	95	98	99		1	2	5.72
						2.0	3.4	5.4	7.2	9.4	11.3	14.7	17.5		26.6	20.1		