

(42101) Carbon monoxide

SITE ID: 49-005-0004 POC: 1
 COUNTY: (005) Cache
 CITY: (45860) Logan
 SITE ADDRESS: 125 W. CENTER STREET, LOGAN, UT
 SITE COMMENTS: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.
 MONITOR COMMENTS: REPLACEMENT SITE FOR 49-005-0002

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 41.731111
 LONGITUDE: -111.8375
 UTM ZONE: 12
 UTM NORTHING: 4620024
 UTM EASTING: 430337
 ELEVATION-MSL: 5
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.5	2.4	.9								1.3	2.8
2	1.6	1.8	.8								4.4	3.1
3	3.2	2.2	.8								2.0	6.1
4	1.9	2.8	1.8								4.0	3.3
5	1.4	4.5	2.6								4.4	5.2
6	3.4	3.5	1.1								4.4	4.4
7	1.7	2.6	1.2								3.5	3.6
8	3.8	4.9	1.4								1.7	2.4
9	3.0	3.4	1.3								3.2	4.2
10	1.2	1.5	1.0								.8	2.7
11	1.3	2.3	2.6								1.5	1.6
12	3.3	4.1	.7								1.5	2.9
13	1.7	2.2	1.3								2.6	3.7
14	2.7	1.7	1.4								2.2	2.2
15	3.1	2.1	1.0								4.9	1.9
16	1.3	1.6	1.0								3.4	2.9
17	1.8	1.4	.7								1.1	1.5
18	1.2	1.5	1.3								3.4	2.9
19	.8	2.7	1.5								3.2	5.8
20	1.6	2.6	2.6								2.2	2.0
21	.3	3.8	2.2								5.2	2.5
22	2.7	3.1	1.6								5.6	1.7
23	.9	1.9	1.5								1.4	1.6
24	2.0	.6	.5								.3	2.8
25	2.7	1.1	1.9								6.1	.6
26	3.0	3.7	1.8								2.1	4.4
27	.7	1.9	1.4								2.3	1.2
28	1.0	2.4	1.8								2.1	4.1
29	2.1		1.4								5.7	.3
30	3.8		1.3								3.8	6.3
31	2.0		1.0									.9
NO.:	31	28	31	0	0	0	0	0	0	0	30	31
MAX:	3.8	4.9	2.6								6.1	6.3
MEAN:	2.02	2.51	1.40								3.01	2.95
ANNUAL OBSERVATIONS:	151		ANNUAL MEAN:	2.37		ANNUAL MAX:	6.3					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(42101) Carbon monoxide

SITE ID: 49-005-0004 POC: 1
 COUNTY: (005) Cache
 CITY: (45860) Logan
 SITE ADDRESS: 125 W. CENTER STREET, LOGAN, UT
 SITE COMMENTS: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.
 MONITOR COMMENTS: REPLACEMENT SITE FOR 49-005-0002

STATE: (49) Utah
 AQCR: (219) UTAH
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 41.731111
 LONGITUDE: -111.8375
 UTM ZONE: 12
 UTM NORTHING: 4620024
 UTM EASTING: 430337
 ELEVATION-MSL: 5
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.0	1.8	.4	.6							.8	1.2
2	.7	1.9	.5								1.1	1.7
3	2.1	1.6	.5								1.0	2.4
4	1.5	2.1	.9								1.9	2.5
5	1.0	2.4	1.6								2.0	1.9
6	1.0	2.5	1.6								2.1	1.7
7	1.4	2.2	.7								1.8	2.0
8	2.2	1.8	.6								.4	2.1
9	2.3	1.5	.8								.7	1.7
10	1.4	1.3	.9								.7	1.5
11	1.2	1.8	1.0								.5	1.5
12	1.4	2.4	.5								1.0	2.2
13	1.4	1.6	.7								1.7	2.4
14	1.2	1.4	.7								1.8	2.5
15	1.6	1.3	.7								1.4	1.2
16	.9	1.3	.6								1.8	1.3
17	1.2	1.1	.7								1.8	1.1
18	1.2	1.1	.5								1.3	1.1
19	.6	1.3	.8								1.6	1.7
20	.4	1.2	1.2								1.7	1.2
21	.3	1.3	1.0								2.1	1.2
22	.7	1.7	1.2								2.1	.8
23	.6	1.3	.9								1.8	.9
24	1.3	1.0	.3								.9	.9
25	1.9	.5	.9								1.7	.5
26	1.7	1.0	1.1								1.4	1.4
27	1.0	1.2	.7								1.6	.9
28	.8	1.2	1.0								1.7	1.4
29	1.6		.6								1.4	1.3
30	2.5		.7								1.5	1.1
31	1.5		.6									.6
NO.:	31	28	31	1	0	0	0	0	0	0	30	31
MAX:	2.5	2.5	1.6	.6							2.1	2.5
MEAN:	1.28	1.53	.80	.60							1.44	1.48
ANNUAL OBSERVATIONS:	152		ANNUAL MEAN:	1.30	ANNUAL MAX:	2.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-011-0001 POC: 1
 COUNTY: (011) Davis
 CITY: (07690) Bountiful
 SITE ADDRESS: 65W 300S BOUNTIFUL UTAH
 SITE COMMENTS: COMPLETE MONITORING STATION BEGAN 9-13-74
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.886389
 LONGITUDE: -111.882222
 UTM ZONE: 12
 UTM NORTHING: 4526298
 UTM EASTING: 425676
 ELEVATION-MSL: 5
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.6	2.7	.3								.9	2.8
2	2.5	1.9	.5								.8	3.3
3	3.5	1.8	.5								.6	3.7
4	1.2	2.9	3.1								2.2	2.6
5	1.4	2.2	2.8								2.6	3.0
6	1.3	2.3	1.4								3.4	4.3
7	2.5	2.8	.7								1.1	1.8
8	2.6	1.1	.7								.8	1.0
9	2.4	.7	1.0								1.0	3.1
10	1.7	1.2	.9								.7	2.0
11	2.2	2.2	.7								1.3	2.3
12	2.2	2.6	.7								2.2	1.2
13	.8	3.2	.5								2.1	2.5
14	3.5	1.6	.8								2.3	1.2
15	1.3	1.6	.7								1.0	.6
16	1.6	1.9	.6								1.6	.5
17	2.3	1.8	.5								1.0	2.0
18	1.1	2.0	1.3								1.3	.8
19	1.2	3.1	2.0								2.8	.9
20	.8	1.0	1.3								2.6	1.2
21	.5	1.4	2.9								3.3	1.0
22	.9	3.1	1.8								3.5	.7
23	1.7	1.7	.5								1.5	.7
24	1.6	.6	.7								1.0	1.0
25	3.1	.8	1.1								.8	1.0
26	1.6	1.0	1.1								2.0	1.3
27	.3	1.6	.5								2.0	1.3
28	.6	1.6	.6								1.2	1.0
29	2.1		.7								2.0	.7
30	2.5		.5								3.9	1.1
31	1.2		.5									1.4
NO.:	31	28	31	0	0	0	0	0	0	0	30	31
MAX:	3.5	3.2	3.1								3.9	4.3
MEAN:	1.73	1.87	1.03								1.78	1.68
ANNUAL OBSERVATIONS:		151		ANNUAL MEAN:	1.61	ANNUAL MAX:	4.3					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-011-0001 POC: 1
 COUNTY: (011) Davis
 CITY: (07690) Bountiful
 SITE ADDRESS: 65W 300S BOUNTIFUL UTAH
 SITE COMMENTS: COMPLETE MONITORING STATION BEGAN 9-13-74
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.886389
 LONGITUDE: -111.882222
 UTM ZONE: 12
 UTM NORTHING: 4526298
 UTM EASTING: 425676
 ELEVATION-MSL: 5
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.4	1.3	.3	.3							.6	1.7
2	1.7	1.3	.3								.5	1.7
3	1.8	1.3	.3								.5	1.6
4	1.3	1.5	1.1								1.0	1.4
5	.9	1.3	1.3								1.4	1.6
6	1.0	1.6	.9								1.4	1.6
7	1.9	1.6	.5								.9	1.2
8	2.0	1.4	.4								.6	1.0
9	2.0	.5	.8								.5	1.6
10	1.4	.8	.8								.4	1.6
11	1.5	1.4	.5								.8	1.4
12	1.5	1.2	.5								.9	.7
13	1.1	1.5	.3								1.5	1.4
14	1.2	1.0	.4								1.4	1.4
15	.9	.8	.4								.7	.4
16	.8	1.2	.4								1.1	.4
17	1.3	1.6	.3								1.1	1.0
18	.8	.9	.7								.8	.6
19	.8	1.4	.9								1.5	.8
20	.7	.6	.8								1.3	.8
21	.3	.9	1.3								1.5	.7
22	.5	1.5	.9								2.0	.6
23	.8	1.3	.5								1.5	.6
24	1.0	.5	.4								1.0	.7
25	1.9	.4	.7								.6	.8
26	1.9	.5	.5								1.0	1.2
27	.3	.7	.3								1.1	1.1
28	.4	.8	.3								1.1	.8
29	1.3		.3								1.4	.6
30	1.4		.3								1.6	.8
31	.9		.3									1.0
NO.:	31	28	31	1	0	0	0	0	0	0	30	31
MAX:	2.0	1.6	1.3	.3							2.0	1.7
MEAN:	1.18	1.10	.57	.30							1.06	1.06
ANNUAL OBSERVATIONS:		152	ANNUAL MEAN:	.99	ANNUAL MAX:	2.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-035-0003 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (00000) Not in a city
 SITE ADDRESS: 5715 S. 1400 E., SALT LAKE CITY
 SITE COMMENTS: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.646667
 LONGITUDE: -111.849722
 UTM ZONE: 12
 UTM NORTHING: 4499650
 UTM EASTING: 428153
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: Multiple Monitor Types
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARED
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.8	4.2	.7	2.4	.3	.8	1.2	1.4	1.2	.5	1.7	3.1
2	3.9	3.6	1.2	1.4	1.0	1.2	1.2	.9	1.0	1.3	1.9	4.0
3	3.9	2.8	1.5	1.4	.9	.9	1.0	.3	1.3	.7	2.0	3.9
4	2.6	2.5	3.2	1.4	1.0	1.0	1.0	.3	1.3	1.2	3.4	3.5
5	2.2	1.7	3.8	1.5	1.0	1.0	1.1	.7	.6	1.3	4.0	3.3
6	1.7	2.0	2.1	.7	1.9	1.2	.8	.7	.5	1.2	4.1	4.0
7	2.5	3.4	1.4	.9	.8	1.1	.7	.3	.6	2.6	1.5	3.8
8	3.4	.9	1.6	1.7	.8	.8	.8	1.4	.6	2.9	.5	2.7
9	4.6	1.5	1.9	.9	2.0	.6	1.1	1.2	1.5	3.2	1.7	2.4
10	2.0	2.2	1.5	.3	1.1	1.0	1.1	1.3	1.6	2.9	1.4	2.4
11	3.2	3.5	2.8	.9	.3	1.1	1.3	1.4	1.7	1.4	1.8	2.4
12	3.5	3.7	2.1	1.1	1.0	1.2	1.3	1.2	.8	1.7	2.9	2.7
13	2.3	3.7	1.0	1.0	1.8	1.4	1.3	1.9	1.7	1.8	2.1	4.0
14	3.4	1.7	1.2	.7	1.4	1.4	1.3	1.2	1.4	2.2	3.4	2.1
15	3.7	4.7	1.9	1.2	1.0	1.4	.9	1.5	1.3	3.3	2.5	1.9
16	5.0	2.9	.9	.3	1.1	1.1	.8	1.3	1.9	3.5	2.4	1.4
17	4.7	2.6	.9	.7	1.7	1.2	.8	1.5	1.3	3.7	1.7	1.6
18	2.6	1.0	1.7	1.6	1.4	.9	.8	1.3	1.3	3.1	3.0	1.1
19	2.7	2.9	2.8	.7	.3	.7	1.0	1.1	1.6	2.1	3.5	3.0
20	1.1	1.4	3.8	.8	.8	1.2	.7	.6	1.4	1.7	4.2	1.4
21	1.5	3.3	4.1	1.2	.3	1.1	1.0	1.6	1.3	3.6	3.7	1.6
22	2.5	4.0	3.4	1.7	.9	.5	1.0	1.1	1.1	.6	3.8	1.5
23	2.1	3.0	.5	2.5	1.2	.6	1.2	.9	2.1	1.7	3.0	1.7
24	2.4	.7	1.6	1.2	1.0	2.6	.8	1.2	2.1	1.9	1.6	2.6
25	4.0	.7	1.7	1.3	1.0	1.1	.5	1.0	1.1	3.3	1.2	2.6
26	1.4	2.7	2.2	1.2	.9	1.3	.9	1.4	1.7	1.7	3.1	2.5
27	.3	4.1	1.4	.3	1.0	1.2	.9	1.0	1.6	1.4	4.1	2.2
28	1.1	2.6	2.1	1.0	1.0	1.1	.7	1.8	.5	2.1	2.8	.9
29	1.9		1.4	1.6	1.2	1.2	1.2	.9	.3	1.8	3.1	.5
30	3.3		1.5	.3	1.5	1.0	1.3	1.5	.6	1.5	2.4	3.1
31	2.4		1.6		1.8		1.0	1.3		1.6		2.3
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	5.0	4.7	4.1	2.5	2.0	2.6	1.3	1.9	2.1	3.7	4.2	4.0
MEAN:	2.70	2.64	1.92	1.12	1.07	1.10	.99	1.13	1.23	2.05	2.62	2.46
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		1.75	ANNUAL MAX:		5.0				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(42101) Carbon monoxide

SITE ID: 49-035-0003 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (00000) Not in a city
 SITE ADDRESS: 5715 S. 1400 E., SALT LAKE CITY
 SITE COMMENTS: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.646667
 LONGITUDE: -111.849722
 UTM ZONE: 12
 UTM NORTHING: 4499650
 UTM EASTING: 428153
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: Multiple Monitor Types
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARED
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.3	2.4	.5	1.2	.3	.9	.6	.8	1.0	.4	.9	2.0
2	2.2	2.9	.8	.7	.6	.5	.8	.9	.7	.7	1.5	2.3
3	2.3	2.5	1.1	.9	.5	.6	.5	.3	.8	.4	1.6	2.2
4	2.1	2.3	1.9	1.0	.6	.8	.6	.3	.7	.8	1.7	2.5
5	2.1	1.5	2.0	1.0	.8	.8	.9	.4	.7	1.0	2.1	2.8
6	1.4	1.7	2.0	.3	.8	.9	.6	.3	.3	1.1	2.0	2.5
7	2.0	2.5	.6	.5	.5	1.0	.6	.3	.4	1.2	1.8	3.2
8	2.6	1.6	1.0	.7	.4	.7	.5	.5	.5	1.4	.3	2.0
9	3.5	.8	1.4	.5	.9	.4	.6	.9	.7	1.3	1.0	2.0
10	1.5	1.7	1.1	.3	.7	.7	.8	.9	.9	1.5	1.4	1.8
11	2.4	2.4	1.3	.6	.3	.9	.8	1.0	.3	.9	1.1	1.8
12	2.9	2.4	1.6	.5	.5	.9	.9	.6	.6	1.4	1.5	1.8
13	1.5	2.1	1.4	.8	.9	.9	.9	.8	.9	1.4	1.6	2.2
14	1.9	1.2	.7	.5	.7	.9	1.1	.9	1.0	1.4	2.1	2.1
15	2.3	2.2	1.2	.5	.6	2.2	1.1	.6	.9	1.1	1.6	1.4
16	2.4	2.5	.7	.3	.6	1.0	.5	1.0	.8	1.6	2.1	1.6
17	2.1	2.3	.6	.5	1.0	.7	.6	1.0	.7	1.7	1.7	.8
18	1.8	1.0	1.2	.9	1.2	.8	.6	1.2	.7	1.6	1.6	.8
19	2.2	1.5	1.6	.5	.4	1.5	.4	.8	.9	1.9	2.0	1.4
20	1.0	.9	1.7	.4	.4	.6	.6	.5	1.0	1.7	2.0	1.3
21	1.1	1.6	1.8	.9	.3	.8	.7	.8	.8	1.5	2.4	1.1
22	1.6	2.2	1.7	.9	.5	.3	.9	.9	1.0	1.2	2.7	1.2
23	2.0	2.0	.8	1.1	.8	2.0	.5	.6	.7	.9	1.0	2.9
24	1.6	.5	.7	.5	.6	.9	.3	.7	1.1	1.3	1.5	1.6
25	2.5	.4	1.3	.9	.8	.8	.3	.9	.7	1.5	.9	2.0
26	2.2	1.1	1.3	.5	.8	.7	.6	.7	.8	1.4	2.0	1.9
27	.3	1.9	1.0	.3	.6	1.0	.7	.8	.6	.9	1.1	2.4
28	.9	1.7	1.0	.5	.8	.9	.5	.8	.3	1.4	2.6	.8
29	1.3		1.1	.9	.9	.7	.6	.7	.3	1.6	2.5	.5
30	2.4		.9	.6	1.0	.9	.9	.7	.4	.9	2.6	1.5
31	1.5		1.4		1.0		.9	.7		1.2		1.3
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	3.5	2.9	2.0	1.2	1.2	1.1	1.1	1.2	1.1	1.9	2.9	3.2
MEAN:	1.90	1.78	1.21	.66	.67	.76	.68	.73	.75	1.26	1.80	1.71
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		1.16	ANNUAL MAX:		3.5				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-035-0014 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1401 SOUTH STATE STREET, SLC, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS: 8/97: STATE ST RECONFIG. TO PUT EXTRA TRAFFIC LANE AT CURBSIDE

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.741111
 LONGITUDE: -111.888056
 UTM ZONE: 12
 UTM NORTHING: 4510187
 UTM EASTING: 425026
 ELEVATION-MSL: 0
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARED
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.4	2.9		1.9	.7	1.3	1.1	1.3	1.0	1.4	2.3	3.7
2	3.4	3.6		1.2	1.3	.9	.9	1.4	1.0	1.4	1.5	6.4
3	5.3	3.2		1.5	1.0	.9	.9	.7	1.9	1.0	1.9	5.6
4	2.5	4.6	2.1	1.7	.9	.6	.6	.5	1.3	1.6	3.6	3.6
5	2.0	2.2	4.9	1.6	.9	.8	1.0	.9	.7	1.4	3.5	3.7
6	1.8	2.6	2.2	1.4	.9	.9	.6	1.2	1.0	1.0	3.7	4.2
7	4.0	2.9	1.3	1.0	.9	1.1	.7	.8	.8	2.4	2.1	3.5
8	3.9	1.6	2.1	1.5	.6	.5	1.1	.7	1.0	2.8	2.2	2.5
9	3.1	1.7	1.7	1.2	1.0	.6	1.0	1.2	1.8	2.2	1.7	2.0
10	2.1	2.2	1.8	.8	1.1	.8	1.7	1.0	1.7	3.3	1.2	2.8
11	4.6	4.0	1.9	1.2	1.2	.7	1.7	1.2	2.0	1.5	1.7	2.4
12	3.9	4.3	2.1	1.4	.7	.9	1.2	1.3	1.0	1.4	2.9	.8
13	3.1	4.1	1.1	1.1	1.5	1.3	.8	1.4	1.3	1.5	3.5	3.5
14	3.9	1.7	1.7	.7	1.4	1.5	.9	1.4	1.0	3.5	4.3	2.6
15	4.2	4.4	1.3	1.6	1.2	1.0	1.0	1.7	.9	2.6	4.1	2.5
16	3.6	3.3	1.0	1.2	.9	.3	.9	1.6	1.1	4.3	3.7	1.4
17	2.8	2.5	.8	1.8	1.3	1.3	.8	1.1	1.7	4.0	2.6	2.9
18	2.8	1.5	2.2	1.3	1.4	.7	1.1	1.2	1.0	4.0	3.0	2.3
19	1.6	2.7	1.8	1.4	.7	.5	.9	1.4	1.7	1.7	3.5	2.0
20	1.4		2.5	.9	1.3	.9	.7	.9	2.0	1.6	4.4	2.2
21	1.2		4.3	1.3	.9	1.0	.6	1.9	1.0	3.0	5.1	2.0
22	1.9		2.4	2.1	.9	1.1	.8	1.6	1.0	1.0	5.7	1.8
23	2.3		.7	1.4	1.9	.8	1.0	1.2	2.8	2.5	3.9	1.3
24	2.3		1.3	1.2	1.2	.9	1.1	1.0	1.9	1.8	2.8	1.7
25	5.3		1.4	1.6	.9	1.2	.8	1.0	1.6	2.6	2.5	1.8
26	1.5		1.7	1.0	.9	.6	.8	1.5	2.0	2.1	3.1	2.6
27	.8		1.6	.8	.8	.9	.9	1.3	1.4	1.7	4.6	1.7
28	1.6		1.7	1.3	1.3	1.0	.7	.9	1.0	3.0	3.2	1.4
29	2.1		1.8	1.9	1.7	.7	1.3	.8	.6	2.1	4.6	.7
30	2.3		1.0	1.3	1.4	.8	1.3	1.5	1.0	2.0	3.5	1.8
31	2.1		.9		1.4		1.3	.9		1.7		3.7
NO.:	31	19	28	30	31	30	31	31	30	31	30	31
MAX:	5.3	4.6	4.9	2.1	1.9	1.5	1.7	1.9	2.8	4.3	5.7	6.4
MEAN:	2.74	2.95	1.83	1.34	1.10	.88	.97	1.18	1.34	2.20	3.21	2.62
ANNUAL OBSERVATIONS:		353		ANNUAL MEAN:	1.83		ANNUAL MAX:	6.4				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-035-0014 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1401 SOUTH STATE STREET, SLC, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS: 8/97: STATE ST RECONFIG. TO PUT EXTRA TRAFFIC LANE AT CURBSIDE

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.741111
 LONGITUDE: -111.888056
 UTM ZONE: 12
 UTM NORTHING: 4510187
 UTM EASTING: 425026
 ELEVATION-MSL: 0
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARED
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.2	2.0		1.1	.6	.9	.8	.9	.8	1.2	1.1	2.6
2	2.1	2.5		1.0	.8	.9	.8	.9	.6	.8	1.0	2.8
3	3.6	3.0		1.0	.8	.8	.8	.6	1.1	.8	1.3	3.0
4	2.1	3.2	1.4	1.2	.7	.4	.6	.4	.9	1.0	2.1	2.7
5	1.6	1.9	2.8	1.1	.6	.6	.8	.5	.9	1.1	2.0	3.1
6	1.4	2.2	1.8	1.1	.8	.7	.4	.7	.7	1.1	2.3	3.0
7	2.7	2.1	.9	1.1	.7	.6	.4	1.1	.7	.6	1.5	2.4
8	2.7	2.0	1.2	1.0	.5	.6	.7	.6	.7	1.7	1.3	2.5
9	2.4	1.1	1.2	.8	.7	.3	.7	.8	1.1	1.5	1.2	1.7
10	1.8	1.7	1.6	.7	.7	.5	.9	.8	1.1	1.6	1.3	2.1
11	2.3	2.8	1.3	.8	.6	2.8	.5	.8	.7	1.3	1.1	1.9
12	3.3	2.6	1.5	.8	.6	.7	.7	.9	.9	1.1	2.0	.9
13	2.5	2.4	1.0	.8	.9	.9	.7	.8	.9	1.2	2.6	2.5
14	1.8	1.3	.9	.9	1.0	.9	.6	.9	.8	1.9	2.5	2.6
15	2.6	2.6	.9	1.0	.8	.9	.8	1.1	.8	1.9	2.3	1.7
16	2.0	2.4	.6	.6	.7	.3	.7	1.0	.8	2.3	2.8	1.7
17	1.9	1.7	.6	1.0	1.0	.7	.7	1.0	1.2	2.1	3.0	1.7
18	1.7	1.1	1.5	.8	1.0	.6	.9	.9	.8	2.3	1.7	1.6
19	1.8	1.8	1.1	.8	.8	.3	1.1	.8	1.2	1.1	1.3	2.4
20	1.3		1.3	.6	.7	.7	.7	.7	1.2	1.1	2.7	1.6
21	.9		1.8	.8	.7	.7	.4	1.1	.8	1.8	3.6	1.6
22	1.4		2.3	1.1	.7	.6	.7	.9	.8	1.3	3.9	1.6
23	1.4		1.2	.8	1.0	.7	.7	.9	1.6	1.5	3.6	1.2
24	1.8		.8	.7	.8	.6	.6	.9	1.3	1.1	2.4	1.2
25	3.2		1.2	1.2	.7	.8	.7	.8	1.1	1.5	1.9	1.4
26	2.0		1.0	.8	.7	.5	.7	1.2	1.2	1.6	2.3	1.8
27	.6		1.0	.6	.7	.7	.6	.8	1.1	1.1	2.7	1.7
28	1.4		1.0	.7	.9	.7	.7	.8	.8	1.4	2.6	1.1
29	1.6		1.0	1.2	1.1	.6	1.0	.7	.8	1.5	2.8	.6
30	1.7		.7	.9	1.0	.5	.9	.8	.8	1.2	3.1	1.3
31	1.4		.7		1.1		1.0	.7		1.5		2.5
NO.:	31	19	28	30	31	30	31	31	30	31	30	31
MAX:	3.6	3.2	2.8	1.2	1.1	.9	1.0	1.2	1.6	2.3	3.9	3.4
MEAN:	1.94	2.13	1.23	.90	.79	.64	.72	.83	.95	1.42	2.27	1.95
ANNUAL OBSERVATIONS:	353		ANNUAL MEAN:	1.29	ANNUAL MAX:	3.9						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE: 12
 UTM NORTHING: 4509639
 UTM EASTING: 426359
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.4	4.3	.3								2.8	3.7
2	3.0	3.3	.6								1.1	6.0
3	5.9	2.7	.9								2.0	5.2
4	2.5	3.6	3.6								3.5	4.0
5	2.1	1.3	6.3								3.5	3.9
6	1.9	1.7	1.6								4.9	5.6
7	4.3	2.4	1.0								3.1	4.6
8	2.9	1.2	1.4								1.4	3.3
9	4.4	1.3	1.2								2.2	2.1
10	2.5	1.6	1.6								1.4	3.3
11	6.1	4.4	2.3								2.0	2.6
12	3.4	2.9	2.0								2.5	2.7
13	3.0	3.4	.5								3.7	5.3
14	5.5	1.4	1.1								6.2	2.9
15	5.5	4.7	1.2								4.7	2.9
16	2.9	2.8	.5								3.2	1.4
17	2.6	2.7	.5								2.8	2.6
18	1.5	1.1	1.5								3.7	1.7
19	1.6	2.3	1.6								3.6	1.9
20	.8	1.9	2.5								5.6	2.9
21	1.6	4.0	3.4								5.6	2.2
22	.5	5.2	3.4								5.6	1.7
23	1.5	2.8	.3								4.0	1.7
24	2.0	.8	1.4								2.3	2.0
25	3.7	.3	1.0								2.7	2.0
26	.9	1.5	1.1								3.0	3.0
27	.3	4.2	1.1								4.3	3.2
28	.5	1.8	1.6								3.5	1.8
29	1.8		1.0								4.2	.6
30	1.7		.5								3.4	2.4
31	1.0		.3									2.8
NO.:	31	28	31	0	0	0	0	0	0	0	30	31
MAX:	6.1	5.2	6.3								6.2	6.0
MEAN:	2.56	2.56	1.52								3.42	2.97
ANNUAL OBSERVATIONS:	151		ANNUAL MEAN:	2.60		ANNUAL MAX:	6.3					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(42101) Carbon monoxide

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE: 12
 UTM NORTHING: 4509639
 UTM EASTING: 426359
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.1	1.6	.3	.3							.9	2.8
2	2.1	1.8	.3								.6	3.0
3	3.4	2.2	.5								1.2	3.0
4	2.2	2.2	1.3								1.7	2.8
5	1.7	1.1	2.3								1.7	3.3
6	1.5	1.5	1.3								2.5	3.2
7	2.8	1.6	.5								2.7	3.7
8	2.2	1.6	.6								.8	2.8
9	2.3	.7	.6								1.2	2.4
10	1.9	1.2	1.0								1.4	2.2
11	2.5	2.6	1.1								1.4	2.1
12	2.9	2.2	.9								1.8	1.7
13	2.4	1.8	.3								2.3	2.7
14	1.8	.8	.4								2.9	2.5
15	2.6	1.9	.5								2.0	1.6
16	1.1	2.6	.3								2.5	1.6
17	1.1	1.5	.3								2.7	.9
18	.9	.7	.7								1.9	1.2
19	1.2	1.3	.6								2.2	.9
20	.4	.6	1.0								2.6	1.5
21	.8	1.3	1.1								3.2	1.7
22	.3	2.4	1.5								3.5	1.4
23	.9	1.8	.8								3.5	1.2
24	1.2	.3	.6								2.2	1.3
25	2.0	.3	.8								1.4	1.6
26	1.1	.7	.5								2.0	1.9
27	.3	1.7	.5								2.3	2.0
28	.3	.9	.6								2.7	1.2
29	.7		.4								2.8	.6
30	.8		.3								3.1	1.5
31	.5		.3									2.2
NO.:	31	28	31	1	0	0	0	0	0	0	30	31
MAX:	3.4	2.6	2.3	.3							3.5	3.7
MEAN:	1.52	1.46	.72	.30							2.12	2.02
ANNUAL OBSERVATIONS:	152		ANNUAL MEAN:	1.56	ANNUAL MAX:	3.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-035-3007 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (83445) West Valley
 SITE ADDRESS: 3275 W 3100 S, WEST VALLEY CITY, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.704444
 LONGITUDE: -111.968611
 UTM ZONE: 12
 UTM NORTHING: 4506194
 UTM EASTING: 418164
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.6	2.6	1.0								2.4	3.5
2	2.1	4.6	1.4								1.9	4.9
3	3.4	2.5	2.0								2.0	5.1
4	2.8	4.9	2.4								3.9	4.6
5	1.2	1.5	3.9								4.1	4.1
6	1.2	2.9	1.6								3.0	6.0
7	2.0	2.2	.6								2.0	4.5
8	2.6	.9	1.8								.7	4.9
9	4.4	2.4	1.8								2.6	2.4
10	2.0	1.9	1.2								.9	3.1
11	3.0	3.2	5.3								2.2	2.6
12	3.1	4.3	1.1								1.0	1.4
13	3.2	3.4	.6								3.2	2.5
14	2.1	3.1	.8								4.9	.8
15	4.0	4.1	.9								5.4	3.8
16	5.3	2.5	1.2								1.1	.5
17	2.5	1.4	.9								1.7	1.4
18	3.0	1.2	1.2								3.7	1.6
19	1.0	2.9	1.6								3.1	1.7
20	.7	1.3	1.2								4.3	.8
21	.5	2.6	4.7								5.7	.5
22	3.8	3.9	2.5								5.3	
23	2.7	1.7	.5								3.5	.6
24	1.8	1.0	1.6								1.9	1.6
25	.9	.5	1.6								1.1	2.8
26	.6	2.7	2.6								4.5	1.1
27	.3	3.5	1.2								4.3	.3
28	1.0	1.7	2.5								3.9	.3
29	.9		2.9								3.9	.5
30	4.1		2.8								3.9	2.1
31	2.6		2.5									3.8
NO.:	31	28	31	0	0	0	0	0	0	0	30	30
MAX:	5.3	4.9	5.3								5.7	6.0
MEAN:	2.27	2.55	1.87								3.07	2.46
ANNUAL OBSERVATIONS:		150	ANNUAL MEAN:	2.44	ANNUAL MAX:	6.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-035-3007 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (83445) West Valley
 SITE ADDRESS: 3275 W 3100 S, WEST VALLEY CITY, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.704444
 LONGITUDE: -111.968611
 UTM ZONE: 12
 UTM NORTHING: 4506194
 UTM EASTING: 418164
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.8	1.6	.6	1.2							1.1	2.2
2	1.3	2.8	.9								1.4	2.6
3	1.9	2.4	1.5								1.2	2.7
4	1.8	2.6	1.6								2.0	3.1
5	1.8	1.4	2.2								2.4	3.7
6	1.0	1.8	1.6								2.1	3.4
7	1.3	1.6	.5								1.9	4.3
8	2.1	1.3	1.3								.4	3.6
9	3.0	1.0	1.6								1.3	1.3
10	1.3	1.8	.9								1.4	1.9
11	1.8	2.1	2.3								1.4	1.8
12	2.3	2.6	.7								1.4	.9
13	2.8	1.7	.7								1.9	1.4
14	1.9	1.3	.4								2.8	1.5
15	2.3	2.0	.7								2.4	2.0
16	2.8	1.9	.7								2.2	2.0
17	1.7	1.0	.7								1.0	.7
18	2.1	.9	1.0								2.1	.8
19	2.0	1.3	.9								2.6	.8
20	.7	.8	.8								2.7	.6
21	.3	1.4	1.5								3.5	.6
22	2.3	1.9	2.3								3.2	
23	2.7	1.5	.9								2.9	.3
24	2.1	.7	.8								2.3	1.1
25	.8	.4	1.1								.7	1.5
26	.7	1.3	1.1								2.8	1.6
27	.3	1.7	1.3								3.0	.6
28	.7	1.7	1.4								2.9	.3
29	.8		2.1								2.9	.3
30	2.4		1.9								3.3	1.5
31	1.5		1.8									2.1
NO.:	31	28	31	1	0	0	0	0	0	0	30	30
MAX:	3.0	2.8	2.3	1.2							3.5	4.3
MEAN:	1.65	1.59	1.22	1.20							2.11	1.71
ANNUAL OBSERVATIONS:		151	ANNUAL MEAN:	1.65	ANNUAL MAX:	4.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-049-0002 POC: 1
 COUNTY: (049) Utah
 CITY: (62470) Provo
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT
 SITE COMMENTS:
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.253611
 LONGITUDE: -111.663056
 UTM ZONE: 12
 UTM NORTHING: 4455894
 UTM EASTING: 443606
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.3	1.5	.7								1.1	2.0
2	2.3	2.2	1.3								1.3	3.3
3	2.1	2.3	1.4								1.9	3.3
4	1.6	2.5	2.8								2.7	3.4
5	1.4	3.9	2.4								2.9	2.8
6	1.1	2.9	3.9								3.3	3.5
7	3.1	2.9	.8								2.9	3.6
8	3.4	1.8	1.2								1.5	1.3
9	2.4	1.0	1.7								2.4	1.6
10	1.8	2.1	1.7								1.8	4.0
11	3.2	2.9	2.6								2.2	2.0
12	2.7	3.3	2.4								3.4	3.3
13	1.4	2.5	1.2								2.2	3.6
14	4.1	1.8	1.1								1.8	3.4
15	2.9	2.7	.8								3.2	1.9
16	1.7	2.6	.7								2.9	2.4
17	1.6	2.0	.8								1.5	2.5
18	1.7	.8	1.0								2.5	1.1
19	1.6	1.7	2.4								3.2	2.0
20	.9	.7	2.3								3.6	1.4
21	2.8	1.8	2.4								4.2	1.4
22	1.6	2.7	2.2								4.7	1.5
23	1.7	2.2	.9								2.2	1.6
24	2.6	.6	.7								1.4	1.2
25	5.1	.7	1.5								1.6	1.1
26	3.3	2.2	1.7								2.0	2.0
27	.9	2.6	2.2								2.6	2.9
28	.8	2.1	2.1								1.9	2.4
29	1.2		1.8								2.5	1.3
30	1.4		1.8								2.4	1.9
31	1.2		1.1									1.5
NO.:	31	28	31	0	0	0	0	0	0	0	30	31
MAX:	5.1	3.9	3.9								4.7	4.0
MEAN:	2.09	2.11	1.66								2.46	2.30
ANNUAL OBSERVATIONS:		151	ANNUAL MEAN:	2.12	ANNUAL MAX:	5.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(42101) Carbon monoxide

SITE ID: 49-049-0002 POC: 1
 COUNTY: (049) Utah
 CITY: (62470) Provo
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT
 SITE COMMENTS:
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.253611
 LONGITUDE: -111.663056
 UTM ZONE: 12
 UTM NORTHING: 4455894
 UTM EASTING: 443606
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.1	1.2	.6	.8							.8	1.8
2	2.0	1.6	.9								1.0	2.4
3	2.1	1.6	.8								1.3	2.4
4	1.3	2.0	1.4								1.4	2.4
5	1.2	2.1	1.3								1.8	2.4
6	1.1	2.1	1.7								2.2	2.8
7	2.0	2.2	.7								2.3	3.1
8	2.2	2.3	.6								1.3	2.0
9	2.0	.7	1.1								1.3	1.1
10	1.3	1.3	1.3								1.5	2.5
11	2.0	1.8	1.0								1.3	2.6
12	2.5	2.1	1.7								1.9	2.4
13	1.5	1.7	1.6								1.9	2.7
14	2.4	1.8	.6								1.1	2.8
15	2.9	1.7	.5								1.3	1.5
16	1.3	2.2	.6								2.1	1.4
17	1.2	2.1	.5								2.2	1.3
18	1.1	.8	.7								1.9	.9
19	1.2	1.0	1.0								1.9	1.4
20	.8	.5	1.0								2.2	1.5
21	1.6	1.1	1.4								2.4	.9
22	1.1	1.6	1.4								3.0	1.1
23	1.1	1.5	1.3								3.1	1.3
24	1.7	.4	.6								1.1	1.1
25	3.5	.6	.9								.9	.8
26	3.6	1.4	1.0								1.3	1.3
27	.7	1.6	1.0								1.6	2.0
28	.7	1.2	1.2								1.7	2.1
29	.9		1.5								1.9	1.8
30	1.0		1.1								2.0	1.1
31	.9		1.0									1.2
NO.:	31	28	31	1	0	0	0	0	0	0	30	31
MAX:	3.6	2.3	1.7	.8							3.1	3.1
MEAN:	1.61	1.51	1.03	.80							1.72	1.81
ANNUAL OBSERVATIONS:	152		ANNUAL MEAN:	1.53	ANNUAL MAX:	3.6						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-049-0005 POC: 1
 COUNTY: (049) Utah
 CITY: (62470) Provo
 SITE ADDRESS: 363 N. UNIVERSITY AVE., PROVO, UTAH
 SITE COMMENTS: MICROSCALE SITE TO REPLACE U2 SITE (49-049-0004)
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.240278
 LONGITUDE: -111.658889
 UTM ZONE: 12
 UTM NORTHING: 4454413
 UTM EASTING: 443953
 ELEVATION-MSL: 0
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARED
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.5	1.7	.8	2.3	.9	1.5	2.1	1.4	1.4	1.6	1.6	2.3
2	2.8	1.5	1.4	2.3	1.8	.5	1.5	1.4	1.8	1.5	2.2	6.0
3	2.8	1.7	1.4	2.7	2.2	1.0	1.2	.9	2.5	1.1	3.1	6.9
4	1.8	2.2	3.8	2.0	1.1	1.5	1.8	.6	2.1	1.2	4.6	5.7
5	1.4	3.5	5.3	2.0	.6	1.5	1.1	1.4		1.5	4.9	4.9
6	1.2	3.0	4.0	1.2	1.5	1.2	1.1	2.3	1.8	1.5	5.4	6.0
7	2.5	4.2	1.2	.8	.9	1.0	1.0	1.2	2.3	3.6	4.7	4.0
8	3.7	2.1	1.1	2.8	.8	.7	1.4	1.0	1.2	4.4	1.4	1.7
9	2.6	1.6	2.1	2.5	1.9	.6	1.2	1.5	2.4	4.2	3.3	1.8
10	2.0	2.2	1.7	.8	1.3	1.0	1.3	1.3	2.0	3.4	2.6	4.0
11	3.1	4.1	3.2	2.3	.7	1.7	1.4	.9	2.1	2.1	3.5	2.5
12	2.7	2.9	2.8	1.0	.8	.9	1.3	1.1	2.0	1.8	4.0	4.0
13	1.9	3.1	1.1	1.6	1.6	1.7	1.2	1.4	2.4	2.1	2.8	5.8
14	4.5	1.8	.9	1.5	1.8	1.4	.9	1.8	2.2	3.7	1.8	5.0
15	3.4	1.8	1.3	1.1	.8	1.5	1.6	2.0	1.2	5.8	3.0	4.4
16	2.4	3.7	.8	1.1	1.3	.9	1.7	2.1	2.3	5.8	4.7	4.5
17	2.0	2.3	.9	1.6	2.1	1.2	1.0	1.7	2.0	4.4	2.4	2.7
18	1.8	1.0	1.4	.9	2.1	1.4	1.3	1.1	1.4	5.7	3.5	2.2
19	1.8	1.5	3.0	1.4	1.1	1.5	1.0	3.6	2.6	4.3	4.9	3.6
20	.8	1.4	2.3	2.5	.8	1.3	.9	1.6	2.7	3.3	5.6	2.0
21	4.2	2.3	3.7	1.2	.9	1.0	.7	1.5	1.4	4.7	6.8	1.4
22	1.5	3.7	3.9	1.9	1.2	.8	1.7	2.2	1.3	2.0	6.2	2.4
23	1.8	2.6	1.0	2.6	1.1	.9	1.0	2.0	3.1	3.7	5.0	2.4
24	2.3	.5	.7	2.0	1.7	1.6	.9	1.2	3.2	2.4	1.5	1.6
25	5.1	.7	2.5	1.7	1.5	1.5	.7	1.3	2.7	3.6	2.7	1.3
26	3.4	2.9	2.6	2.2	1.0	1.6	1.2	2.4	2.7	3.8	3.1	2.3
27	1.1	3.9	3.6	1.5	1.0	1.8	.9	1.9	2.4	2.2	3.8	3.7
28	.7	2.7	2.7	.7	1.9	2.0	.6	1.9	1.0	3.3	2.7	3.3
29	.8		2.3	2.6	1.6	1.6	1.3	.9	.7	3.5	3.0	1.5
30	1.5		1.7	.8	1.9	1.7	1.9	2.1	2.4	2.2	2.3	2.3
31	1.9		1.3		1.6		1.5	1.2		3.6		1.8
NO.:	31	28	31	30	31	30	31	31	29	31	30	31
MAX:	5.1	4.2	5.3	2.8	2.2	2.0	2.1	3.6	3.2	5.8	6.8	6.9
MEAN:	2.29	2.38	2.15	1.72	1.34	1.26	1.24	1.58	2.04	3.16	3.57	3.35
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:		2.17	ANNUAL MAX:		6.9				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(42101) Carbon monoxide

SITE ID: 49-049-0005 POC: 1
 COUNTY: (049) Utah
 CITY: (62470) Provo
 SITE ADDRESS: 363 N. UNIVERSITY AVE., PROVO, UTAH
 SITE COMMENTS: MICROSCALE SITE TO REPLACE U2 SITE (49-049-0004)
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.240278
 LONGITUDE: -111.658889
 UTM ZONE: 12
 UTM NORTHING: 4454413
 UTM EASTING: 443953
 ELEVATION-MSL: 0
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARED
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.2	1.3	.5	1.2	.4	.8	1.4	1.1	1.0	1.0	1.2	2.0
2	2.0	1.4	.8	1.2	.8	.8	1.1	1.2	.8	1.0	1.5	3.6
3	2.2	1.3	.8	1.2	1.0	.5	.9	.5	1.5	.9	1.8	3.9
4	1.7	1.6	1.8	1.2	.7	.7	1.0	.5	1.2	.9	2.5	4.2
5	1.2	2.0	2.6	1.1	.6	.9	1.0	.9		.9	2.8	4.2
6	1.1	2.1	1.8	.7	1.1	.8	.7	1.4	1.0	1.1	4.2	3.9
7	1.9	2.8	.7	.7	.5	.7	.8	.6	1.4	1.7	4.4	3.9
8	3.0	2.9	.8	1.3	.4	.8	.9	.6	1.4	2.0	1.7	2.2
9	2.1	.8	1.2	1.6	1.1	.4	.7	.9	1.0	1.8	2.3	1.4
10	1.4	1.3	1.5	.5	.8	.7	.8	.8	1.4	1.6	2.7	2.5
11	2.1	2.0	1.1	1.1	.5	.8	.9	.8	1.1	1.3	2.2	2.6
12	2.3	1.9	2.2	.8	.4	.7	.8	.7	1.4	1.5	2.5	3.3
13	1.9	1.6	1.9	.9	1.0	1.1	.8	1.0	1.4	1.5	2.6	3.8
14	2.5	1.5	.7	1.3	1.0	.7	.9	1.0	1.4	2.0	1.7	4.1
15	2.9	1.3	.9	.6	.6	.9	.9	1.2	1.3	2.6	1.8	2.8
16	1.3	2.2	.8	.6	.7	.7	.9	1.4	1.1	2.7	2.9	2.8
17	1.3	2.6	.5	.9	1.3	.8	.7	1.1	1.2	2.3	3.1	1.5
18	1.3	.6	.9	.7	1.4	.8	.8	1.2	.7	2.3	2.5	1.5
19	1.4	.9	1.3	.6	1.1	.5	.7	1.9	1.1	2.6	3.2	2.5
20	.7	1.1	1.5	1.2	.5	.9	.6	.9	1.4	3.1	3.6	2.6
21	1.9	1.5	1.6	1.1	.6	.9	.5	.6	1.6	2.2	4.6	1.2
22	1.4	2.2	1.9	.9	.8	.5	.9	1.1	1.1	1.8	5.0	1.6
23	1.0	2.5	1.1	1.3	.8	.5	.7	1.0	1.7	2.6	4.6	1.8
24	1.4	.3	.5	.9	.9	.9	.5	.8	1.7	2.7	1.2	1.4
25	3.5	.5	1.2	1.0	.8	1.1	.4	1.0	1.6	2.2	1.4	1.2
26	3.6	1.6	1.4	1.0	1.0	.9	.5	1.4	1.4	2.7	2.2	1.5
27	.7	1.6	1.7	.8	.6	1.1	1.7	1.0	1.5	1.8	2.7	2.4
28	.5	1.7	1.2	.8	1.0	1.1	.5	1.0	.7	2.0	2.9	2.5
29	.7		1.4	1.1	1.2	1.3	.8	.5	.5	2.0	2.3	2.2
30	1.1		1.2	.5	1.0	1.1	1.1	1.1	1.0	1.4	2.5	1.6
31	1.1		1.1		1.2		1.1	.8		1.9		1.8
NO.:	31	28	31	30	31	30	31	31	29	31	30	31
MAX:	3.6	2.9	2.6	1.6	1.4	1.3	1.4	1.9	1.7	3.1	5.0	4.2
MEAN:	1.69	1.61	1.25	.96	.83	.81	.80	.97	1.23	1.87	2.69	2.53
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:		1.44		ANNUAL MAX:		5.0			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(42101) Carbon monoxide

SITE ID: 49-049-5005 POC: 1
 COUNTY: (049) Utah
 CITY: (57300) Orem
 SITE ADDRESS: 1580 S STATE STREET, OREM, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.268889
 LONGITUDE: -111.681944
 UTM ZONE: 12
 UTM NORTHING: 4457611
 UTM EASTING: 442005
 ELEVATION-MSL: 0
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.6	2.9	1.7								2.2	1.8
2	2.6	1.9	1.4								1.7	3.2
3	2.3	2.1	1.6								1.8	9.8
4	2.0	3.7	2.2								2.7	3.5
5	1.5	3.0	2.9								3.1	3.5
6	.9	2.6	2.5								22.4	2.8
7	5.8	3.1	1.4								2.8	2.9
8	3.2	1.8	1.7								1.6	1.7
9	3.6	1.5	3.2								2.3	2.1
10	4.0	2.0	.9								1.5	3.8
11	5.2	3.2	2.3								2.2	3.4
12	2.6	2.7	2.5								3.4	2.8
13	1.9	2.5	1.8								1.7	4.7
14	3.1	2.2	1.3								1.6	2.2
15	4.7	4.0	2.1								2.4	3.1
16	2.7	3.0	.8								3.6	2.2
17	7.6	1.7	1.0								1.7	1.7
18	1.8	2.7	2.2								2.8	1.8
19	1.6	2.1	2.8								2.9	2.0
20	4.1	1.5	1.5								3.3	1.9
21	2.8	1.8	1.9								3.7	1.6
22	1.1	2.8	2.0								4.4	2.6
23	1.7	1.8	1.2								2.6	2.0
24	3.2	.6	1.2								1.7	1.4
25	4.6	.8	1.7								1.4	1.6
26	2.7	3.2	1.8								3.4	2.4
27	1.3	3.0	2.3								2.6	2.6
28	1.3	2.0	2.4								2.3	2.8
29	1.2		1.9								2.7	1.6
30	1.2		1.9								2.5	2.1
31	6.1		1.1									1.6
NO.:	31	28	31	0	0	0	0	0	0	0	30	31
MAX:	7.6	4.0	3.2								22.4	9.8
MEAN:	2.90	2.36	1.85								3.17	2.68
ANNUAL OBSERVATIONS:	151		ANNUAL MEAN:	2.59		ANNUAL MAX:	22.4					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-049-5005 POC: 1
 COUNTY: (049) Utah
 CITY: (57300) Orem
 SITE ADDRESS: 1580 S STATE STREET, OREM, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.268889
 LONGITUDE: -111.681944
 UTM ZONE: 12
 UTM NORTHING: 4457611
 UTM EASTING: 442005
 ELEVATION-MSL: 0
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.1	1.8	.8	.9							1.1	1.8
2	1.7	2.0	.8								1.3	2.3
3	1.7	1.5	1.1								1.2	3.9
4	1.4	1.8	1.5								1.7	4.0
5	1.3	2.0	1.5								2.0	2.6
6	1.1	2.1	1.4								5.4	2.6
7	2.9	2.2	1.0								2.8	2.6
8	2.9	2.1	1.1								1.5	2.3
9	2.4	1.0	1.2								1.8	1.1
10	1.6	1.3	1.0								1.8	2.7
11	2.6	2.1	1.3								1.7	2.7
12	2.5	2.2	1.9								1.7	2.3
13	1.8	1.8	1.8								1.7	3.3
14	2.1	1.9	.8								1.3	3.3
15	2.1	2.3	.9								1.5	1.8
16	1.7	2.4	.9								2.1	1.8
17	2.1	1.9	.5								2.2	1.3
18	1.1	1.0	.9								1.9	1.3
19	1.2	1.3	1.1								2.2	1.7
20	1.4	1.2	1.0								2.7	1.6
21	1.9	1.2	1.2								2.8	1.2
22	1.3	1.5	1.5								3.3	1.7
23	1.1	1.7	1.6								3.4	1.7
24	1.9	.4	.9								1.4	1.1
25	3.2	.6	1.0								1.0	1.1
26	3.3	1.6	1.1								1.8	1.6
27	1.3	1.8	1.2								1.9	1.8
28	.7	1.7	1.1								1.9	1.9
29	.8		1.1								1.9	1.5
30	.8		1.2								2.2	1.4
31	1.8		1.2									1.4
NO.:	31	28	31	1	0	0	0	0	0	0	30	31
MAX:	3.3	2.4	1.9	.9							5.4	4.0
MEAN:	1.77	1.66	1.15	.90							2.04	2.05
ANNUAL OBSERVATIONS:		152	ANNUAL MEAN:	1.73	ANNUAL MAX:	5.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-057-0006 POC: 1
 COUNTY: (057) Weber
 CITY: (55980) Ogden
 SITE ADDRESS: 2540 S. WASHINGTON BLVD., OGDEN, UTAH
 SITE COMMENTS: MICROSCALE CO SITE TO REPLACE OLD WASHINGTON BLVD CO SITE
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 41.219722
 LONGITUDE: -111.969444
 UTM ZONE: 12
 UTM NORTHING: 4563387
 UTM EASTING: 418734
 ELEVATION-MSL: 0
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARED
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	2.1	4.8	1.5	2.5	1.9	2.3	2.0	2.4	2.0	1.7	4.3	4.1
2	3.6	4.6	1.8	1.5	3.1	1.6	2.0	2.6	2.4	1.2	4.6	4.3
3	3.5	3.4	2.1	2.7	2.3	1.7	2.0	1.0	2.0	1.9	3.2	5.5
4	4.6	6.5	4.7	2.6	4.7	1.7	3.0	.9	3.5	3.5	4.0	5.3
5	4.2	3.7	3.2	6.1	3.5	2.2	2.2	1.0	1.8	3.9	4.5	4.6
6	3.2	3.3	3.3	1.3	2.8	2.0	1.2	.8	2.6	2.6	4.6	5.3
7	4.3	3.6	1.3	1.3	2.0	5.1	1.7	1.4	2.0	4.5	4.2	3.9
8	4.6	1.8	2.8	3.4	2.0	2.4	2.3	1.8	2.3	3.5	2.2	4.1
9	5.4	3.5	3.6	2.9	1.5	1.2	2.1	3.8	2.5	3.2	3.4	2.1
10	3.4	3.2	2.2	1.6	1.3	1.9	2.2	3.3	2.1	3.5	3.1	3.2
11	4.6	3.4	1.8	3.2	1.4	1.9	2.0	2.5	2.1	4.5	2.9	2.2
12	4.8	4.7	1.5	2.9	1.6	1.5	4.0	2.2	1.5	4.1	3.1	4.2
13	3.0	3.8	.9	4.5	2.4	2.4	5.4	2.1	3.8	3.5	2.8	5.3
14	2.8	2.7	1.3	2.5	2.1	4.7	2.4	2.8	4.2	4.0	3.5	4.3
15	2.3	4.1	2.1	1.9	2.0	4.1	1.6	2.9	3.6	4.1	5.4	3.4
16	4.4	5.0	1.7	.9	1.5	2.4	1.3	4.4	2.4	3.8	4.7	1.5
17	3.7	4.8	1.0	1.9	3.3	2.6	1.5	6.8	2.9	3.6	3.0	1.8
18	3.5	2.6	1.3	1.4	5.6	1.4	1.7	2.3	1.9	5.2	3.8	1.5
19	2.3	2.6	2.5	1.2	2.3	1.3	1.7	2.0	2.5	3.7	3.9	4.2
20	1.5	2.2	3.1	1.1	2.3	1.2	4.5	1.8	3.6	3.0	4.3	2.8
21	.5	3.3	3.4	.8	.8	2.7	2.1	2.8	4.0	4.0	4.7	2.5
22	2.9	5.8	5.1	2.3	1.0	2.5	1.2	2.6	2.1	3.7	5.8	1.9
23	1.2	4.1	3.4	1.5	1.5	1.5	1.4	3.3	3.1	2.4	4.7	2.0
24	3.1	3.1	1.8	2.0	3.2	2.2	1.5	4.5	3.2	4.3	1.9	2.3
25	9.0	.7	3.1	2.2	3.0	1.4	.9	2.4	3.3	4.0	3.2	1.6
26	5.6	1.7	2.6	2.5	2.6	.9	4.4	2.3	3.1	2.7	4.5	2.2
27	1.5	2.8	2.4	2.6	1.0	1.4	2.0	2.1	3.3	2.3	4.4	2.9
28	1.1	1.3	2.3	1.3	1.9	4.7	1.8	3.3	3.1	3.1	3.5	2.7
29	4.0		3.9	2.4	2.1	4.9	2.4	2.1	2.4	1.9	5.3	1.6
30	2.8		4.5	2.8	2.5	3.0	3.1	3.8	1.6	2.1	5.2	2.0
31	2.8		3.1		3.1		2.4	3.2		1.4		2.1
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	9.0	6.5	5.1	6.1	5.6	5.1	5.4	6.8	4.2	5.2	5.8	5.5
MEAN:	3.43	3.47	2.56	2.26	2.33	2.36	2.26	2.62	2.70	3.25	3.96	3.14
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		2.86	ANNUAL MAX:		9.0				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-057-0006 POC: 1
 COUNTY: (057) Weber
 CITY: (55980) Ogden
 SITE ADDRESS: 2540 S. WASHINGTON BLVD., OGDEN, UTAH
 SITE COMMENTS: MICROSCALE CO SITE TO REPLACE OLD WASHINGTON BLVD CO SITE
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 41.219722
 LONGITUDE: -111.969444
 UTM ZONE: 12
 UTM NORTHING: 4563387
 UTM EASTING: 418734
 ELEVATION-MSL: 0
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARED
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.6	3.0	.8	1.9	1.3	2.1	1.3	1.4	1.9	1.2	2.3	3.8
2	1.9	3.5	1.1	1.2	1.4	1.2	1.1	1.6	1.5	.9	2.7	3.1
3	2.8	3.2	1.5	1.6	1.2	1.0	1.5	1.2	1.4	.8	3.0	3.2
4	3.3	3.4	2.2	1.7	2.4	.9	1.4	.5	1.5	2.0	2.7	3.3
5	3.5	2.5	2.1	2.7	3.0	1.2	1.7	.6	1.4	2.2	2.8	3.5
6	2.5	2.4	2.0	2.7	1.4	1.5	1.0	.7	1.8	2.7	3.0	3.6
7	2.6	2.5	1.6	1.0	1.1	2.4	.9	.7	1.5	2.1	3.1	4.1
8	3.1	2.2	1.3	1.7	.9	2.6	1.1	1.0	1.5	1.8	1.4	3.1
9	3.9	2.4	2.0	1.4	1.1	.6	.9	1.8	1.5	1.9	2.1	2.5
10	3.9	3.0	2.1	1.1	.9	1.2	1.0	2.1	1.2	2.0	2.4	2.3
11	2.9	2.1	1.1	1.9	1.0	1.2	1.1	2.2	1.5	2.9	1.4	2.2
12	3.3	3.0	1.3	1.4	1.1	1.1	1.9	1.1	1.2	3.1	1.9	3.0
13	3.4	2.4	.6	2.3	1.4	1.2	2.1	1.3	2.4	2.8	2.3	3.8
14	1.7	1.5	1.0	2.7	1.2	2.4	2.3	1.5	2.6	2.5	2.1	3.8
15	1.1	2.3	1.2	1.4	1.0	2.8	1.1	1.9	2.8	2.6	2.8	2.3
16	2.2	3.0	.9	.8	.9	1.8	.9	2.0	2.0	2.6	3.7	2.4
17	2.2	3.6	1.0	1.3	1.7	1.6	1.1	2.9	1.8	2.1	3.8	1.2
18	2.1	1.7	1.0	.7	1.9	1.6	1.0	3.2	1.1	3.0	2.7	1.2
19	2.1	1.7	1.3	.8	2.0	.7	1.0	1.6	1.4	3.1	2.8	1.7
20	1.6	1.5	1.6	.7	1.2	.7	1.7	1.4	1.8	3.0	2.7	2.2
21	.4	2.2	1.6	.7	.6	1.3	2.2	1.5	2.3	2.3	3.4	2.3
22	1.9	3.1	2.9	1.0	.8	1.3	1.0	1.6	2.5	2.4	3.9	2.0
23	2.0	3.6	3.3	.8	1.0	1.3	.8	1.6	1.5	1.6	4.4	1.4
24	2.4	2.1	1.3	1.1	1.7	1.2	.8	2.2	1.7	2.2	3.2	1.3
25	3.6	.5	1.8	1.3	2.0	1.1	.6	2.3	1.8	2.8	1.6	1.0
26	4.5	1.1	2.0	1.4	2.1	.8	2.0	1.5	1.8	3.0	2.4	1.8
27	.6	1.7	1.2	1.3	.6	1.1	2.3	1.2	1.9	1.6	2.6	1.9
28	.8	1.8	1.6	1.5	1.2	2.0	1.0	1.6	2.1	1.7	2.8	1.9
29	2.3		1.8	1.5	1.3	2.4	1.3	1.5	2.4	1.2	3.4	1.1
30	1.8		2.4	1.3	1.6	2.6	1.7	2.2	1.1	1.6	3.8	1.3
31	1.8		2.8		1.7		1.8	2.4		1.4		1.5
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	4.5	3.6	3.3	2.7	3.0	2.8	2.3	3.2	2.8	3.1	4.4	4.1
MEAN:	2.38	2.39	1.63	1.43	1.38	1.50	1.34	1.62	1.76	2.16	2.77	2.38
ANNUAL OBSERVATIONS:		365		ANNUAL MEAN:	1.89		ANNUAL MAX:	4.5				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-057-0007 POC: 1
 COUNTY: (057) Weber
 CITY: (82070) Washington Terrace
 SITE ADDRESS: 4601 S. 300 W., WASHINGTON TERRACE, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 41.179722
 LONGITUDE: -111.983056
 UTM ZONE: 12
 UTM NORTHING: 4558941
 UTM EASTING: 417544
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.3	3.0	.5								1.3	2.2
2	1.3	2.1	1.0								1.5	2.7
3	1.9	1.7	1.2								1.4	2.6
4	3.0	2.7	3.5								1.8	3.7
5	1.6	2.4	3.8								1.5	1.9
6	1.7	1.9	2.1								2.5	2.3
7	2.5	2.5	.6								1.7	1.8
8	2.8	1.3	.8								.6	1.7
9	3.2	2.0	1.0								.7	2.2
10	2.0	1.6	1.3								.5	2.5
11	3.7	2.3	.6								1.5	2.6
12	1.6	3.6	1.0								1.2	2.1
13	1.3	1.9	.5								1.8	3.7
14	2.2	1.6	.7								2.8	1.0
15	.8	2.0	1.0								3.0	1.6
16	3.2	1.9	.6								1.4	.6
17	2.1	2.0	.7								1.1	.9
18	.9	1.6	.7								2.0	.9
19	1.0	1.5	.8								2.8	1.7
20	.8	1.5	1.2								2.4	.8
21	.5	1.8	2.7								2.9	2.9
22	2.1	2.1	1.7								3.5	2.3
23	.7	1.5	.3								1.8	2.0
24	2.0	.8	1.0								.6	2.7
25	2.7	.3	1.4								1.4	2.9
26	1.7	2.8	1.2								2.0	3.0
27	.6	2.6	.8								1.7	1.5
28	.8	.7	1.2								1.9	2.0
29	5.2		1.3								1.7	1.9
30	1.9		.9								2.0	1.6
31	1.5		.7									2.0
NO.:	31	28	31	0	0	0	0	0	0	0	30	31
MAX:	5.2	3.6	3.8								3.5	3.7
MEAN:	1.89	1.92	1.19								1.77	2.07
ANNUAL OBSERVATIONS:	151		ANNUAL MEAN:	1.76		ANNUAL MAX:	5.2					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42101) Carbon monoxide

SITE ID: 49-057-0007 POC: 1
 COUNTY: (057) Weber
 CITY: (82070) Washington Terrace
 SITE ADDRESS: 4601 S. 300 W., WASHINGTON TERRACE, UTAH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 41.179722
 LONGITUDE: -111.983056
 UTM ZONE: 12
 UTM NORTHING: 4558941
 UTM EASTING: 417544
 ELEVATION-MSL: 0
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 8-HR RUN AVG END HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.0	1.8	.3	.5							.8	1.5
2	1.0	1.9	.6								1.0	1.5
3	1.4	1.5	.8								1.1	1.8
4	1.7	1.7	1.3								1.1	1.7
5	1.3	1.9	1.5								1.2	1.6
6	1.3	1.5	1.1								1.5	1.2
7	1.9	1.8	.4								1.3	1.1
8	2.1	1.7	.5								.4	1.2
9	2.2	1.1	.5								.5	1.5
10	2.0	1.0	.8								.5	1.5
11	2.1	1.5	.4								.7	1.5
12	1.7	1.8	.5								.7	1.1
13	1.2	1.3	.3								1.2	2.5
14	.9	1.2	.4								1.4	1.9
15	.6	1.3	.6								1.3	1.0
16	1.5	1.5	.7								1.0	1.0
17	1.2	1.7	.4								.8	.5
18	.9	1.2	.4								1.2	.7
19	.8	1.0	.5								1.9	.7
20	.8	1.0	.8								2.0	.6
21	.3	1.1	1.1								1.7	2.1
22	1.2	1.2	.8								1.7	2.1
23	1.2	1.2	.8								1.7	1.7
24	1.2	.6	.6								1.0	1.7
25	1.7	.3	.7								.8	1.8
26	1.7	1.0	.8								1.4	1.8
27	.3	1.2	.5								1.4	1.7
28	.6	.8	.6								1.3	1.4
29	2.5		.7								1.4	1.3
30	1.3		.5								1.4	1.5
31	1.3		.6									1.7
NO.:	31	28	31	1	0	0	0	0	0	0	30	31
MAX:	2.5	1.9	1.5	.5							2.0	2.5
MEAN:	1.32	1.31	.66	.50							1.18	1.45
ANNUAL OBSERVATIONS:		152	ANNUAL MEAN:	1.18	ANNUAL MAX:	2.5						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.