

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (12128) Lead (TSP)
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County	Percentiles						Max	2nd	Min	Arith Mean / STD	
49-035-1001						Salt Lake											
2002	1		24 HOURS	0		10	25	50	75	90	95	98	99	1	2	.02	.034
			Micrograms/cubic meter (25 C)		61	.02	.02	.02	.02	.06	.10	.13	.17	.17	.13		.031
49-035-3007						Salt Lake											
2002	1		24 HOURS	0		10	25	50	75	90	95	98	99	1	2	.00115	.011810
			Micrograms/cubic meter (25 C)		55	.00178	.00281	.00472	.00993	.01486	.06969	.09717	.13763	.13763	.09717		.023660

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42101) Carbon monoxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Percentiles		Max	2nd	Min	Arith Mean / STD	
49-005-0004						Cache												
2002	1		1 HOUR	0	40.4	10	25	50	75	90	95	98	99	1	2	.3	.86 *	
			Parts per million		3539	.3	.3	.7	1.1	1.7	2.1	2.8	3.4	6.3	6.1		.69	
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3		
			END HOUR		3548	.3	.5	.8	1.2	1.5	1.8	2.0	2.2	2.5	2.5			
			Parts per million															
49-011-0001						Davis												
2002	1		1 HOUR	0	40.67	10	25	50	75	90	95	98	99	1	2	.3	.68 *	
			Parts per million		3563	.3	.3	.6	.9	1.3	1.6	2.2	2.5	4.3	3.9		.51	
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3		
			END HOUR		3609	.3	.3	.6	.9	1.3	1.4	1.6	1.7	2.0	2.0			
			Parts per million															
49-035-0003						Salt Lake												
2002	1		1 HOUR	0	97.9	10	25	50	75	90	95	98	99	1	2	.3	.76	
			Parts per million		8576	.3	.3	.5	1.0	1.7	2.2	2.7	3.1	5.0	4.7		.66	
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3		
			END HOUR		8602	.3	.3	.6	1.0	1.6	1.9	2.3	2.4	3.5	3.5			
			Parts per million															
49-035-0014						Salt Lake												
2002	1		1 HOUR	0	95.13	10	25	50	75	90	95	98	99	1	2	.3	.92	
			Parts per million		8333	.3	.5	.7	1.1	1.8	2.3	3.0	3.5	6.4	5.7		.69	
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3		
			END HOUR		8375	.4	.5	.7	1.1	1.8	2.2	2.6	2.9	3.9	3.9			
			Parts per million															
49-035-3006						Salt Lake												
2002	1		1 HOUR	0	41	10	25	50	75	90	95	98	99	1	2	.3	1.00 *	
			Parts per million		3582	.3	.3	.7	1.4	2.3	2.9	3.6	4.3	6.3	6.2		.94	
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3		
			END HOUR		3595	.3	.4	.8	1.5	2.1	2.4	2.8	3.0	3.7	3.7			
			Parts per million															
49-035-3007						Salt Lake												

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42101) Carbon monoxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
2002	1		1 HOUR	0	40	10	25	50	75	90	95	98	99	1	2	.3	.97 *
			Parts per million		3517	.3	.3	.7	1.2	2.1	2.8	3.7	4.3	6.0	5.7		.87
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		3534	.3	.4	.8	1.4	1.9	2.3	2.7	3.0	4.3	4.3		
			Parts per million														
49-049-0002						Utah											
2002	1		1 HOUR	0	40.61	10	25	50	75	90	95	98	99	1	2	.3	.99 *
			Parts per million		3557	.3	.5	.8	1.2	1.9	2.4	2.8	3.2	5.1	4.9		.66
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		3609	.4	.6	.9	1.3	1.7	2.0	2.2	2.5	3.6	3.6		
			Parts per million														
49-049-0005						Utah											
2002	1		1 HOUR	0	98.26	10	25	50	75	90	95	98	99	1	2	.3	.92
			Parts per million		8608	.3	.3	.7	1.1	1.9	2.5	3.4	4.0	6.9	6.8		.79
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		8661	.3	.5	.8	1.2	1.8	2.2	2.7	3.1	5.0	5.0		
			Parts per million														
49-049-5005						Utah											
2002	1		1 HOUR	0	41.05	10	25	50	75	90	95	98	99	1	2	.3	1.08 *
			Parts per million		3596	.3	.6	.9	1.4	2.0	2.5	3.0	3.5	22.4	9.8		.81
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		3609	.5	.7	1.0	1.3	1.7	2.0	2.4	2.8	5.4	5.4		
			Parts per million														
49-057-0006						Weber											
2002	1		1 HOUR	0	98.96	10	25	50	75	90	95	98	99	1	2	.3	1.12
			Parts per million		8669	.3	.5	.8	1.4	2.4	3.1	3.8	4.4	9.0	7.1		.91
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		8717	.4	.6	1.0	1.4	2.1	2.5	2.9	3.2	4.5	4.5		
			Parts per million														
49-057-0007						Weber											

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42101) Carbon monoxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
2002	1		1 HOUR		0	40.78	10	25	50	75	90	95	98	99	1	2	.3	.77 *
			Parts per million			3572	.3	.3	.6	1.1	1.5	1.9	2.3	2.7	5.2	4.8		.57
	1		8-HR RUN AVG		0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR			3603	.3	.4	.7	1.1	1.4	1.6	1.8	2.0	2.5	2.5		
			Parts per million															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42401) Sulfur dioxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Percentiles											
49-005-0004						Cache											
2002	1		1 HOUR	0	98.7	10	25	50	75	90	95	98	99	1	2	.001	.0015
			Parts per million		1445	.001	.001	.001	.002	.003	.003	.004	.005	.010	.006		.0000
	1		24-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		61	.001	.001	.001	.002	.002	.002	.003	.003	.003	.003		
	1		3-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		473	.001	.001	.001	.002	.002	.003	.003	.004	.005	.005		
49-011-0001						Davis											
2002	2		1 HOUR	0	98.24	10	25	50	75	90	95	98	99	1	2	.001	.0024
			Parts per million		8606	.001	.001	.001	.003	.005	.008	.012	.016	.055	.040		.0029
	2		24-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		365	.001	.001	.002	.003	.004	.005	.005	.007	.010	.009		
	2		3-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		2790	.001	.001	.001	.002	.005	.007	.010	.013	.034	.026		
49-035-0012						Salt Lake											
2002	1		1 HOUR	0	93.49	10	25	50	75	90	95	98	99	1	2	.001	.0036
			Parts per million		8190	.001	.002	.003	.004	.006	.009	.015	.020	.077	.062		.0039
	1		24-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		337	.002	.002	.003	.004	.006	.007	.009	.009	.010	.010		
	1		3-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		2679	.001	.002	.002	.004	.006	.008	.013	.018	.052	.039		
49-035-1001						Salt Lake											
2002	4		1 HOUR	0	95.63	10	25	50	75	90	95	98	99	1	2	.001	.0021
			Parts per million		8377	.001	.001	.001	.002	.004	.006	.009	.011	.028	.028		.0018
	4		24-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		354	.001	.001	.002	.003	.004	.004	.005	.006	.006	.006		
	4		3-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		2705	.001	.001	.001	.002	.004	.005	.007	.009	.019	.015		
49-035-2004						Salt Lake											
2002																	

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42401) Sulfur dioxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County					Percentiles	Max	2nd	Min	Arith Mean / STD		
1			1 HOUR		0	98.49	10	25	50	75	90	95	98	99	1	2	.001	.0027
			Parts per million			8628	.001	.001	.002	.003	.005	.007	.009	.012	.060	.054		.0026
1			24-HR BLK AVG		0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million			362	.001	.002	.003	.003	.004	.005	.006	.006	.007	.007		
1			3-HR BLK AVG		0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million			2836	.001	.001	.002	.003	.005	.006	.008	.010	.022	.021		

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42602) Nitrogen dioxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Percentiles		Max	2nd	Min	Arith Mean / STD	
49-005-0004						Cache												
2002	1		1 HOUR	0	98.84	10	25	50	75	90	95	98	99	1	2	.003	.0193	
			Parts per million		1447	.007	.013	.020	.026	.031	.034	.037	.038	.045	.044		.0089	
49-011-0001						Davis												
2002	1		1 HOUR	0	96.88	10	25	50	75	90	95	98	99	1	2	.003	.0190	
			Parts per million		8487	.003	.007	.014	.029	.041	.047	.054	.061	.122	.087		.0151	
49-035-0003						Salt Lake												
2002	1		1 HOUR	0	97.77	10	25	50	75	90	95	98	99	1	2	.003	.0239	
			Parts per million		8565	.005	.010	.024	.035	.044	.049	.055	.060	.083	.080		.0150	
49-035-3006						Salt Lake												
2002	1		1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.003	.0270	
			Parts per million		8596	.007	.012	.027	.039	.047	.053	.060	.068	.088	.087		.0159	
49-049-0002						Utah												
2002	1		1 HOUR	0	93.61	10	25	50	75	90	95	98	99	1	2	.003	.0248	
			Parts per million		8200	.006	.012	.025	.036	.043	.048	.053	.057	.080	.076		.0141	
49-057-0002						Weber												
2002	1		1 HOUR	0	97.1	10	25	50	75	90	95	98	99	1	2	.003	.0274	
			Parts per million		8506	.007	.012	.027	.039	.049	.055	.063	.069	.158	.132		.0166	

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County					Percentiles	Max	2nd	Min	Arith Mean / STD		
49-003-0003							Box Elder											
2002	1		1 HOUR		1	99	10	25	50	75	90	95	98	99	1	2	.035	.0656
			Parts per million			3594	.049	.057	.065	.074	.083	.088	.094	.105	.110	.105		.0135
	1		1 HOUR		2	99	10	25	50	75	90	95	98	99	1	2	.035	.0658
			Parts per million			3617	.049	.057	.065	.074	.084	.089	.094	.105	.110	.105		.0137
	1		1 HOUR		3	99	10	25	50	75	90	95	98	99	1	2	.035	.0658
			Parts per million			3617	.049	.057	.065	.074	.084	.089	.094	.105	.110	.105		.0137
	1		1 HOUR		4	99	10	25	50	75	90	95	98	99	1	2	.035	.0656
			Parts per million			3594	.049	.057	.065	.074	.083	.088	.094	.105	.110	.105		.0135
	1		1 HOUR		5	99	10	25	50	75	90	95	98	99	1	2	.035	.0658
			Parts per million			3617	.049	.057	.065	.074	.084	.089	.094	.105	.110	.105		.0137
	1		1 HOUR		6	99	10	25	50	75	90	95	98	99	1	2	.035	.0658
			Parts per million			3617	.049	.057	.065	.074	.084	.089	.094	.105	.110	.105		.0137
	1		1 HOUR		7	99	10	25	50	75	90	95	98	99	1	2	.035	.0658
			Parts per million			3617	.049	.057	.065	.074	.084	.089	.094	.105	.110	.105		.0137
	1		8-HR RUN AVG		1	99	10	25	50	75	90	95	98	99	1	2	.031	.0587
			BEGIN HOUR			3629	.043	.052	.059	.066	.074	.077	.084	.091	.095	.091		.0122
			Parts per million															
	1		8-HR RUN AVG		2	99	10	25	50	75	90	95	98	99	1	2	.031	.0589
			BEGIN HOUR			3656	.043	.052	.059	.066	.075	.078	.084	.091	.095	.091		.0123
			Parts per million															
	1		8-HR RUN AVG		3	99	10	25	50	75	90	95	98	99	1	2	.031	.0589
			BEGIN HOUR			3656	.043	.052	.059	.066	.075	.078	.084	.091	.095	.091		.0123
			Parts per million															
	1		8-HR RUN AVG		4	99	10	25	50	75	90	95	98	99	1	2	.031	.0587
			BEGIN HOUR			3629	.043	.052	.059	.066	.074	.077	.084	.091	.095	.091		.0122
			Parts per million															
	1		8-HR RUN AVG		5	99	10	25	50	75	90	95	98	99	1	2	.031	.0589
			BEGIN HOUR			3656	.043	.052	.059	.066	.075	.078	.084	.091	.095	.091		.0123
			Parts per million															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County					Percentiles			Max	2nd	Min	Arith Mean / STD
	1		8-HR RUN AVG		6	99	10	25	50	75	90	95	98	99	1	2	.031	.0589
			BEGIN HOUR			3656	.043	.052	.059	.066	.075	.078	.084	.091	.095	.091		.0123
			Parts per million															
	1		8-HR RUN AVG		7	99	10	25	50	75	90	95	98	99	1	2	.031	.0589
			BEGIN HOUR			3656	.043	.052	.059	.066	.075	.078	.084	.091	.095	.091		.0123
			Parts per million															
49-005-0004							Cache											
2002	1		1 HOUR		0	99	10	25	50	75	90	95	98	99	1	2	.033	.0604
			Parts per million			3602	.048	.053	.061	.068	.075	.076	.078	.078	.080	.078		.0100
	1		8-HR RUN AVG		0	97	10	25	50	75	90	95	98	99	1	2	.021	.0542
			BEGIN HOUR			3618	.042	.049	.054	.060	.065	.069	.071	.072	.076	.072		.0096
			Parts per million															
49-011-0001							Davis											
2002	1		1 HOUR		1	99	10	25	50	75	90	95	98	99	1	2	.032	.0639
			Parts per million			3588	.048	.052	.060	.073	.086	.096	.107	.109	.110	.109		.0160
	1		1 HOUR		2	100	10	25	50	75	90	95	98	99	1	2	.032	.0641
			Parts per million			3611	.048	.052	.060	.073	.086	.099	.107	.109	.110	.109		.0162
	1		1 HOUR		3	100	10	25	50	75	90	95	98	99	1	2	.032	.0641
			Parts per million			3611	.048	.052	.060	.073	.086	.099	.107	.109	.110	.109		.0162
	1		1 HOUR		4	99	10	25	50	75	90	95	98	99	1	2	.032	.0639
			Parts per million			3588	.048	.052	.060	.073	.086	.096	.107	.109	.110	.109		.0160
	1		1 HOUR		5	100	10	25	50	75	90	95	98	99	1	2	.032	.0641
			Parts per million			3611	.048	.052	.060	.073	.086	.099	.107	.109	.110	.109		.0162
	1		1 HOUR		6	100	10	25	50	75	90	95	98	99	1	2	.032	.0641
			Parts per million			3611	.048	.052	.060	.073	.086	.099	.107	.109	.110	.109		.0162
	1		1 HOUR		7	100	10	25	50	75	90	95	98	99	1	2	.032	.0641
			Parts per million			3611	.048	.052	.060	.073	.086	.099	.107	.109	.110	.109		.0162
	1		8-HR RUN AVG		1	99	10	25	50	75	90	95	98	99	1	2	.027	.0560
			BEGIN HOUR			3633	.042	.048	.055	.063	.074	.077	.088	.089	.091	.089		.0124
			Parts per million															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles								Max	2nd	Min	Arith Mean / STD	
Year	POC	Duration Unit	Obs													
1		8-HR RUN AVG	2	99	10	25	50	75	90	95	98	99	1	2	.027	.0562
		BEGIN HOUR		3660	.042	.048	.055	.063	.074	.080	.089	.091	.093	.091		.0127
		Parts per million														
1		8-HR RUN AVG	3	99	10	25	50	75	90	95	98	99	1	2	.027	.0562
		BEGIN HOUR		3660	.042	.048	.055	.063	.074	.080	.089	.091	.093	.091		.0127
		Parts per million														
1		8-HR RUN AVG	4	99	10	25	50	75	90	95	98	99	1	2	.027	.0560
		BEGIN HOUR		3633	.042	.048	.055	.063	.074	.077	.088	.089	.091	.089		.0124
		Parts per million														
1		8-HR RUN AVG	5	99	10	25	50	75	90	95	98	99	1	2	.027	.0562
		BEGIN HOUR		3660	.042	.048	.055	.063	.074	.080	.089	.091	.093	.091		.0127
		Parts per million														
1		8-HR RUN AVG	6	99	10	25	50	75	90	95	98	99	1	2	.027	.0562
		BEGIN HOUR		3660	.042	.048	.055	.063	.074	.080	.089	.091	.093	.091		.0127
		Parts per million														
1		8-HR RUN AVG	7	99	10	25	50	75	90	95	98	99	1	2	.027	.0562
		BEGIN HOUR		3660	.042	.048	.055	.063	.074	.080	.089	.091	.093	.091		.0127
		Parts per million														
49-035-0003				Salt Lake												
2002	1	1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.028	.0628
		Parts per million		3577	.045	.051	.060	.071	.084	.092	.098	.104	.107	.104		.0153
1		8-HR RUN AVG	0	98	10	25	50	75	90	95	98	99	1	2	.024	.0551
		BEGIN HOUR		3613	.040	.047	.054	.062	.073	.077	.082	.084	.086	.084		.0124
		Parts per million														
49-035-2004				Salt Lake												
2002	1	1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.037	.0632
		Parts per million		3602	.048	.055	.061	.069	.079	.094	.100	.110	.117	.110		.0143
1		8-HR RUN AVG	0	97	10	25	50	75	90	95	98	99	1	2	.032	.0565
		BEGIN HOUR		3618	.043	.050	.056	.063	.072	.079	.083	.089	.096	.089		.0114
		Parts per million														
49-035-3006				Salt Lake												

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
2002	1		1 HOUR	0	100	10	25	50	75	90	95	98	99	1	2	.024	.0645
			Parts per million		3629	.048	.053	.061	.074	.087	.096	.103	.104	.107	.104		.0162
	1		8-HR RUN AVG	0	99	10	25	50	75	90	95	98	99	1	2	.019	.0560
			BEGIN HOUR		3662	.041	.048	.055	.065	.073	.080	.084	.090	.094	.090		.0134
			Parts per million														
49-035-3007						Salt Lake											
2002	1		1 HOUR	0	100	10	25	50	75	90	95	98	99	1	2	.033	.0637
			Parts per million		3630	.047	.053	.062	.072	.085	.090	.095	.097	.106	.097		.0147
	1		8-HR RUN AVG	0	99	10	25	50	75	90	95	98	99	1	2	.026	.0562
			BEGIN HOUR		3656	.041	.048	.056	.065	.072	.076	.079	.081	.082	.081		.0117
			Parts per million														
49-035-3008						Salt Lake											
2002	1		1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.034	.0639
			Parts per million		3577	.048	.054	.062	.070	.084	.089	.095	.098	.117	.098		.0139
	1		8-HR RUN AVG	0	97	10	25	50	75	90	95	98	99	1	2	.032	.0564
			BEGIN HOUR		3592	.045	.050	.056	.062	.070	.074	.078	.082	.083	.082		.0103
			Parts per million														
49-049-0002						Utah											
2002	2		1 HOUR	0	100	10	25	50	75	90	95	98	99	1	2	.023	.0609
			Parts per million		3625	.046	.053	.060	.070	.077	.083	.085	.096	.108	.096		.0134
	2		8-HR RUN AVG	0	100	10	25	50	75	90	95	98	99	1	2	.012	.0535
			BEGIN HOUR		3663	.038	.047	.055	.060	.068	.071	.077	.081	.082	.081		.0120
			Parts per million														
49-049-5008						Utah											
2002	1		1 HOUR	0	100	10	25	50	75	90	95	98	99	1	2	.030	.0642
			Parts per million		3626	.049	.055	.063	.070	.084	.094	.102	.104	.104	.104		.0147
	1		8-HR RUN AVG	0	99	10	25	50	75	90	95	98	99	1	2	.026	.0565
			BEGIN HOUR		3662	.043	.050	.056	.063	.072	.077	.082	.083	.085	.083		.0113
			Parts per million														
49-049-5010						Utah											

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Percentiles											
2002	1		1 HOUR	0	94	10	25	50	75	90	95	98	99	1	2	.028	.0654
			Parts per million		3464	.049	.057	.065	.074	.083	.089	.091	.095	.095	.095		.0134
	1		8-HR RUN AVG	0	93	10	25	50	75	90	95	98	99	1	2	.019	.0573
			BEGIN HOUR		3474	.043	.051	.058	.065	.072	.075	.078	.081	.081	.081		.0114
			Parts per million														
49-057-0007						Weber											
2002	1		1 HOUR	1	99	10	25	50	75	90	95	98	99	1	2	.034	.0626
			Parts per million		3587	.048	.054	.061	.071	.081	.089	.098	.099	.103	.099		.0137
	1		1 HOUR	2	99	10	25	50	75	90	95	98	99	1	2	.034	.0628
			Parts per million		3611	.048	.054	.061	.071	.081	.090	.098	.099	.103	.099		.0139
	1		1 HOUR	3	99	10	25	50	75	90	95	98	99	1	2	.034	.0628
			Parts per million		3611	.048	.054	.061	.071	.081	.090	.098	.099	.103	.099		.0139
	1		1 HOUR	4	99	10	25	50	75	90	95	98	99	1	2	.034	.0626
			Parts per million		3587	.048	.054	.061	.071	.081	.089	.098	.099	.103	.099		.0137
	1		1 HOUR	5	99	10	25	50	75	90	95	98	99	1	2	.034	.0628
			Parts per million		3611	.048	.054	.061	.071	.081	.090	.098	.099	.103	.099		.0139
	1		1 HOUR	6	99	10	25	50	75	90	95	98	99	1	2	.034	.0628
			Parts per million		3611	.048	.054	.061	.071	.081	.090	.098	.099	.103	.099		.0139
	1		1 HOUR	7	99	10	25	50	75	90	95	98	99	1	2	.034	.0628
			Parts per million		3611	.048	.054	.061	.071	.081	.090	.098	.099	.103	.099		.0139
	1		8-HR RUN AVG	1	97	10	25	50	75	90	95	98	99	1	2	.027	.0555
			BEGIN HOUR		3609	.044	.049	.055	.062	.070	.074	.078	.082	.084	.082		.0111
			Parts per million														
	1		8-HR RUN AVG	2	98	10	25	50	75	90	95	98	99	1	2	.027	.0556
			BEGIN HOUR		3636	.044	.049	.055	.063	.071	.077	.078	.082	.084	.082		.0112
			Parts per million														
	1		8-HR RUN AVG	3	98	10	25	50	75	90	95	98	99	1	2	.027	.0556
			BEGIN HOUR		3636	.044	.049	.055	.063	.071	.077	.078	.082	.084	.082		.0112
			Parts per million														

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2			
1		8-HR RUN AVG	4	97	10	25	50	75	90	95	98	99	1	2	.027	.0555
		BEGIN HOUR		3609	.044	.049	.055	.062	.070	.074	.078	.082	.084	.082		.0111
		Parts per million														
1		8-HR RUN AVG	5	98	10	25	50	75	90	95	98	99	1	2	.027	.0556
		BEGIN HOUR		3636	.044	.049	.055	.063	.071	.077	.078	.082	.084	.082		.0112
		Parts per million														
1		8-HR RUN AVG	6	98	10	25	50	75	90	95	98	99	1	2	.027	.0556
		BEGIN HOUR		3636	.044	.049	.055	.063	.071	.077	.078	.082	.084	.082		.0112
		Parts per million														
1		8-HR RUN AVG	7	98	10	25	50	75	90	95	98	99	1	2	.027	.0556
		BEGIN HOUR		3636	.044	.049	.055	.063	.071	.077	.078	.082	.084	.082		.0112
		Parts per million														
49-057-1003				Weber												
2002	1	1 HOUR	1	98	10	25	50	75	90	95	98	99	1	2	.038	.0658
		Parts per million		3424	.051	.056	.064	.074	.083	.090	.095	.102	.108	.102		.0130
1		1 HOUR	2	99	10	25	50	75	90	95	98	99	1	2	.038	.0661
		Parts per million		3447	.051	.056	.064	.074	.083	.091	.099	.104	.108	.104		.0133
1		1 HOUR	3	99	10	25	50	75	90	95	98	99	1	2	.038	.0661
		Parts per million		3447	.051	.056	.064	.074	.083	.091	.099	.104	.108	.104		.0133
1		1 HOUR	4	98	10	25	50	75	90	95	98	99	1	2	.038	.0658
		Parts per million		3424	.051	.056	.064	.074	.083	.090	.095	.102	.108	.102		.0130
1		1 HOUR	5	99	10	25	50	75	90	95	98	99	1	2	.038	.0661
		Parts per million		3447	.051	.056	.064	.074	.083	.091	.099	.104	.108	.104		.0133
1		1 HOUR	6	99	10	25	50	75	90	95	98	99	1	2	.038	.0661
		Parts per million		3447	.051	.056	.064	.074	.083	.091	.099	.104	.108	.104		.0133
1		1 HOUR	7	99	10	25	50	75	90	95	98	99	1	2	.038	.0661
		Parts per million		3447	.051	.056	.064	.074	.083	.091	.099	.104	.108	.104		.0133
1		8-HR RUN AVG	1	97	10	25	50	75	90	95	98	99	1	2	.033	.0593
		BEGIN HOUR		3560	.048	.052	.058	.067	.073	.077	.084	.086	.092	.086		.0109
		Parts per million														

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles								Max	2nd	Min	Arith Mean / STD	
Year	POC	Duration Unit	Obs													
1		8-HR RUN AVG	2	98	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3587	.048	.052	.058	.067	.074	.078	.084	.086	.092	.086		.0110
		Parts per million														
1		8-HR RUN AVG	3	98	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3587	.048	.052	.058	.067	.074	.078	.084	.086	.092	.086		.0110
		Parts per million														
1		8-HR RUN AVG	4	97	10	25	50	75	90	95	98	99	1	2	.033	.0593
		BEGIN HOUR		3560	.048	.052	.058	.067	.073	.077	.084	.086	.092	.086		.0109
		Parts per million														
1		8-HR RUN AVG	5	98	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3587	.048	.052	.058	.067	.074	.078	.084	.086	.092	.086		.0110
		Parts per million														
1		8-HR RUN AVG	6	98	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3587	.048	.052	.058	.067	.074	.078	.084	.086	.092	.086		.0110
		Parts per million														
1		8-HR RUN AVG	7	98	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3587	.048	.052	.058	.067	.074	.078	.084	.086	.092	.086		.0110
		Parts per million														

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (81102) PM10 Total 0-10um STP
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR Obs	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit														
49-005-0004			Cache													
2002	1	24 HOURS	0	96	10	25	50	75	90	95	98	99	1	2	2	29.3
		Micrograms/cubic meter (25 C)		117	9	16	25	36	51	70	89	109	154	109		21.7
49-019-0006			Grand													
2002	1	24 HOURS	0	100	10	25	50	75	90	95	98	99	1	2	7	23.0
		Micrograms/cubic meter (25 C)		61	12	16	22	29	36	39	41	42	42	41		9.1
49-035-0003			Salt Lake													
2002	1	24 HOURS	0	98	10	25	50	75	90	95	98	99	1	2	7	32.0
		Micrograms/cubic meter (25 C)		120	13	19	27	38	63	71	84	95	119	95		19.4
49-035-0012			Salt Lake													
2002	2	24 HOURS	0	97	10	25	50	75	90	95	98	99	1	2	6	41.4
		Micrograms/cubic meter (25 C)		353	18	25	37	55	70	83	89	100	121	120		21.1
49-035-1001			Salt Lake													
2002	3	24 HOURS	1	96	10	25	50	75	90	95	98	99	1	2	2	24.9
		Micrograms/cubic meter (25 C)		118	9	13	22	31	52	57	66	73	87	73		16.1
	3	24 HOURS	2	97	10	25	50	75	90	95	98	99	1	2	2	26.8
		Micrograms/cubic meter (25 C)		119	9	13	22	32	53	58	73	87	253	87		26.3
	3	24 HOURS	3	97	10	25	50	75	90	95	98	99	1	2	2	26.8
		Micrograms/cubic meter (25 C)		119	9	13	22	32	53	58	73	87	253	87		26.3
	3	24 HOURS	4	96	10	25	50	75	90	95	98	99	1	2	2	24.9
		Micrograms/cubic meter (25 C)		118	9	13	22	31	52	57	66	73	87	73		16.1
	3	24 HOURS	5	96	10	25	50	75	90	95	98	99	1	2	2	24.9
		Micrograms/cubic meter (25 C)		118	9	13	22	31	52	57	66	73	87	73		16.1

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (81102) PM10 Total 0-10um STP
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	Duration Unit	Obs		10	25	50	75	90	95	98	99					
3	24 HOURS	6		10	25	50	75	90	95	98	99	1	2	2	26.8	
	Micrograms/cubic meter (25 C)	119		9	13	22	32	53	58	73	87	253	87		26.3	
3	24 HOURS	7		10	25	50	75	90	95	98	99	1	2	2	24.9	
	Micrograms/cubic meter (25 C)	118		9	13	22	31	52	57	66	73	87	73		16.1	
49-035-3006			Salt Lake													
2002	24 HOURS	0		10	25	50	75	90	95	98	99	1	2	6	29.0	
	Micrograms/cubic meter (25 C)	339		11	17	25	35	57	67	80	84	130	123		18.4	
49-049-0002			Utah													
2002	24 HOURS	0		10	25	50	75	90	95	98	99	1	2	5	28.5	
	Micrograms/cubic meter (25 C)	120		13	18	27	35	46	55	72	79	82	79		14.4	
49-049-4001			Utah													
2002	24 HOURS	1		10	25	50	75	90	95	98	99	1	2	4	31.6	
	Micrograms/cubic meter (25 C)	352		12	19	30	41	51	66	78	90	105	101		17.7	
2	24 HOURS	2		10	25	50	75	90	95	98	99	1	2	4	32.3	
	Micrograms/cubic meter (25 C)	353		12	19	30	41	54	67	83	92	288	105		22.3	
2	24 HOURS	3		10	25	50	75	90	95	98	99	1	2	4	32.3	
	Micrograms/cubic meter (25 C)	353		12	19	30	41	54	67	83	92	288	105		22.3	
2	24 HOURS	4		10	25	50	75	90	95	98	99	1	2	4	31.6	
	Micrograms/cubic meter (25 C)	352		12	19	30	41	51	66	78	90	105	101		17.7	
2	24 HOURS	5		10	25	50	75	90	95	98	99	1	2	4	32.3	
	Micrograms/cubic meter (25 C)	353		12	19	30	41	54	67	83	92	288	105		22.3	
2	24 HOURS	6		10	25	50	75	90	95	98	99	1	2	4	32.3	
	Micrograms/cubic meter	353		12	19	30	41	54	67	83	92	288	105		22.3	

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (81102) PM10 Total 0-10um STP
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2	4	32.3	
		24 HOURS	7	97	10	25	50	75	90	95	98	99	1	2	4	32.3
		Micrograms/cubic meter (25 C)		353	12	19	30	41	54	67	83	92	288	105		22.3
49-057-0002					Weber											
2002	1	24 HOURS	1	94	10	25	50	75	90	95	98	99	1	2	5	34.3
		Micrograms/cubic meter (25 C)		343	13	21	32	44	59	72	85	94	134	106		19.1
	1	24 HOURS	2	94	10	25	50	75	90	95	98	99	1	2	5	34.7
		Micrograms/cubic meter (25 C)		344	13	22	32	44	60	73	86	102	163	134		20.3
	1	24 HOURS	3	94	10	25	50	75	90	95	98	99	1	2	5	34.3
		Micrograms/cubic meter (25 C)		343	13	21	32	44	59	72	85	94	134	106		19.1
	1	24 HOURS	4	94	10	25	50	75	90	95	98	99	1	2	5	34.7
		Micrograms/cubic meter (25 C)		344	13	22	32	44	60	73	86	102	163	134		20.3
	1	24 HOURS	5	94	10	25	50	75	90	95	98	99	1	2	5	34.7
		Micrograms/cubic meter (25 C)		344	13	22	32	44	60	73	86	102	163	134		20.3
	1	24 HOURS	6	94	10	25	50	75	90	95	98	99	1	2	5	34.7
		Micrograms/cubic meter (25 C)		344	13	22	32	44	60	73	86	102	163	134		20.3
	1	24 HOURS	7	94	10	25	50	75	90	95	98	99	1	2	5	34.7
		Micrograms/cubic meter (25 C)		344	13	22	32	44	60	73	86	102	163	134		20.3

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
49-003-0003						Box Elder											
2002	1		24 HOURS	0	99	10	25	50	75	90	95	98	99	1	2	1.7	10.64
			Micrograms/cubic meter		121	3.2	4.6	6.5	10.8	25.6	36.1	51.9	57.6	79.8	57.6		11.99
			(LC)														
49-005-0004						Cache											
2002	1		24 HOURS	0	97	10	25	50	75	90	95	98	99	1	2	1.4	11.26
			Micrograms/cubic meter		269	4.1	5.3	7.0	11.4	20.8	30.8	58.4	77.1	137.5	102.3		14.02
			(LC)														
49-011-0001						Davis											
2002	1		24 HOURS	0	94	10	25	50	75	90	95	98	99	1	2	.8	10.95
			Micrograms/cubic meter		116	3.4	4.9	6.7	11.2	23.9	36.4	50.1	56.2	81.3	56.2		12.03
			(LC)														
49-035-0003						Salt Lake											
2002	1		24 HOURS	0	99.18	10	25	50	75	90	95	98	99	1	2	2.2	14.08
			Micrograms/cubic meter		121	4.2	6.2	8.6	14.6	33.9	48.5	65.3	68.6	83.8	68.6		14.55
			(LC)														
49-035-0012						Salt Lake											
2002	1		24 HOURS	1	96	10	25	50	75	90	95	98	99	1	2	3.4	15.14
			Micrograms/cubic meter		117	5.7	7.0	9.8	15.1	37.1	52.1	55.6	61.9	91.6	61.9		14.51
			(LC)														
	1		24 HOURS	2	98	10	25	50	75	90	95	98	99	1	2	3.4	15.30
			Micrograms/cubic meter		120	5.7	7.2	10.0	15.4	37.1	52.1	55.6	61.9	91.6	61.9		14.39
			(LC)														
	1		24 HOURS	3	98	10	25	50	75	90	95	98	99	1	2	3.4	15.18
			Micrograms/cubic meter		119	5.7	7.0	9.9	15.3	37.1	52.1	55.6	61.9	91.6	61.9		14.40
			(LC)														
	1		24 HOURS	4	97	10	25	50	75	90	95	98	99	1	2	3.4	15.27
			Micrograms/cubic meter		118	5.7	7.0	9.9	15.3	37.1	52.1	55.6	61.9	91.6	61.9		14.51
			(LC)														
	1		24 HOURS	5	98	10	25	50	75	90	95	98	99	1	2	3.4	15.30
			Micrograms/cubic meter		120	5.7	7.2	10.0	15.4	37.1	52.1	55.6	61.9	91.6	61.9		14.39
			(LC)														

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
		1	24 HOURS		6	98	10	25	50	75	90	95	98	99	1	2	3.4	15.30
			Micrograms/cubic meter	(LC)		120	5.7	7.2	10.0	15.4	37.1	52.1	55.6	61.9	91.6	61.9		14.39
		1	24 HOURS		7	98	10	25	50	75	90	95	98	99	1	2	3.4	15.30
			Micrograms/cubic meter	(LC)		120	5.7	7.2	10.0	15.4	37.1	52.1	55.6	61.9	91.6	61.9		14.39
49-035-3006							Salt Lake											
	2002	1	24 HOURS		0	98	10	25	50	75	90	95	98	99	1	2	2.0	12.60
			Micrograms/cubic meter	(LC)		358	4.3	5.6	7.3	13.2	30.6	44.2	55.9	64.3	89.6	85.4		13.26
49-035-3007							Salt Lake											
	2002	1	24 HOURS		0	90	10	25	50	75	90	95	98	99	1	2	1.9	13.29
			Micrograms/cubic meter	(LC)		112	4.0	5.8	8.2	13.8	33.7	45.5	57.7	59.0	85.9	59.0		13.99
49-035-3008							Salt Lake											
	2002	1	24 HOURS		0	98	10	25	50	75	90	95	98	99	1	2	1.7	8.23
			Micrograms/cubic meter	(LC)		119	2.9	4.1	5.9	8.4	16.6	24.5	37.5	39.6	59.7	39.6		8.15
49-045-0002							Tooele											
	2002	1	24 HOURS		0	98	10	25	50	75	90	95	98	99	1	2	1.3	9.45
			Micrograms/cubic meter	(LC)		120	2.8	4.2	6.2	9.0	20.0	34.1	39.9	61.1	62.3	61.1		10.42
49-049-0002							Utah											
	2002	1	24 HOURS		0	99.18	10	25	50	75	90	95	98	99	1	2	2.4	11.62
			Micrograms/cubic meter	(LC)		121	4.5	6.5	8.3	13.2	23.2	29.1	39.5	43.3	57.6	43.3		8.99
49-049-4001							Utah											
	2002	1	24 HOURS		0	96	10	25	50	75	90	95	98	99	1	2	.9	11.07
			Micrograms/cubic meter	(LC)		351	4.1	5.5	7.2	13.0	23.0	33.4	43.3	57.1	66.1	59.4		9.93
49-049-5008							Utah											

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
2002	1		24 HOURS		0	97.54	10	25	50	75	90	95	98	99	1	2	2.0	9.04
			Micrograms/cubic meter	(LC)		119	3.4	5.1	6.4	10.5	18.9	22.3	30.3	39.2	47.4	39.2		7.17
49-049-5010							Utah											
2002	1		24 HOURS		0	97	10	25	50	75	90	95	98	99	1	2	1.7	9.05
			Micrograms/cubic meter	(LC)		118	3.4	4.9	6.4	9.7	19.2	23.8	32.3	34.9	62.1	34.9		8.02
49-057-0002							Weber											
2002	1		24 HOURS		1	97	10	25	50	75	90	95	98	99	1	2	3.0	13.82
			Micrograms/cubic meter	(LC)		118	4.3	6.5	8.5	14.6	31.5	41.9	58.3	59.8	100.2	59.8		14.06
	1		24 HOURS		2	98	10	25	50	75	90	95	98	99	1	2	3.0	14.61
			Micrograms/cubic meter	(LC)		119	4.3	6.5	8.5	16.0	32.4	47.2	59.8	100.2	108.3	100.2		16.47
	1		24 HOURS		3	97	10	25	50	75	90	95	98	99	1	2	3.0	13.82
			Micrograms/cubic meter	(LC)		118	4.3	6.5	8.5	14.6	31.5	41.9	58.3	59.8	100.2	59.8		14.06
	1		24 HOURS		4	98	10	25	50	75	90	95	98	99	1	2	3.0	14.61
			Micrograms/cubic meter	(LC)		119	4.3	6.5	8.5	16.0	32.4	47.2	59.8	100.2	108.3	100.2		16.47
	1		24 HOURS		5	98	10	25	50	75	90	95	98	99	1	2	3.0	14.61
			Micrograms/cubic meter	(LC)		119	4.3	6.5	8.5	16.0	32.4	47.2	59.8	100.2	108.3	100.2		16.47
	1		24 HOURS		6	98	10	25	50	75	90	95	98	99	1	2	3.0	14.61
			Micrograms/cubic meter	(LC)		119	4.3	6.5	8.5	16.0	32.4	47.2	59.8	100.2	108.3	100.2		16.47
	1		24 HOURS		7	98	10	25	50	75	90	95	98	99	1	2	3.0	14.61
			Micrograms/cubic meter	(LC)		119	4.3	6.5	8.5	16.0	32.4	47.2	59.8	100.2	108.3	100.2		16.47
49-057-0007							Weber											
2002	1		24 HOURS		0	94.26	10	25	50	75	90	95	98	99	1	2	2.9	12.27
			Micrograms/cubic meter			115	4.0	5.6	7.8	12.4	28.0	36.3	49.2	55.9	83.4	55.9		12.38

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD		
49-057-1003							Weber												
2002	1		24 HOURS		0	93	10	25	50	75	90	95	98	99	1	2	.7	12.21	
			Micrograms/cubic meter			114	3.3	5.1	7.3	12.9	30.3	39.9	52.9	55.4	97.8	55.4		13.63	
			(LC)																

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.