

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (12128) Lead (TSP)

State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD			
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2						
49-035-1001				Salt Lake															
2003	1	24 HOURS	0	10	25	50	75	90	95	98	99	1	2			.02	.041		
		Micrograms/cubic meter (25 C)	61	.02	.02	.02	.04	.10	.12	.19	.21	.21	.19				.043		

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42101) Carbon monoxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
49-005-0004						Cache											
2003	1		1 HOUR	0	41	10	25	50	75	90	95	98	99	1	2	.3	.67 *
			Parts per million		3587	.3	.3	.5	.8	1.3	1.7	2.4	3.0	6.2	5.7		.59
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		3609	.3	.3	.6	.9	1.3	1.5	1.8	2.0	2.6	2.6		
			Parts per million														
49-011-0001						Davis											
2003	1		1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.3	.55
			Parts per million		2117	.3	.3	.3	.7	1.1	1.4	2.0	2.3	3.7	3.6		.46
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		2149	.3	.3	.4	.7	1.1	1.3	1.6	1.9	2.3	2.3		
			Parts per million														
49-035-0003						Salt Lake											
2003	1		1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.3	.71
			Parts per million		8555	.3	.3	.6	.9	1.5	1.9	2.5	2.9	5.8	5.7		.59
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		8610	.3	.3	.6	.9	1.4	1.7	2.2	2.5	3.2	3.2		
			Parts per million														
49-035-0014						Salt Lake											
2003	1		1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.3	.94
			Parts per million		8594	.3	.6	.8	1.1	1.7	2.2	3.1	3.8	8.0	7.8		.68
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		8653	.4	.6	.8	1.1	1.7	2.2	2.8	3.2	4.3	4.3		
			Parts per million														
49-035-3006						Salt Lake											
2003	1		1 HOUR	0	41	10	25	50	75	90	95	98	99	1	2	.3	1.09 *
			Parts per million		3581	.3	.5	.8	1.4	2.3	3.1	3.9	4.5	8.7	8.2		.95
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		3594	.3	.5	.9	1.4	2.2	2.7	3.1	3.4	4.3	4.3		
			Parts per million														
49-035-3007						Salt Lake											

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42101) Carbon monoxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Percentiles											
2003	1		1 HOUR	0	41	10	25	50	75	90	95	98	99	1	2	.3	.83 *
			Parts per million		3583	.3	.3	.5	1.1	1.9	2.6	3.5	4.3	7.1	7.0		.86
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		3607	.3	.3	.6	1.1	1.7	2.3	2.8	3.3	5.2	5.2		
			Parts per million														
49-049-0002						Utah											
2003	1		1 HOUR	0	41	10	25	50	75	90	95	98	99	1	2	.3	.80 *
			Parts per million		3566	.3	.3	.6	1.0	1.6	2.0	2.6	2.9	4.9	4.6		.60
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		3610	.3	.5	.7	1.0	1.4	1.7	2.1	2.3	3.0	3.0		
			Parts per million														
49-049-0005						Utah											
2003	1		1 HOUR	0	99	10	25	50	75	90	95	98	99	1	2	.3	.78
			Parts per million		8656	.3	.3	.6	1.0	1.6	2.2	3.0	3.6	6.9	5.8		.69
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		8720	.3	.4	.6	1.0	1.5	1.9	2.5	2.8	4.1	4.1		
			Parts per million														
49-049-5005						Utah											
2003	1		1 HOUR	0	99	10	25	50	75	90	95	98	99	1	2	.3	.96
			Parts per million		2141	.3	.5	.8	1.2	1.8	2.3	2.7	3.0	3.8	3.7		.63
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		2145	.4	.6	.9	1.2	1.6	1.9	2.1	2.3	2.8	2.8		
			Parts per million														
49-057-0006						Weber											
2003	1		1 HOUR	0	99	10	25	50	75	90	95	98	99	1	2	.3	.90
			Parts per million		8677	.3	.3	.7	1.1	1.9	2.5	3.3	3.8	6.1	5.9		.79
	1		8-HR RUN AVG	0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR		8718	.3	.5	.7	1.2	1.7	2.0	2.6	2.9	4.1	4.1		
			Parts per million														
49-057-0007						Weber											

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42101) Carbon monoxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
2003	1		1 HOUR		0	40	10	25	50	75	90	95	98	99	1	2	.3	.54 *
			Parts per million			3540	.3	.3	.3	.7	1.1	1.4	1.7	2.0	4.4	4.1		.42
	1		8-HR RUN AVG		0		10	25	50	75	90	95	98	99	1	1	.3	
			END HOUR			3551	.3	.3	.5	.7	1.0	1.1	1.3	1.5	2.8	2.8		
			Parts per million															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42401) Sulfur dioxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Percentiles											
49-005-0004						Cache											
2003	1		1 HOUR	0	95	10	25	50	75	90	95	98	99	1	2	.001	.0013
			Parts per million		8315	.001	.001	.001	.001	.002	.003	.003	.004	.039	.011		.0000
	1		24-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		350	.001	.001	.001	.001	.002	.002	.003	.003	.004	.003		
	1		3-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		2729	.001	.001	.001	.001	.002	.002	.003	.003	.014	.006		
49-011-0001						Davis											
2003	2		1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.001	.0022
			Parts per million		4135	.001	.001	.001	.002	.005	.007	.010	.012	.026	.025		.0021
	2		24-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		175	.001	.001	.002	.003	.004	.005	.006	.007	.008	.007		
	2		3-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		1335	.001	.001	.001	.002	.004	.006	.008	.010	.018	.018		
49-011-0004						Davis											
2003	1		1 HOUR	0	97	10	25	50	75	90	95	98	99	1	2	.001	.0018
			Parts per million		3934	.001	.001	.001	.002	.004	.005	.008	.010	.026	.025		.0017
	1		24-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		166	.001	.001	.001	.002	.003	.004	.004	.005	.005	.005		
	1		3-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		1266	.001	.001	.001	.002	.003	.005	.007	.010	.014	.014		
49-035-0012						Salt Lake											
2003	1		1 HOUR	0	94	10	25	50	75	90	95	98	99	1	2	.001	.0049
			Parts per million		8212	.001	.002	.004	.007	.010	.012	.016	.020	.093	.048		.0044
	1		24-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		340	.002	.002	.004	.007	.009	.011	.012	.013	.015	.014		
	1		3-HR BLK AVG	0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million		2685	.001	.001	.004	.007	.009	.011	.015	.017	.036	.032		
49-035-1001						Salt Lake											
2003																	

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42401) Sulfur dioxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County					Percentiles			Max	2nd	Min	Arith Mean / STD
4			1 HOUR		0	92	10	25	50	75	90	95	98	99	1	2	.001	.0019
			Parts per million			8100	.001	.001	.001	.002	.004	.006	.009	.011	.031	.030		.0018
4			24-HR BLK AVG		0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million			336	.001	.001	.002	.002	.003	.004	.005	.006	.008	.007		
4			3-HR BLK AVG		0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million			2608	.001	.001	.001	.002	.003	.005	.007	.009	.021	.018		
49-035-2004							Salt Lake											
2003	1		1 HOUR		0	97	10	25	50	75	90	95	98	99	1	2	.001	.0023
			Parts per million			8524	.001	.001	.002	.003	.004	.006	.009	.012	.089	.048		.0023
	1		24-HR BLK AVG		0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million			357	.001	.001	.002	.003	.004	.004	.005	.005	.006	.006		
	1		3-HR BLK AVG		0		10	25	50	75	90	95	98	99	1	2	.001	
			Parts per million			2796	.001	.001	.001	.002	.004	.005	.007	.009	.030	.020		

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (42602) Nitrogen dioxide
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
49-005-0004						Cache											
2003	1		1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.003	.0147
			Parts per million		8620	.003	.006	.012	.022	.030	.034	.040	.044	.061	.061		.0107
49-011-0001						Davis											
2003	1		1 HOUR	0	92	10	25	50	75	90	95	98	99	1	2	.003	.0167
			Parts per million		3886	.003	.007	.012	.025	.036	.041	.046	.049	.079	.078		.0128
49-011-0004						Davis											
2003	1		1 HOUR	0	87	10	25	50	75	90	95	98	99	1	2	.003	.0216
			Parts per million		3422	.006	.010	.019	.032	.041	.046	.051	.056	.072	.069		.0138
49-035-0003						Salt Lake											
2003	1		1 HOUR	0	97	10	25	50	75	90	95	98	99	1	2	.003	.0217
			Parts per million		8535	.003	.009	.022	.033	.040	.043	.047	.049	.074	.072		.0137
49-035-3006						Salt Lake											
2003	1		1 HOUR	0	98	10	25	50	75	90	95	98	99	1	2	.003	.0241
			Parts per million		8585	.007	.011	.024	.036	.043	.046	.051	.054	.083	.082		.0141
49-049-0002						Utah											
2003	1		1 HOUR	0	88	10	25	50	75	90	95	98	99	1	2	.003	.0218
			Parts per million		7730	.006	.010	.021	.032	.039	.043	.047	.050	.072	.071		.0130
49-057-0002						Weber											
2003	1		1 HOUR	0	94	10	25	50	75	90	95	98	99	1	2	.003	.0264
			Parts per million		8226	.007	.011	.025	.037	.045	.050	.091	.112	.144	.142		.0191

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Percentiles											
49-003-0003						Box Elder											
2003	1		1 HOUR	1	92	10	25	50	75	90	95	98	99	1	2	.036	.0637
			Parts per million		3345	.050	.056	.063	.071	.078	.085	.086	.088	.093	.088		.0111
	1		1 HOUR	2	100	10	25	50	75	90	95	98	99	1	2	.036	.0652
			Parts per million		3631	.050	.057	.063	.073	.081	.086	.088	.120	.123	.120		.0130
	1		1 HOUR	3	100	10	25	50	75	90	95	98	99	1	2	.036	.0652
			Parts per million		3631	.050	.057	.063	.073	.081	.086	.088	.120	.123	.120		.0130
	1		1 HOUR	4	92	10	25	50	75	90	95	98	99	1	2	.036	.0637
			Parts per million		3345	.050	.056	.063	.071	.078	.085	.086	.088	.093	.088		.0111
	1		1 HOUR	5	100	10	25	50	75	90	95	98	99	1	2	.036	.0652
			Parts per million		3631	.050	.057	.063	.073	.081	.086	.088	.120	.123	.120		.0130
	1		1 HOUR	6	100	10	25	50	75	90	95	98	99	1	2	.036	.0652
			Parts per million		3631	.050	.057	.063	.073	.081	.086	.088	.120	.123	.120		.0130
	1		1 HOUR	7	100	10	25	50	75	90	95	98	99	1	2	.036	.0652
			Parts per million		3631	.050	.057	.063	.073	.081	.086	.088	.120	.123	.120		.0130
	1		8-HR RUN AVG	1	92	10	25	50	75	90	95	98	99	1	2	.029	.0573
			BEGIN HOUR		3380	.043	.050	.056	.064	.070	.073	.076	.076	.082	.076		.0095
			Parts per million														
	1		8-HR RUN AVG	2	99	10	25	50	75	90	95	98	99	1	2	.033	.0582
			BEGIN HOUR		3662	.046	.050	.058	.065	.072	.074	.077	.085	.099	.085		.0103
			Parts per million														
	1		8-HR RUN AVG	3	99	10	25	50	75	90	95	98	99	1	2	.033	.0582
			BEGIN HOUR		3662	.046	.050	.058	.065	.072	.074	.077	.085	.099	.085		.0103
			Parts per million														
	1		8-HR RUN AVG	4	92	10	25	50	75	90	95	98	99	1	2	.029	.0573
			BEGIN HOUR		3380	.043	.050	.056	.064	.070	.073	.076	.076	.082	.076		.0095
			Parts per million														
	1		8-HR RUN AVG	5	99	10	25	50	75	90	95	98	99	1	2	.033	.0582
			BEGIN HOUR		3662	.046	.050	.058	.065	.072	.074	.077	.085	.099	.085		.0103
			Parts per million														

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County					Percentiles			Max	2nd	Min	Arith Mean / STD
	1		8-HR RUN AVG		6	99	10	25	50	75	90	95	98	99	1	2	.033	.0582
			BEGIN HOUR			3662	.046	.050	.058	.065	.072	.074	.077	.085	.099	.085		.0103
			Parts per million															
	1		8-HR RUN AVG		7	99	10	25	50	75	90	95	98	99	1	2	.033	.0582
			BEGIN HOUR			3662	.046	.050	.058	.065	.072	.074	.077	.085	.099	.085		.0103
			Parts per million															
49-005-0004							Cache											
2003	1		1 HOUR		1	92	10	25	50	75	90	95	98	99	1	2	.038	.0614
			Parts per million			3348	.048	.055	.061	.069	.073	.076	.080	.080	.088	.080		.0094
	1		1 HOUR		2	99	10	25	50	75	90	95	98	99	1	2	.038	.0620
			Parts per million			3634	.050	.055	.061	.069	.075	.077	.080	.083	.088	.083		.0096
	1		1 HOUR		3	99	10	25	50	75	90	95	98	99	1	2	.038	.0620
			Parts per million			3634	.050	.055	.061	.069	.075	.077	.080	.083	.088	.083		.0096
	1		1 HOUR		4	92	10	25	50	75	90	95	98	99	1	2	.038	.0614
			Parts per million			3348	.048	.055	.061	.069	.073	.076	.080	.080	.088	.080		.0094
	1		1 HOUR		5	99	10	25	50	75	90	95	98	99	1	2	.038	.0620
			Parts per million			3634	.050	.055	.061	.069	.075	.077	.080	.083	.088	.083		.0096
	1		1 HOUR		6	99	10	25	50	75	90	95	98	99	1	2	.038	.0620
			Parts per million			3634	.050	.055	.061	.069	.075	.077	.080	.083	.088	.083		.0096
	1		1 HOUR		7	99	10	25	50	75	90	95	98	99	1	2	.038	.0620
			Parts per million			3634	.050	.055	.061	.069	.075	.077	.080	.083	.088	.083		.0096
	1		8-HR RUN AVG		1	92	10	25	50	75	90	95	98	99	1	2	.018	.0553
			BEGIN HOUR			3378	.041	.047	.055	.062	.066	.069	.072	.077	.078	.077		.0093
			Parts per million															
	1		8-HR RUN AVG		2	99	10	25	50	75	90	95	98	99	1	2	.018	.0558
			BEGIN HOUR			3660	.043	.049	.057	.062	.066	.070	.072	.077	.078	.077		.0093
			Parts per million															
	1		8-HR RUN AVG		3	99	10	25	50	75	90	95	98	99	1	2	.018	.0558
			BEGIN HOUR			3660	.043	.049	.057	.062	.066	.070	.072	.077	.078	.077		.0093
			Parts per million															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Percentiles											
1			8-HR RUN AVG	4	92	10	25	50	75	90	95	98	99	1	2	.018	.0553
			BEGIN HOUR		3378	.041	.047	.055	.062	.066	.069	.072	.077	.078	.077		.0093
			Parts per million														
1			8-HR RUN AVG	5	99	10	25	50	75	90	95	98	99	1	2	.018	.0558
			BEGIN HOUR		3660	.043	.049	.057	.062	.066	.070	.072	.077	.078	.077		.0093
			Parts per million														
1			8-HR RUN AVG	6	99	10	25	50	75	90	95	98	99	1	2	.018	.0558
			BEGIN HOUR		3660	.043	.049	.057	.062	.066	.070	.072	.077	.078	.077		.0093
			Parts per million														
1			8-HR RUN AVG	7	99	10	25	50	75	90	95	98	99	1	2	.018	.0558
			BEGIN HOUR		3660	.043	.049	.057	.062	.066	.070	.072	.077	.078	.077		.0093
			Parts per million														
49-011-0001						Davis											
2003	1		1 HOUR	0	96	10	25	50	75	90	95	98	99	1	2	.044	.0640
			Parts per million		1311	.050	.054	.063	.072	.078	.084	.087	.097	.097	.087		.0114
1			8-HR RUN AVG	0	96	10	25	50	75	90	95	98	99	1	2	.026	.0576
			BEGIN HOUR		1329	.044	.049	.057	.064	.069	.072	.076	.076	.076	.076		.0090
			Parts per million														
49-011-0004						Davis											
2003	1		1 HOUR	1	94	10	25	50	75	90	95	98	99	1	2	.032	.0647
			Parts per million		1726	.047	.054	.062	.075	.088	.096	.097	.101	.101	.097		.0158
1			1 HOUR	2	100	10	25	50	75	90	95	98	99	1	2	.032	.0651
			Parts per million		1833	.047	.054	.063	.075	.088	.096	.097	.101	.101	.097		.0155
1			1 HOUR	3	100	10	25	50	75	90	95	98	99	1	2	.032	.0651
			Parts per million		1833	.047	.054	.063	.075	.088	.096	.097	.101	.101	.097		.0155
1			1 HOUR	4	94	10	25	50	75	90	95	98	99	1	2	.032	.0647
			Parts per million		1726	.047	.054	.062	.075	.088	.096	.097	.101	.101	.097		.0158
1			1 HOUR	5	100	10	25	50	75	90	95	98	99	1	2	.032	.0651
			Parts per million		1833	.047	.054	.063	.075	.088	.096	.097	.101	.101	.097		.0155

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Percentiles											
1			1 HOUR	6	100	10	25	50	75	90	95	98	99	1	2	.032	.0651
			Parts per million		1833	.047	.054	.063	.075	.088	.096	.097	.101	.101	.097		.0155
1			1 HOUR	7	100	10	25	50	75	90	95	98	99	1	2	.032	.0651
			Parts per million		1833	.047	.054	.063	.075	.088	.096	.097	.101	.101	.097		.0155
1			8-HR RUN AVG	1	94	10	25	50	75	90	95	98	99	1	2	.025	.0550
			BEGIN HOUR		1751	.038	.044	.054	.063	.073	.079	.080	.083	.083	.080		.0129
			Parts per million														
1			8-HR RUN AVG	2	99	10	25	50	75	90	95	98	99	1	2	.025	.0555
			BEGIN HOUR		1858	.040	.045	.056	.063	.075	.079	.080	.083	.083	.080		.0128
			Parts per million														
1			8-HR RUN AVG	3	99	10	25	50	75	90	95	98	99	1	2	.025	.0555
			BEGIN HOUR		1858	.040	.045	.056	.063	.075	.079	.080	.083	.083	.080		.0128
			Parts per million														
1			8-HR RUN AVG	4	94	10	25	50	75	90	95	98	99	1	2	.025	.0550
			BEGIN HOUR		1751	.038	.044	.054	.063	.073	.079	.080	.083	.083	.080		.0129
			Parts per million														
1			8-HR RUN AVG	5	99	10	25	50	75	90	95	98	99	1	2	.025	.0555
			BEGIN HOUR		1858	.040	.045	.056	.063	.075	.079	.080	.083	.083	.080		.0128
			Parts per million														
1			8-HR RUN AVG	6	99	10	25	50	75	90	95	98	99	1	2	.025	.0555
			BEGIN HOUR		1858	.040	.045	.056	.063	.075	.079	.080	.083	.083	.080		.0128
			Parts per million														
1			8-HR RUN AVG	7	99	10	25	50	75	90	95	98	99	1	2	.025	.0555
			BEGIN HOUR		1858	.040	.045	.056	.063	.075	.079	.080	.083	.083	.080		.0128
			Parts per million														
49-035-0003						Salt Lake											
2003	1		1 HOUR	1	92	10	25	50	75	90	95	98	99	1	2	.037	.0648
			Parts per million		3319	.051	.056	.064	.072	.079	.089	.098	.098	.114	.098		.0125
1			1 HOUR	2	100	10	25	50	75	90	95	98	99	1	2	.037	.0663
			Parts per million		3628	.051	.056	.064	.074	.082	.094	.098	.114	.115	.114		.0135

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs													
1		1 HOUR	3	100	10	25	50	75	90	95	98	99	1	2	.037	.0663
		Parts per million		3628	.051	.056	.064	.074	.082	.094	.098	.114	.115	.114		.0135
1		1 HOUR	4	92	10	25	50	75	90	95	98	99	1	2	.037	.0648
		Parts per million		3319	.051	.056	.064	.072	.079	.089	.098	.098	.114	.098		.0125
1		1 HOUR	5	100	10	25	50	75	90	95	98	99	1	2	.037	.0663
		Parts per million		3628	.051	.056	.064	.074	.082	.094	.098	.114	.115	.114		.0135
1		1 HOUR	6	100	10	25	50	75	90	95	98	99	1	2	.037	.0663
		Parts per million		3628	.051	.056	.064	.074	.082	.094	.098	.114	.115	.114		.0135
1		1 HOUR	7	100	10	25	50	75	90	95	98	99	1	2	.037	.0663
		Parts per million		3628	.051	.056	.064	.074	.082	.094	.098	.114	.115	.114		.0135
1		8-HR RUN AVG	1	90	10	25	50	75	90	95	98	99	1	2	.002	.0568
		BEGIN HOUR		3342	.043	.049	.057	.063	.069	.074	.081	.082	.083	.082		.0103
		Parts per million														
1		8-HR RUN AVG	2	99	10	25	50	75	90	95	98	99	1	2	.031	.0580
		BEGIN HOUR		3651	.044	.051	.058	.065	.072	.079	.083	.084	.089	.084		.0110
		Parts per million														
1		8-HR RUN AVG	3	99	10	25	50	75	90	95	98	99	1	2	.031	.0580
		BEGIN HOUR		3651	.044	.051	.058	.065	.072	.079	.083	.084	.089	.084		.0110
		Parts per million														
1		8-HR RUN AVG	4	90	10	25	50	75	90	95	98	99	1	2	.002	.0568
		BEGIN HOUR		3342	.043	.049	.057	.063	.069	.074	.081	.082	.083	.082		.0103
		Parts per million														
1		8-HR RUN AVG	5	99	10	25	50	75	90	95	98	99	1	2	.031	.0580
		BEGIN HOUR		3651	.044	.051	.058	.065	.072	.079	.083	.084	.089	.084		.0110
		Parts per million														
1		8-HR RUN AVG	6	99	10	25	50	75	90	95	98	99	1	2	.031	.0580
		BEGIN HOUR		3651	.044	.051	.058	.065	.072	.079	.083	.084	.089	.084		.0110
		Parts per million														
1		8-HR RUN AVG	7	99	10	25	50	75	90	95	98	99	1	2	.031	.0580
		BEGIN HOUR		3651	.044	.051	.058	.065	.072	.079	.083	.084	.089	.084		.0110
		Parts per million														

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration Unit	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Salt Lake						Percentiles					
49-035-2004	2003	1	1 HOUR	1	92	10	25	50	75	90	95	98	99	1	2	.044	.0643
			Parts per million		3356	.051	.057	.063	.071	.080	.084	.086	.096	.114	.096		.0113
		1	1 HOUR	2	99	10	25	50	75	90	95	98	99	1	2	.044	.0651
			Parts per million		3641	.051	.058	.063	.072	.081	.085	.093	.107	.114	.107		.0118
		1	1 HOUR	3	99	10	25	50	75	90	95	98	99	1	2	.044	.0651
			Parts per million		3641	.051	.058	.063	.072	.081	.085	.093	.107	.114	.107		.0118
		1	1 HOUR	4	92	10	25	50	75	90	95	98	99	1	2	.044	.0643
			Parts per million		3356	.051	.057	.063	.071	.080	.084	.086	.096	.114	.096		.0113
		1	1 HOUR	5	99	10	25	50	75	90	95	98	99	1	2	.044	.0651
			Parts per million		3641	.051	.058	.063	.072	.081	.085	.093	.107	.114	.107		.0118
		1	1 HOUR	6	99	10	25	50	75	90	95	98	99	1	2	.044	.0651
			Parts per million		3641	.051	.058	.063	.072	.081	.085	.093	.107	.114	.107		.0118
		1	1 HOUR	7	99	10	25	50	75	90	95	98	99	1	2	.044	.0651
			Parts per million		3641	.051	.058	.063	.072	.081	.085	.093	.107	.114	.107		.0118
		1	8-HR RUN AVG BEGIN HOUR	1	92	10	25	50	75	90	95	98	99	1	2	.016	.0568
			Parts per million		3363	.043	.050	.056	.062	.069	.072	.076	.082	.090	.082		.0094
		1	8-HR RUN AVG BEGIN HOUR	2	99	10	25	50	75	90	95	98	99	1	2	.038	.0573
			Parts per million		3660	.045	.050	.057	.063	.069	.072	.077	.086	.090	.086		.0096
		1	8-HR RUN AVG BEGIN HOUR	3	99	10	25	50	75	90	95	98	99	1	2	.038	.0573
			Parts per million		3660	.045	.050	.057	.063	.069	.072	.077	.086	.090	.086		.0096
		1	8-HR RUN AVG BEGIN HOUR	4	92	10	25	50	75	90	95	98	99	1	2	.016	.0568
			Parts per million		3363	.043	.050	.056	.062	.069	.072	.076	.082	.090	.082		.0094
		1	8-HR RUN AVG BEGIN HOUR	5	99	10	25	50	75	90	95	98	99	1	2	.038	.0573
			Parts per million		3660	.045	.050	.057	.063	.069	.072	.077	.086	.090	.086		.0096

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County					Percentiles	Max	2nd	Min	Arith Mean / STD		
	1		8-HR RUN AVG		6	99	10	25	50	75	90	95	98	99	1	2	.038	.0573
			BEGIN HOUR			3660	.045	.050	.057	.063	.069	.072	.077	.086	.090	.086		.0096
			Parts per million															
	1		8-HR RUN AVG		7	99	10	25	50	75	90	95	98	99	1	2	.038	.0573
			BEGIN HOUR			3660	.045	.050	.057	.063	.069	.072	.077	.086	.090	.086		.0096
			Parts per million															
49-035-3006							Salt Lake											
2003	1		1 HOUR		1	90	10	25	50	75	90	95	98	99	1	2	.030	.0650
			Parts per million			3266	.050	.055	.065	.072	.081	.092	.098	.104	.108	.104		.0132
	1		1 HOUR		2	99	10	25	50	75	90	95	98	99	1	2	.030	.0665
			Parts per million			3575	.050	.055	.066	.075	.084	.093	.098	.108	.109	.108		.0140
	1		1 HOUR		3	99	10	25	50	75	90	95	98	99	1	2	.030	.0665
			Parts per million			3575	.050	.055	.066	.075	.084	.093	.098	.108	.109	.108		.0140
	1		1 HOUR		4	90	10	25	50	75	90	95	98	99	1	2	.030	.0650
			Parts per million			3266	.050	.055	.065	.072	.081	.092	.098	.104	.108	.104		.0132
	1		1 HOUR		5	99	10	25	50	75	90	95	98	99	1	2	.030	.0665
			Parts per million			3575	.050	.055	.066	.075	.084	.093	.098	.108	.109	.108		.0140
	1		1 HOUR		6	99	10	25	50	75	90	95	98	99	1	2	.030	.0665
			Parts per million			3575	.050	.055	.066	.075	.084	.093	.098	.108	.109	.108		.0140
	1		1 HOUR		7	99	10	25	50	75	90	95	98	99	1	2	.030	.0665
			Parts per million			3575	.050	.055	.066	.075	.084	.093	.098	.108	.109	.108		.0140
	1		8-HR RUN AVG		1	88	10	25	50	75	90	95	98	99	1	2	.019	.0569
			BEGIN HOUR			3276	.040	.048	.057	.064	.070	.075	.081	.081	.084	.081		.0112
			Parts per million															
	1		8-HR RUN AVG		2	96	10	25	50	75	90	95	98	99	1	2	.021	.0581
			BEGIN HOUR			3590	.042	.049	.059	.065	.073	.078	.081	.086	.087	.086		.0117
			Parts per million															
	1		8-HR RUN AVG		3	96	10	25	50	75	90	95	98	99	1	2	.021	.0581
			BEGIN HOUR			3590	.042	.049	.059	.065	.073	.078	.081	.086	.087	.086		.0117
			Parts per million															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs													
1		8-HR RUN AVG	4	88	10	25	50	75	90	95	98	99	1	2	.019	.0569
		BEGIN HOUR		3276	.040	.048	.057	.064	.070	.075	.081	.081	.084	.081		.0112
		Parts per million														
1		8-HR RUN AVG	5	96	10	25	50	75	90	95	98	99	1	2	.021	.0581
		BEGIN HOUR		3590	.042	.049	.059	.065	.073	.078	.081	.086	.087	.086		.0117
		Parts per million														
1		8-HR RUN AVG	6	96	10	25	50	75	90	95	98	99	1	2	.021	.0581
		BEGIN HOUR		3590	.042	.049	.059	.065	.073	.078	.081	.086	.087	.086		.0117
		Parts per million														
1		8-HR RUN AVG	7	96	10	25	50	75	90	95	98	99	1	2	.021	.0581
		BEGIN HOUR		3590	.042	.049	.059	.065	.073	.078	.081	.086	.087	.086		.0117
		Parts per million														
49-035-3007				Salt Lake												
2003	1	1 HOUR	1	92	10	25	50	75	90	95	98	99	1	2	.032	.0635
		Parts per million		3342	.049	.054	.062	.072	.078	.085	.097	.102	.105	.102		.0127
1		1 HOUR	2	99	10	25	50	75	90	95	98	99	1	2	.032	.0643
		Parts per million		3621	.049	.055	.064	.072	.083	.090	.094	.102	.105	.102		.0130
1		1 HOUR	3	99	10	25	50	75	90	95	98	99	1	2	.032	.0643
		Parts per million		3621	.049	.055	.064	.072	.083	.090	.094	.102	.105	.102		.0130
1		1 HOUR	4	92	10	25	50	75	90	95	98	99	1	2	.032	.0635
		Parts per million		3342	.049	.054	.062	.072	.078	.085	.097	.102	.105	.102		.0127
1		1 HOUR	5	99	10	25	50	75	90	95	98	99	1	2	.032	.0643
		Parts per million		3621	.049	.055	.064	.072	.083	.090	.094	.102	.105	.102		.0130
1		1 HOUR	6	99	10	25	50	75	90	95	98	99	1	2	.032	.0643
		Parts per million		3621	.049	.055	.064	.072	.083	.090	.094	.102	.105	.102		.0130
1		1 HOUR	7	99	10	25	50	75	90	95	98	99	1	2	.032	.0643
		Parts per million		3621	.049	.055	.064	.072	.083	.090	.094	.102	.105	.102		.0130
1		8-HR RUN AVG	1	92	10	25	50	75	90	95	98	99	1	2	.002	.0561
		BEGIN HOUR		3360	.042	.048	.056	.062	.069	.073	.078	.083	.088	.083		.0104
		Parts per million														

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles								Max	2nd	Min	Arith Mean / STD	
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2			
1		8-HR RUN AVG	2	99	10	25	50	75	90	95	98	99	1	2	.027	.0568
		BEGIN HOUR		3642	.043	.048	.057	.064	.071	.074	.078	.083	.088	.083		.0105
		Parts per million														
1		8-HR RUN AVG	3	99	10	25	50	75	90	95	98	99	1	2	.027	.0568
		BEGIN HOUR		3642	.043	.048	.057	.064	.071	.074	.078	.083	.088	.083		.0105
		Parts per million														
1		8-HR RUN AVG	4	92	10	25	50	75	90	95	98	99	1	2	.002	.0561
		BEGIN HOUR		3360	.042	.048	.056	.062	.069	.073	.078	.083	.088	.083		.0104
		Parts per million														
1		8-HR RUN AVG	5	99	10	25	50	75	90	95	98	99	1	2	.027	.0568
		BEGIN HOUR		3642	.043	.048	.057	.064	.071	.074	.078	.083	.088	.083		.0105
		Parts per million														
1		8-HR RUN AVG	6	99	10	25	50	75	90	95	98	99	1	2	.027	.0568
		BEGIN HOUR		3642	.043	.048	.057	.064	.071	.074	.078	.083	.088	.083		.0105
		Parts per million														
1		8-HR RUN AVG	7	99	10	25	50	75	90	95	98	99	1	2	.027	.0568
		BEGIN HOUR		3642	.043	.048	.057	.064	.071	.074	.078	.083	.088	.083		.0105
		Parts per million														
49-035-3008				Salt Lake												
2003	1	1 HOUR	1	91	10	25	50	75	90	95	98	99	1	2	.002	.0637
		Parts per million		3296	.051	.056	.062	.073	.081	.087	.088	.088	.091	.088		.0124
1		1 HOUR	2	99	10	25	50	75	90	95	98	99	1	2	.002	.0651
		Parts per million		3591	.052	.056	.062	.073	.083	.088	.091	.103	.103	.103		.0133
1		1 HOUR	3	99	10	25	50	75	90	95	98	99	1	2	.002	.0651
		Parts per million		3591	.052	.056	.062	.073	.083	.088	.091	.103	.103	.103		.0133
1		1 HOUR	4	91	10	25	50	75	90	95	98	99	1	2	.002	.0637
		Parts per million		3296	.051	.056	.062	.073	.081	.087	.088	.088	.091	.088		.0124
1		1 HOUR	5	99	10	25	50	75	90	95	98	99	1	2	.002	.0651
		Parts per million		3591	.052	.056	.062	.073	.083	.088	.091	.103	.103	.103		.0133
1		1 HOUR	6	99	10	25	50	75	90	95	98	99	1	2	.002	.0651
		Parts per million		3591	.052	.056	.062	.073	.083	.088	.091	.103	.103	.103		.0133

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Max	2nd	Min	Arith Mean / STD		
						Percentiles											
1			1 HOUR	7	99	10	25	50	75	90	95	98	99	1	2	.002	.0651
			Parts per million		3591	.052	.056	.062	.073	.083	.088	.091	.103	.103	.103		.0133
1			8-HR RUN AVG	1	88	10	25	50	75	90	95	98	99	1	2	.002	.0575
			BEGIN HOUR		3299	.046	.051	.056	.064	.070	.074	.076	.076	.079	.076		.0089
			Parts per million														
1			8-HR RUN AVG	2	96	10	25	50	75	90	95	98	99	1	2	.002	.0586
			BEGIN HOUR		3606	.047	.052	.057	.065	.072	.075	.076	.089	.091	.089		.0096
			Parts per million														
1			8-HR RUN AVG	3	96	10	25	50	75	90	95	98	99	1	2	.002	.0586
			BEGIN HOUR		3606	.047	.052	.057	.065	.072	.075	.076	.089	.091	.089		.0096
			Parts per million														
1			8-HR RUN AVG	4	88	10	25	50	75	90	95	98	99	1	2	.002	.0575
			BEGIN HOUR		3299	.046	.051	.056	.064	.070	.074	.076	.076	.079	.076		.0089
			Parts per million														
1			8-HR RUN AVG	5	96	10	25	50	75	90	95	98	99	1	2	.002	.0586
			BEGIN HOUR		3606	.047	.052	.057	.065	.072	.075	.076	.089	.091	.089		.0096
			Parts per million														
1			8-HR RUN AVG	6	96	10	25	50	75	90	95	98	99	1	2	.002	.0586
			BEGIN HOUR		3606	.047	.052	.057	.065	.072	.075	.076	.089	.091	.089		.0096
			Parts per million														
1			8-HR RUN AVG	7	96	10	25	50	75	90	95	98	99	1	2	.002	.0586
			BEGIN HOUR		3606	.047	.052	.057	.065	.072	.075	.076	.089	.091	.089		.0096
			Parts per million														
49-049-0002						Utah											
2003	2		1 HOUR	1	92	10	25	50	75	90	95	98	99	1	2	.039	.0638
			Parts per million		3307	.051	.056	.062	.070	.078	.088	.090	.093	.094	.093		.0109
2			1 HOUR	2	100	10	25	50	75	90	95	98	99	1	2	.039	.0651
			Parts per million		3614	.051	.057	.063	.072	.083	.088	.093	.095	.108	.095		.0118
2			1 HOUR	3	100	10	25	50	75	90	95	98	99	1	2	.039	.0651
			Parts per million		3614	.051	.057	.063	.072	.083	.088	.093	.095	.108	.095		.0118

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs													
2		1 HOUR	92	10	25	50	75	90	95	98	99	1	2	.039	.0638	
		Parts per million	3307	.051	.056	.062	.070	.078	.088	.090	.093	.094	.093		.0109	
2		1 HOUR	100	10	25	50	75	90	95	98	99	1	2	.039	.0651	
		Parts per million	3614	.051	.057	.063	.072	.083	.088	.093	.095	.108	.095		.0118	
2		1 HOUR	100	10	25	50	75	90	95	98	99	1	2	.039	.0651	
		Parts per million	3614	.051	.057	.063	.072	.083	.088	.093	.095	.108	.095		.0118	
2		1 HOUR	100	10	25	50	75	90	95	98	99	1	2	.039	.0651	
		Parts per million	3614	.051	.057	.063	.072	.083	.088	.093	.095	.108	.095		.0118	
2		8-HR RUN AVG	92	10	25	50	75	90	95	98	99	1	2	.010	.0567	
		BEGIN HOUR	3354	.043	.049	.056	.063	.069	.074	.078	.079	.081	.079		.0099	
		Parts per million														
2		8-HR RUN AVG	100	10	25	50	75	90	95	98	99	1	2	.026	.0576	
		BEGIN HOUR	3663	.044	.050	.057	.064	.071	.077	.078	.081	.087	.081		.0103	
		Parts per million														
2		8-HR RUN AVG	100	10	25	50	75	90	95	98	99	1	2	.026	.0576	
		BEGIN HOUR	3663	.044	.050	.057	.064	.071	.077	.078	.081	.087	.081		.0103	
		Parts per million														
2		8-HR RUN AVG	92	10	25	50	75	90	95	98	99	1	2	.010	.0567	
		BEGIN HOUR	3354	.043	.049	.056	.063	.069	.074	.078	.079	.081	.079		.0099	
		Parts per million														
2		8-HR RUN AVG	100	10	25	50	75	90	95	98	99	1	2	.026	.0576	
		BEGIN HOUR	3663	.044	.050	.057	.064	.071	.077	.078	.081	.087	.081		.0103	
		Parts per million														
2		8-HR RUN AVG	100	10	25	50	75	90	95	98	99	1	2	.026	.0576	
		BEGIN HOUR	3663	.044	.050	.057	.064	.071	.077	.078	.081	.087	.081		.0103	
		Parts per million														
2		8-HR RUN AVG	100	10	25	50	75	90	95	98	99	1	2	.026	.0576	
		BEGIN HOUR	3663	.044	.050	.057	.064	.071	.077	.078	.081	.087	.081		.0103	
		Parts per million														

49-049-5008

Utah

2003

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs													
1		1 HOUR	90	10	25	50	75	90	95	98	99	1	2	.041	.0640	
		Parts per million	3255	.051	.055	.060	.071	.082	.089	.092	.097	.107	.097		.0121	
1		1 HOUR	98	10	25	50	75	90	95	98	99	1	2	.041	.0655	
		Parts per million	3556	.051	.056	.061	.073	.085	.091	.094	.107	.122	.107		.0133	
1		1 HOUR	98	10	25	50	75	90	95	98	99	1	2	.041	.0655	
		Parts per million	3556	.051	.056	.061	.073	.085	.091	.094	.107	.122	.107		.0133	
1		1 HOUR	90	10	25	50	75	90	95	98	99	1	2	.041	.0640	
		Parts per million	3255	.051	.055	.060	.071	.082	.089	.092	.097	.107	.097		.0121	
1		1 HOUR	98	10	25	50	75	90	95	98	99	1	2	.041	.0655	
		Parts per million	3556	.051	.056	.061	.073	.085	.091	.094	.107	.122	.107		.0133	
1		1 HOUR	98	10	25	50	75	90	95	98	99	1	2	.041	.0655	
		Parts per million	3556	.051	.056	.061	.073	.085	.091	.094	.107	.122	.107		.0133	
1		1 HOUR	98	10	25	50	75	90	95	98	99	1	2	.041	.0655	
		Parts per million	3556	.051	.056	.061	.073	.085	.091	.094	.107	.122	.107		.0133	
1		8-HR RUN AVG BEGIN HOUR	90	10	25	50	75	90	95	98	99	1	2	.034	.0571	
		Parts per million	3311	.044	.050	.055	.062	.071	.075	.079	.079	.080	.079		.0093	
1		8-HR RUN AVG BEGIN HOUR	98	10	25	50	75	90	95	98	99	1	2	.037	.0582	
		Parts per million	3619	.045	.051	.057	.064	.072	.076	.079	.081	.103	.081		.0102	
1		8-HR RUN AVG BEGIN HOUR	98	10	25	50	75	90	95	98	99	1	2	.037	.0582	
		Parts per million	3619	.045	.051	.057	.064	.072	.076	.079	.081	.103	.081		.0102	
1		8-HR RUN AVG BEGIN HOUR	90	10	25	50	75	90	95	98	99	1	2	.034	.0571	
		Parts per million	3311	.044	.050	.055	.062	.071	.075	.079	.079	.080	.079		.0093	
1		8-HR RUN AVG BEGIN HOUR	98	10	25	50	75	90	95	98	99	1	2	.037	.0582	
		Parts per million	3619	.045	.051	.057	.064	.072	.076	.079	.081	.103	.081		.0102	

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County					Percentiles			Max	2nd	Min	Arith Mean / STD
		1	8-HR RUN AVG		6	98	10	25	50	75	90	95	98	99	1	2	.037	.0582
			BEGIN HOUR			3619	.045	.051	.057	.064	.072	.076	.079	.081	.103	.081		.0102
			Parts per million															
		1	8-HR RUN AVG		7	98	10	25	50	75	90	95	98	99	1	2	.037	.0582
			BEGIN HOUR			3619	.045	.051	.057	.064	.072	.076	.079	.081	.103	.081		.0102
			Parts per million															
49-049-5010							Utah											
2003	1		1 HOUR		1	91	10	25	50	75	90	95	98	99	1	2	.038	.0657
			Parts per million			3340	.054	.059	.064	.073	.079	.085	.094	.094	.099	.094		.0105
	1		1 HOUR		2	99	10	25	50	75	90	95	98	99	1	2	.038	.0666
			Parts per million			3626	.054	.059	.065	.074	.082	.087	.092	.094	.099	.094		.0108
	1		1 HOUR		3	99	10	25	50	75	90	95	98	99	1	2	.038	.0666
			Parts per million			3626	.054	.059	.065	.074	.082	.087	.092	.094	.099	.094		.0108
	1		1 HOUR		4	91	10	25	50	75	90	95	98	99	1	2	.038	.0657
			Parts per million			3340	.054	.059	.064	.073	.079	.085	.094	.094	.099	.094		.0105
	1		1 HOUR		5	99	10	25	50	75	90	95	98	99	1	2	.038	.0666
			Parts per million			3626	.054	.059	.065	.074	.082	.087	.092	.094	.099	.094		.0108
	1		1 HOUR		6	99	10	25	50	75	90	95	98	99	1	2	.038	.0666
			Parts per million			3626	.054	.059	.065	.074	.082	.087	.092	.094	.099	.094		.0108
	1		1 HOUR		7	99	10	25	50	75	90	95	98	99	1	2	.038	.0666
			Parts per million			3626	.054	.059	.065	.074	.082	.087	.092	.094	.099	.094		.0108
	1		8-HR RUN AVG		1	91	10	25	50	75	90	95	98	99	1	2	.021	.0588
			BEGIN HOUR			3351	.046	.052	.058	.065	.071	.074	.079	.080	.085	.080		.0092
			Parts per million															
	1		8-HR RUN AVG		2	99	10	25	50	75	90	95	98	99	1	2	.021	.0595
			BEGIN HOUR			3648	.048	.054	.059	.066	.071	.074	.078	.080	.085	.080		.0092
			Parts per million															
	1		8-HR RUN AVG		3	99	10	25	50	75	90	95	98	99	1	2	.021	.0595
			BEGIN HOUR			3648	.048	.054	.059	.066	.071	.074	.078	.080	.085	.080		.0092
			Parts per million															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County	Percentiles						Max	2nd	Min	Arith Mean / STD		
	1		8-HR RUN AVG	4	91		10	25	50	75	90	95	98	99	1	2	.021	.0588
			BEGIN HOUR		3351		.046	.052	.058	.065	.071	.074	.079	.080	.085	.080		.0092
			Parts per million															
	1		8-HR RUN AVG	5	99		10	25	50	75	90	95	98	99	1	2	.021	.0595
			BEGIN HOUR		3648		.048	.054	.059	.066	.071	.074	.078	.080	.085	.080		.0092
			Parts per million															
	1		8-HR RUN AVG	6	99		10	25	50	75	90	95	98	99	1	2	.021	.0595
			BEGIN HOUR		3648		.048	.054	.059	.066	.071	.074	.078	.080	.085	.080		.0092
			Parts per million															
	1		8-HR RUN AVG	7	99		10	25	50	75	90	95	98	99	1	2	.021	.0595
			BEGIN HOUR		3648		.048	.054	.059	.066	.071	.074	.078	.080	.085	.080		.0092
			Parts per million															
49-057-0007						Weber												
2003	1		1 HOUR	1	90		10	25	50	75	90	95	98	99	1	2	.031	.0645
			Parts per million		3263		.050	.056	.063	.073	.085	.090	.098	.100	.100	.100		.0133
	1		1 HOUR	2	98		10	25	50	75	90	95	98	99	1	2	.031	.0655
			Parts per million		3548		.050	.057	.063	.074	.086	.091	.098	.100	.100	.100		.0136
	1		1 HOUR	3	98		10	25	50	75	90	95	98	99	1	2	.031	.0655
			Parts per million		3548		.050	.057	.063	.074	.086	.091	.098	.100	.100	.100		.0136
	1		1 HOUR	4	90		10	25	50	75	90	95	98	99	1	2	.031	.0645
			Parts per million		3263		.050	.056	.063	.073	.085	.090	.098	.100	.100	.100		.0133
	1		1 HOUR	5	98		10	25	50	75	90	95	98	99	1	2	.031	.0655
			Parts per million		3548		.050	.057	.063	.074	.086	.091	.098	.100	.100	.100		.0136
	1		1 HOUR	6	98		10	25	50	75	90	95	98	99	1	2	.031	.0655
			Parts per million		3548		.050	.057	.063	.074	.086	.091	.098	.100	.100	.100		.0136
	1		1 HOUR	7	98		10	25	50	75	90	95	98	99	1	2	.031	.0655
			Parts per million		3548		.050	.057	.063	.074	.086	.091	.098	.100	.100	.100		.0136
	1		8-HR RUN AVG	1	89		10	25	50	75	90	95	98	99	1	2	.021	.0570
			BEGIN HOUR		3294		.042	.048	.057	.064	.071	.078	.079	.080	.081	.080		.0110
			Parts per million															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR	County	Percentiles					Max	2nd	Min	Arith Mean / STD		
			Unit		Obs												
	1		8-HR RUN AVG	2	97	10	25	50	75	90	95	98	99	1	2	.027	.0578
			BEGIN HOUR		3576	.043	.049	.059	.065	.072	.078	.079	.081	.081	.081		.0112
			Parts per million														
	1		8-HR RUN AVG	3	97	10	25	50	75	90	95	98	99	1	2	.027	.0578
			BEGIN HOUR		3576	.043	.049	.059	.065	.072	.078	.079	.081	.081	.081		.0112
			Parts per million														
	1		8-HR RUN AVG	4	89	10	25	50	75	90	95	98	99	1	2	.021	.0570
			BEGIN HOUR		3294	.042	.048	.057	.064	.071	.078	.079	.080	.081	.080		.0110
			Parts per million														
	1		8-HR RUN AVG	5	97	10	25	50	75	90	95	98	99	1	2	.027	.0578
			BEGIN HOUR		3576	.043	.049	.059	.065	.072	.078	.079	.081	.081	.081		.0112
			Parts per million														
	1		8-HR RUN AVG	6	97	10	25	50	75	90	95	98	99	1	2	.027	.0578
			BEGIN HOUR		3576	.043	.049	.059	.065	.072	.078	.079	.081	.081	.081		.0112
			Parts per million														
	1		8-HR RUN AVG	7	97	10	25	50	75	90	95	98	99	1	2	.027	.0578
			BEGIN HOUR		3576	.043	.049	.059	.065	.072	.078	.079	.081	.081	.081		.0112
			Parts per million														
49-057-1003						Weber											
2003	1		1 HOUR	1	92	10	25	50	75	90	95	98	99	1	2	.036	.0653
			Parts per million		3210	.051	.056	.065	.072	.081	.087	.095	.097	.099	.097		.0120
	1		1 HOUR	2	100	10	25	50	75	90	95	98	99	1	2	.036	.0667
			Parts per million		3480	.051	.058	.065	.074	.084	.091	.097	.107	.113	.107		.0132
	1		1 HOUR	3	100	10	25	50	75	90	95	98	99	1	2	.036	.0667
			Parts per million		3480	.051	.058	.065	.074	.084	.091	.097	.107	.113	.107		.0132
	1		1 HOUR	4	92	10	25	50	75	90	95	98	99	1	2	.036	.0653
			Parts per million		3210	.051	.056	.065	.072	.081	.087	.095	.097	.099	.097		.0120
	1		1 HOUR	5	100	10	25	50	75	90	95	98	99	1	2	.036	.0667
			Parts per million		3480	.051	.058	.065	.074	.084	.091	.097	.107	.113	.107		.0132
	1		1 HOUR	6	100	10	25	50	75	90	95	98	99	1	2	.036	.0667
			Parts per million		3480	.051	.058	.065	.074	.084	.091	.097	.107	.113	.107		.0132

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (44201) Ozone
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs													
1		1 HOUR	7	100	10	25	50	75	90	95	98	99	1	2	.036	.0667
		Parts per million		3480	.051	.058	.065	.074	.084	.091	.097	.107	.113	.107		.0132
1		8-HR RUN AVG	1	92	10	25	50	75	90	95	98	99	1	2	.019	.0585
		BEGIN HOUR		3361	.041	.050	.059	.065	.072	.077	.082	.083	.083	.083		.0109
		Parts per million														
1		8-HR RUN AVG	2	99	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3636	.044	.052	.060	.066	.073	.080	.083	.088	.092	.088		.0114
		Parts per million														
1		8-HR RUN AVG	3	99	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3636	.044	.052	.060	.066	.073	.080	.083	.088	.092	.088		.0114
		Parts per million														
1		8-HR RUN AVG	4	92	10	25	50	75	90	95	98	99	1	2	.019	.0585
		BEGIN HOUR		3361	.041	.050	.059	.065	.072	.077	.082	.083	.083	.083		.0109
		Parts per million														
1		8-HR RUN AVG	5	99	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3636	.044	.052	.060	.066	.073	.080	.083	.088	.092	.088		.0114
		Parts per million														
1		8-HR RUN AVG	6	99	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3636	.044	.052	.060	.066	.073	.080	.083	.088	.092	.088		.0114
		Parts per million														
1		8-HR RUN AVG	7	99	10	25	50	75	90	95	98	99	1	2	.033	.0594
		BEGIN HOUR		3636	.044	.052	.060	.066	.073	.080	.083	.088	.092	.088		.0114
		Parts per million														

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (81102) PM10 Total 0-10um STP
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County						Percentiles			Max	2nd	Min	Arith Mean / STD
49-005-0004						Cache												
2003	1		24 HOURS	0	98	10	25	50	75	90	95	98	99	1	2	2	21.1	
			Micrograms/cubic meter (25 C)		118	5	11	19	28	41	49	57	59	67	59		13.9	
49-011-0001						Davis												
2003	2		24 HOURS	0	90	10	25	50	75	90	95	98	99	1	2	4	18.3 *	
			Micrograms/cubic meter (25 C)		27	6	9	15	22	41	49	64	64	64	49		13.8	
49-011-0004						Davis												
2003	1		24 HOURS	0	86	10	25	50	75	90	95	98	99	1	2	4	23.3 *	
			Micrograms/cubic meter (25 C)		25	10	15	25	29	38	39	42	42	42	39		10.4	
49-019-0006						Grand												
2003	1		24 HOURS	0	93	10	25	50	75	90	95	98	99	1	2	5	21.8 *	
			Micrograms/cubic meter (25 C)		28	8	14	18	27	38	45	67	67	67	45		13.4	
49-035-0003						Salt Lake												
2003	1		24 HOURS	0	98	10	25	50	75	90	95	98	99	1	2	2	28.3	
			Micrograms/cubic meter (25 C)		118	10	17	26	38	48	61	73	82	92	82		16.5	
49-035-0012						Salt Lake												
2003	2		24 HOURS	1	95	10	25	50	75	90	95	98	99	1	2	5	37.6	
			Micrograms/cubic meter (25 C)		347	15	22	34	49	68	78	88	96	111	107		20.5	
	2		24 HOURS	2	96	10	25	50	75	90	95	98	99	1	2	5	39.7	
			Micrograms/cubic meter (25 C)		351	15	22	34	49	69	81	96	153	358	209		29.6	
	2		24 HOURS	3	96	10	25	50	75	90	95	98	99	1	2	5	39.7	
			Micrograms/cubic meter (25 C)		351	15	22	34	49	69	81	96	153	358	209		29.6	
	2		24 HOURS	4	95	10	25	50	75	90	95	98	99	1	2	5	37.6	
			Micrograms/cubic meter (25 C)		347	15	22	34	49	68	78	88	96	111	107		20.5	

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (81102) PM10 Total 0-10um STP
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2	5	Arith Mean / STD	
	2	24 HOURS	5	96	10	25	50	75	90	95	98	99	1	2	5	39.7
		Micrograms/cubic meter (25 C)	351	15	22	34	49	69	81	96	153	358	209			29.6
	2	24 HOURS	6	96	10	25	50	75	90	95	98	99	1	2	5	39.7
		Micrograms/cubic meter (25 C)	351	15	22	34	49	69	81	96	153	358	209			29.6
	2	24 HOURS	7	96	10	25	50	75	90	95	98	99	1	2	5	39.7
		Micrograms/cubic meter (25 C)	351	15	22	34	49	69	81	96	153	358	209			29.6
49-035-1001				Salt Lake												
2003	3	24 HOURS	1	95	10	25	50	75	90	95	98	99	1	2	2	22.7
		Micrograms/cubic meter (25 C)	116	6	12	20	30	45	52	65	69	70	69			14.7
	3	24 HOURS	2	95	10	25	50	75	90	95	98	99	1	2	2	26.1
		Micrograms/cubic meter (25 C)	117	6	12	20	30	45	59	69	70	421	70			39.6
	3	24 HOURS	3	95	10	25	50	75	90	95	98	99	1	2	2	26.1
		Micrograms/cubic meter (25 C)	117	6	12	20	30	45	59	69	70	421	70			39.6
	3	24 HOURS	4	95	10	25	50	75	90	95	98	99	1	2	2	22.7
		Micrograms/cubic meter (25 C)	116	6	12	20	30	45	52	65	69	70	69			14.7
	3	24 HOURS	5	95	10	25	50	75	90	95	98	99	1	2	2	26.1
		Micrograms/cubic meter (25 C)	117	6	12	20	30	45	59	69	70	421	70			39.6
	3	24 HOURS	6	95	10	25	50	75	90	95	98	99	1	2	2	26.1
		Micrograms/cubic meter (25 C)	117	6	12	20	30	45	59	69	70	421	70			39.6
	3	24 HOURS	7	95	10	25	50	75	90	95	98	99	1	2	2	26.1
		Micrograms/cubic meter (25 C)	117	6	12	20	30	45	59	69	70	421	70			39.6
49-035-3006				Salt Lake												

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (81102) PM10 Total 0-10um STP
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2			
2003	1	24 HOURS	1	85	10	25	50	75	90	95	98	99	1	2	2	25.7
		Micrograms/cubic meter (25 C)	311	10	14	22	33	46	58	74	81	87	86			15.7
	1	24 HOURS	2	86	10	25	50	75	90	95	98	99	1	2	2	27.5
		Micrograms/cubic meter (25 C)	314	10	14	22	33	47	60	81	87	360	162			26.2
	1	24 HOURS	3	86	10	25	50	75	90	95	98	99	1	2	2	27.5
		Micrograms/cubic meter (25 C)	314	10	14	22	33	47	60	81	87	360	162			26.2
	1	24 HOURS	4	85	10	25	50	75	90	95	98	99	1	2	2	25.7
		Micrograms/cubic meter (25 C)	311	10	14	22	33	46	58	74	81	87	86			15.7
	1	24 HOURS	5	86	10	25	50	75	90	95	98	99	1	2	2	27.5
		Micrograms/cubic meter (25 C)	314	10	14	22	33	47	60	81	87	360	162			26.2
	1	24 HOURS	6	86	10	25	50	75	90	95	98	99	1	2	2	27.5
		Micrograms/cubic meter (25 C)	314	10	14	22	33	47	60	81	87	360	162			26.2
	1	24 HOURS	7	86	10	25	50	75	90	95	98	99	1	2	2	27.5
		Micrograms/cubic meter (25 C)	314	10	14	22	33	47	60	81	87	360	162			26.2
49-049-0002				Utah												
2003	2	24 HOURS	0	98	10	25	50	75	90	95	98	99	1	2	2	23.1
		Micrograms/cubic meter (25 C)	119	9	14	22	31	38	41	55	57	76	57			12.2
49-049-4001				Utah												
2003	2	24 HOURS	1	96	10	25	50	75	90	95	98	99	1	2	2	24.8
		Micrograms/cubic meter (25 C)	350	8	13	24	34	41	50	61	78	96	92			15.0
	2	24 HOURS	2	96	10	25	50	75	90	95	98	99	1	2	2	25.5
		Micrograms/cubic meter (25 C)	352	8	13	24	34	42	52	66	92	150	118			17.1

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (81102) PM10 Total 0-10um STP
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2	2	25.5	
		24 HOURS	3	96	10	25	50	75	90	95	98	99	1	2	2	25.5
		Micrograms/cubic meter (25 C)	352	8	13	24	34	42	52	66	92	150	118			17.1
		24 HOURS	4	96	10	25	50	75	90	95	98	99	1	2	2	24.8
		Micrograms/cubic meter (25 C)	350	8	13	24	34	41	50	61	78	96	92			15.0
		24 HOURS	5	96	10	25	50	75	90	95	98	99	1	2	2	25.5
		Micrograms/cubic meter (25 C)	352	8	13	24	34	42	52	66	92	150	118			17.1
		24 HOURS	6	96	10	25	50	75	90	95	98	99	1	2	2	25.5
		Micrograms/cubic meter (25 C)	352	8	13	24	34	42	52	66	92	150	118			17.1
		24 HOURS	7	96	10	25	50	75	90	95	98	99	1	2	2	25.5
		Micrograms/cubic meter (25 C)	352	8	13	24	34	42	52	66	92	150	118			17.1
49-057-0002				Weber												
2003	1	24 HOURS	1	96	10	25	50	75	90	95	98	99	1	2	2	27.9
		Micrograms/cubic meter (25 C)	349	10	18	26	37	46	52	67	75	82	78			14.3
	1	24 HOURS	2	96	10	25	50	75	90	95	98	99	1	2	2	29.2
		Micrograms/cubic meter (25 C)	352	11	18	26	37	46	54	73	82	229	204			20.7
	1	24 HOURS	3	96	10	25	50	75	90	95	98	99	1	2	2	28.7
		Micrograms/cubic meter (25 C)	351	11	18	26	37	46	53	67	78	229	119			18.5
	1	24 HOURS	4	96	10	25	50	75	90	95	98	99	1	2	2	28.4
		Micrograms/cubic meter (25 C)	350	11	18	26	37	46	53	67	78	204	82			17.1
	1	24 HOURS	5	96	10	25	50	75	90	95	98	99	1	2	2	29.2
		Micrograms/cubic meter (25 C)	352	11	18	26	37	46	54	73	82	229	204			20.7

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (81102) PM10 Total 0-10um STP
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD	
1			24 HOURS		6	96	10	25	50	75	90	95	98	99	1	2	2	29.2
			Micrograms/cubic meter (25 C)			352	11	18	26	37	46	54	73	82	229	204		20.7
1			24 HOURS		7	96	10	25	50	75	90	95	98	99	1	2	2	29.2
			Micrograms/cubic meter (25 C)			352	11	18	26	37	46	54	73	82	229	204		20.7

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	Year	POC	Duration	EDT	PCT/ NBR Obs	County							Percentiles	Max	2nd	Min	Arith Mean / STD	
49-003-0003						Box Elder												
2003	1		24 HOURS	0	100	10	25	50	75	90	95	98	99	1	2	.9	7.09	
			Micrograms/cubic meter		121	2.6	3.6	5.7	8.8	14.7	17.0	26.5	27.0	29.2	27.0		5.34	
			(LC)															
49-005-0004						Cache												
2003	1		24 HOURS	0	97	10	25	50	75	90	95	98	99	1	2	1.1	8.23	
			Micrograms/cubic meter		353	3.1	4.4	6.4	8.8	15.4	24.9	31.5	35.4	44.9	37.5		6.78	
			(LC)															
49-011-0001						Davis												
2003	1		24 HOURS	0	97	10	25	50	75	90	95	98	99	1	2	1.1	7.66 *	
			Micrograms/cubic meter		56	2.5	3.8	5.0	9.8	15.9	23.2	24.7	44.8	44.8	24.7		7.16	
			(LC)															
49-011-0004						Davis												
2003	1		24 HOURS	0	95	10	25	50	75	90	95	98	99	1	2	2.0	9.84 *	
			Micrograms/cubic meter		55	4.0	4.7	7.1	10.6	21.0	24.3	40.4	46.9	46.9	40.4		8.54	
			(LC)															
49-035-0003						Salt Lake												
2003	1		24 HOURS	0	99	10	25	50	75	90	95	98	99	1	2	2.1	10.44	
			Micrograms/cubic meter		120	4.1	5.4	7.6	11.5	23.1	27.7	32.1	50.1	56.7	50.1		8.76	
			(LC)															
49-035-0012						Salt Lake												
2003	1		24 HOURS	1	89	10	25	50	75	90	95	98	99	1	2	2.3	12.14	
			Micrograms/cubic meter		109	5.1	6.9	9.2	13.0	24.4	29.0	45.9	54.8	54.9	54.8		9.39	
			(LC)															
		1	24 HOURS	2	91	10	25	50	75	90	95	98	99	1	2	2.3	12.33	
			Micrograms/cubic meter		111	5.3	6.9	9.2	13.8	23.1	29.0	45.9	54.8	54.9	54.8		9.42	
			(LC)															
		1	24 HOURS	3	91	10	25	50	75	90	95	98	99	1	2	2.3	12.33	
			Micrograms/cubic meter		111	5.3	6.9	9.2	13.8	23.1	29.0	45.9	54.8	54.9	54.8		9.42	
			(LC)															
		1	24 HOURS	4	89	10	25	50	75	90	95	98	99	1	2	2.3	12.14	
			Micrograms/cubic meter		109	5.1	6.9	9.2	13.0	24.4	29.0	45.9	54.8	54.9	54.8		9.39	
			(LC)															

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2			
	1	24 HOURS	5	91	10	25	50	75	90	95	98	99	1	2	2.3	12.33
		Micrograms/cubic meter (LC)	111	5.3	6.9	9.2	13.8	23.1	29.0	45.9	54.8	54.9	54.8		9.42	
	1	24 HOURS	6	91	10	25	50	75	90	95	98	99	1	2	2.3	12.33
		Micrograms/cubic meter (LC)	111	5.3	6.9	9.2	13.8	23.1	29.0	45.9	54.8	54.9	54.8		9.42	
	1	24 HOURS	7	91	10	25	50	75	90	95	98	99	1	2	2.3	12.33
		Micrograms/cubic meter (LC)	111	5.3	6.9	9.2	13.8	23.1	29.0	45.9	54.8	54.9	54.8		9.42	
49-035-1001				Salt Lake												
2003	1	24 HOURS	0	96	10	25	50	75	90	95	98	99	1	2	1.1	8.93 *
		Micrograms/cubic meter (LC)	52	3.0	4.4	6.0	9.7	21.2	29.9	30.7	51.2	51.2	30.7		9.06	
49-035-3006				Salt Lake												
2003	1	24 HOURS	1	96	10	25	50	75	90	95	98	99	1	2	2.2	9.56
		Micrograms/cubic meter (LC)	352	3.9	5.2	7.1	10.7	18.8	24.5	32.8	49.5	59.5	52.9		7.79	
	1	24 HOURS	2	97	10	25	50	75	90	95	98	99	1	2	2.2	9.64
		Micrograms/cubic meter (LC)	353	3.9	5.2	7.1	10.7	18.9	25.4	33.5	49.5	59.5	52.9		7.91	
	1	24 HOURS	3	97	10	25	50	75	90	95	98	99	1	2	2.2	9.64
		Micrograms/cubic meter (LC)	353	3.9	5.2	7.1	10.7	18.9	25.4	33.5	49.5	59.5	52.9		7.91	
	1	24 HOURS	4	96	10	25	50	75	90	95	98	99	1	2	2.2	9.56
		Micrograms/cubic meter (LC)	352	3.9	5.2	7.1	10.7	18.8	24.5	32.8	49.5	59.5	52.9		7.79	
	1	24 HOURS	5	97	10	25	50	75	90	95	98	99	1	2	2.2	9.64
		Micrograms/cubic meter (LC)	353	3.9	5.2	7.1	10.7	18.9	25.4	33.5	49.5	59.5	52.9		7.91	
	1	24 HOURS	6	97	10	25	50	75	90	95	98	99	1	2	2.2	9.64
		Micrograms/cubic meter (LC)	353	3.9	5.2	7.1	10.7	18.9	25.4	33.5	49.5	59.5	52.9		7.91	

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD		
		1	24 HOURS		7	97	10	25	50	75	90	95	98	99	1	2	2.2	9.64	
			Micrograms/cubic meter	(LC)		353	3.9	5.2	7.1	10.7	18.9	25.4	33.5	49.5	59.5	52.9		7.91	
49-035-3007							Salt Lake												
2003		1	24 HOURS		0	83	10	25	50	75	90	95	98	99	1	2	1.9	10.99 *	
			Micrograms/cubic meter	(LC)		100	4.2	5.5	7.1	12.9	24.5	33.5	44.9	54.6	54.6	44.9		9.69	
2003		2	24 HOURS		0	26	10	25	50	75	90	95	98	99	1	2	2.9	8.77 *	
			Micrograms/cubic meter	(LC)		6	2.9	5.2	9.5	10.0	19.2	19.2	19.2	19.2	19.2	10.0		5.78	
49-035-3008							Salt Lake												
2003		1	24 HOURS		0	93	10	25	50	75	90	95	98	99	1	2	.8	7.01	
			Micrograms/cubic meter	(LC)		113	2.7	4.1	5.9	8.2	11.1	18.7	25.3	26.4	27.6	26.4		4.87	
49-045-0002							Tooele												
2003		1	24 HOURS		0	100	10	25	50	75	90	95	98	99	1	2	1.3	6.74 *	
			Micrograms/cubic meter	(LC)		60	1.7	2.9	4.5	7.6	15.0	20.6	24.3	43.9	43.9	24.3		7.08	
49-049-0002							Utah												
2003		1	24 HOURS		0	98	10	25	50	75	90	95	98	99	1	2	2.2	9.26	
			Micrograms/cubic meter	(LC)		118	4.1	5.2	7.5	12.5	16.4	19.4	28.0	29.3	42.0	29.3		6.16	
49-049-4001							Utah												
2003		1	24 HOURS		1	93	10	25	50	75	90	95	98	99	1	2	1.5	8.43	
			Micrograms/cubic meter	(LC)		340	3.4	4.7	6.4	10.0	16.2	19.0	28.7	30.4	60.7	51.8		6.48	
		1	24 HOURS		2	93	10	25	50	75	90	95	98	99	1	2	1.5	8.54	
			Micrograms/cubic meter	(LC)		341	3.4	4.7	6.4	10.0	16.2	19.0	29.2	33.3	60.7	51.8		6.76	
		1	24 HOURS		3	93	10	25	50	75	90	95	98	99	1	2	1.5	8.43	
			Micrograms/cubic meter	(LC)		340	3.4	4.7	6.4	10.0	16.2	19.0	28.7	30.4	60.7	51.8		6.48	

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	EDT	PCT/ NBR	County	Percentiles									Max	2nd	Min	Arith Mean / STD
Year	POC	Duration Unit	Obs	10	25	50	75	90	95	98	99	1	2			
	1	24 HOURS	4	93	10	25	50	75	90	95	98	99	1	2	1.5	8.54
		Micrograms/cubic meter (LC)	341	3.4	4.7	6.4	10.0	16.2	19.0	29.2	33.3	60.7	51.8		6.76	
	1	24 HOURS	5	93	10	25	50	75	90	95	98	99	1	2	1.5	8.54
		Micrograms/cubic meter (LC)	341	3.4	4.7	6.4	10.0	16.2	19.0	29.2	33.3	60.7	51.8		6.76	
	1	24 HOURS	6	93	10	25	50	75	90	95	98	99	1	2	1.5	8.54
		Micrograms/cubic meter (LC)	341	3.4	4.7	6.4	10.0	16.2	19.0	29.2	33.3	60.7	51.8		6.76	
	1	24 HOURS	7	93	10	25	50	75	90	95	98	99	1	2	1.5	8.54
		Micrograms/cubic meter (LC)	341	3.4	4.7	6.4	10.0	16.2	19.0	29.2	33.3	60.7	51.8		6.76	
2003	2	24 HOURS	0	24	10	25	50	75	90	95	98	99	1	2	3.4	9.35 *
		Micrograms/cubic meter (LC)	4	3.4	7.8	9.5	16.7	16.7	16.7	16.7	16.7	16.7	9.5		5.53	
49-049-5008				Utah												
2003	1	24 HOURS	0	96	10	25	50	75	90	95	98	99	1	2	.9	7.06
		Micrograms/cubic meter (LC)	116	2.8	4.2	6.1	8.1	11.9	16.7	22.5	25.2	36.2	25.2		4.95	
49-049-5010				Utah												
2003	1	24 HOURS	0	93	10	25	50	75	90	95	98	99	1	2	2.0	7.55
		Micrograms/cubic meter (LC)	113	3.2	4.5	6.4	8.9	12.0	17.9	23.0	28.7	29.5	28.7		4.93	
49-057-0002				Weber												
2003	1	24 HOURS	0	98	10	25	50	75	90	95	98	99	1	2	1.6	9.93
		Micrograms/cubic meter (LC)	118	4.5	5.8	7.5	11.1	19.8	24.5	27.3	29.6	38.3	29.6		6.56	
49-057-0007				Weber												
2003	1	24 HOURS	0	96	10	25	50	75	90	95	98	99	1	2	1.3	7.60
		Micrograms/cubic meter (LC)	116	3.4	4.3	6.0	9.5	14.7	18.5	21.9	25.5	32.6	25.5		5.10	

2003

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.

REDUCED FREQUENCY DISTR REPORT

Jun. 6, 2006

Parameter: (88101) PM2.5 - Local Conditions
 State: (49) Utah

AQS Site ID	Year	POC	Duration	Unit	EDT	PCT/ NBR Obs	County						Percentiles	Max	2nd	Min	Arith Mean / STD		
	2		24 HOURS		0	7	10	25	50	75	90	95	98	99	1	2	6.6	7.00 *	
			Micrograms/cubic meter			2	6.6	6.6	7.4	7.4	7.4	7.4	7.4	7.4	7.4	6.6		.57	
49-057-1003			(LC)				Weber												
2003	1		24 HOURS		0	96	10	25	50	75	90	95	98	99	1	2	.2	7.96	
			Micrograms/cubic meter			116	3.2	4.3	6.0	9.8	16.6	20.1	21.7	29.4	31.2	29.4		5.82	
			(LC)																

AN ASTERISK (*) WITH A ARITH MEAN VALUE INDICATES THE MEAN DID NOT MEET ANNUAL CRITERIA.